SPRAYSAFE SILICONE 250G AEROSOL M808

High quality food grade silicone fluid in an aerosol form. It is a colourless, odourless protective lubricant. Spraysafe is non conductive and is water resistant. Will not affect plastics or polycarbonates.





300G AEROSOL M910

Universal metal protector - soft cote. It provides a premium heavy-duty waxy film for long term protection. Seals from moisture and corrosive contaminants. Highly Resistant to chemicals, salt water, humidity and corrosive environments. Will not effect painted surfaces, rubbers, plastics and insulation materials.





CONTACT CLEANER 300G AEROSOL M866

A fast drying, non-corrosive, non-staining cleaning solvent that evaporates completely. Ideal for removing contaminates from sensitive electrical and electronic parts. Safe on most plastics. Lubricant free and leaves no residue. Ideal for cleaning: Circuit breakers, printed circuit boards, relays, switches, connectors, terminal plugs & jacks.





LIQUID SPANNER 400G AEROSOL M890

A high strength, heavy-duty penetrating and releasing fluid for use on heavily corroded nuts, bolts and machinery parts. Liquid Spanner works quickly to penetrate and loosen assemblies that are contaminated with rust, tar, grease and carbon deposits.





SUPA SQUIRT 400G AEROSOL M830


Powerful water dispersing, lubricating and penetrating fluid containing P.T.F.E. Protects machinery, toys, guns, fishing tackle etc. Disperses water, lubricates and loosens nuts, bolts and more.





NICKEL ANTI-SEIZE & LUBRICATING COMPOUND

CRC Nickel Anti-Seize & Lubricating Compound is a nickel based lubricant that protects metal to metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion.



- · Free of copper, lead, sulphides and chlorides
- · Safe for use with most chemicals that are unstable with copper
- Extremely high temperature capabilities
- · Excellent chemical resistance



	OD O
ı	CR©
	NICKEL ANTI-SEIZE ALBERICHTING COMPOUND FOR SURNLESS STEEL
	Copper free formulation 🗸
ш	Proverts seizing & galling 🗸
	Protects up to +1315°C 🗸
	Will not harden
	The Professional's Choice
-0	

COPATEC ANTI-SEIZE

25G POD M903, 65G TUBE M900, 250G BRUSH TOP TIN, 250G TUBE M895, 500G BRUSH TOP TIN M805, 2.5KG PAIL M806, 300G AEROSOL M867

Copper based anti-seize compound. Developed to protect metal parts from corrosion, galling and seizing. Ideal for corrosive environments and extreme temperature conditions. Contains antioxidants, anti-corrosion inhibitors, copper and metallic particles in a bentone base. Resistant to acid, alkali, seawater, water and steam.



NICKELTEC ANTI-SEIZE

25G POD M902, 65G TUBE M901, 225G BRUSH TOP TIN M831, 225G TUBE M891, 450G BRUSH TOP TIN M825, 2KG PAIL M826, 300G AEROSOL M868

Nickel based anti-seize compound. Developed to protect metal parts from corrosion, galling and seizing. Nickeltec eases assembly & disassembly of slip fit and threaded joints. Formulated for severe environments, these products protect against high temperatures up to 1450c. Does not contain graphite.





MOLYTEC

MOLYPASTE ANTI-SEIZE

65G TUBE M819, 250G BRUSH TOP TIN M801

A molybdenum disulphide and nickel based stainless thread lubricant. Is an anti-galling paste and anti-seize compound that provides a low friction coating to prevent galling and heat freeze. Containing rust and corrosion inhibitors, it does not contain graphite, copper or lead. Ideal for use on stainless steel fasteners flange / pump bolts and metal fittings.





Part Number	Description
3147	CRC Nickel Anti-Seize & Lubricant Compound 1X75ML
3193	CRC Nickel Anti Seize & Lubricant Compound 1X500ML
3197	CRC Nickel Anti-Seize & Lubricant Aerosol 1X400ML

5-56 MULTI-PURPOSE

CRC 5-56 Multi-purpose is a service spray lubricant that penetrates, lubricates and prevents corrosion. It's the original toolkit in a can.

- · Advanced lubrication for smooth action - silences annoying squeaks and squeals
- Stops and attacks rust protective film for ongoing protection against corrosion
- · Displaces moisture to help start wet engines





Part Number	Description	
5003	CRC 5-56 1X500ML	
5004	CRC 5-56 1X4L	
5005	CRC 5-56 1X400G	
5006	CRC 5-56 1X1L	
5009	CRC 5-56 1X20L	
5011	CRC 5-56 1X200L	
5028	CRC 5-56 1X175G	

P

WHITE LITHIUM GREASE

CRC White Lithium Grease is an advanced lubricant and protectant containing an advanced additive package for superior performance and durability in any weather and most temperatures. This versatile grease is designed for light duty applications requiring a long grease life.

- · Contains oxidation inhibitors to counter corrosion, and protects with a tough, high viscosity film.
- · Provides lasting lubrication and durability under stressful conditions.



CR@

RED LITHIUM GREASE

CRC Red Lithium Grease is a multipurpose, red lithium complex grease that withstands extreme pressures and temperature ranges. Formulated with anti-oxidation, anti-rust, and antiwear additives, it is a highly versatile grease for use in both automotive and industrial settings.

- · Withstands high temperature and pressure
- · Water resistant, protects against rust and corrosion
- · Contains anti-wear and anti-oxidation additives



CR@

Part Number	Description	Part Number	Description
5037	CRC White Lithium Grease 1X300G	1753203	CRC Red Lithium Grease 1X450G

PENETR8 HI SPEED PENETRANT

CRC Penetr8 is an industrial strength, low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners.

- Extreme penetrating action high speed penetrant, specially formulated to penetrate rust, dissolve varnishes and gums
- · Leaves a thin non-drying, colourless film with outstanding lubrication & corrosion inhibiting properties





CRC 2.26 is a stable, inert organic formula, especially prepared to prevent malfunction and deterioration (due to the effect of moisture and corrosion). extends operational life, reduces down time and maintenance.

- · Contains no silicone.
- A penetrant frees rusted or corroded parts.
- · Light degreaser.
- PN 2007 Trigger is rated as non-flammable under GHS packaging process



		Part Number	Description
Part Number	Description	2005	CRC 2.26 Aerosol 1X450G
5501	CRC Penetr8 1X400G	2006	CRC 2.26 1X4L
5509	CRC Penetr8 1X20L	2007	CRC 2.26 1X500ML

3.36

MARINE 66

CRC Marine 66 is a multi-purpose compound designed to end damage due to water and salt atmosphere in marine engines and boating equipment.

- · Displaces moisture and forms a continued non- hardening molecular film, protecting equipment.
- · Penetrates and loosens scale, frees "frozen" parts, cleans, lubricates and displaces moisture.



CR@

CRC 3-36 is a multiple organic inhibitor in a paraffinic oil base that prevents rust and corrosion by displacing and sealing out moisture and by forming a continuous protection barrier against water and oxygen.

- · Thin invisible film that never dries or becomes brittle.
- Extremely low surface tension.
- · Penetrates into pores and cracks.
- · Low surface tension and an affinity for metal ensures that a continuous film of product will blanket every part of the surface.



CR@



Part Number	Description
6006	CRC Marine 66 1X300G

Part Number	Description
3005	CRC 3.36 1X300G
3009	CRC 3.36 1X20L

TREFOLEX 'MAGIC' CUTTING COMPOUND

CRC Trefolex 'Magic' Cutting Compound provides continuous lubrication throughout low speed cutting operartions.

- · For clean threads and no tearing
- · Significantly increases tool life and thread quality
- · Does not run off or evaporate
- · For use with hand tools and slow cutting operations
- · Suitable for steel, aluminium, copper, brass, stainless steel



CR©

CRC

,	
Part Number	Description
3060	CRC Trefolex Magic Cutting Compound 1X500ML

TREFOLEX CUTTING PASTE

Trefolex Cutting Compound is a green coloured, active cutting compound containing a colloid. It melts slowly as frictional heat is generated. Trefolex maintains efficient lubrication throughout operations such as pipe screwing, hack sawing, tapping, reaming, etc.

- · It is suitable for all users of hand tools
- · It is ideal for use with stainless steel
- · For use with hand tools and slow cutting operations
- Suitable for steel, aluminium, copper, brass, stainless steel



Part Number	Description
3061	Trefolex Cutting Paste 1X2L

CDT CUTTING LIQUID

CRC CDT Cutting compounds are superior neat cutting, drilling tapping, and reaming lubricants, formulated for hand and machine cutting on all types of metal

- · Contains high performance, extreme pressure additives
- · Provides very high resistance to temperature, pressure and wear
- · Enhances tool, mandrel and die life reduces tooling and production costs
- · Significantly reduces friction and wear, increasing cutting speeds



Part Number	Description
3063	Trefolex CDT Cutting Oil 1X300G

TREFOLEX HD CUTTING FLUID

Trefolex HD Cutting Fluid is an extreme duty cutting fluid. It is a thick fluid that sticks to the cutting tool throughout the operation. Trefolex HD Cutting Fluid is ideal for tapping and drilling stainless steel, carbon steel, inconel, monel, hastelloy, titanium, aluminium and other alloys and exotics.

- · An extreme duty cutting fluid.
- · It is ideal for use with stainless steel.



Part Number	Description
3065	Trefolex HD 1X500ML

GASKET STRIPPER

CRC Gasket Stripper is a powerful formulation that quickly and easily removes tough bonded gaskets and most types of gasket adhesives and sealants regardless of age or adhesive resistance.

- Fast acting dissolves gasket cement within minutes
- · Instantly softens old gasket cement for quick removal
- · Does not damage metal components



CR@

CR@

CR@

CRC

Part Number	Description
5021	CRC Gasket Stripper 1X300G

LEAK STOP SPRAY SEAL

CRC Leak Stop Spray Seal is easy to use and provides a waterproof seal to almost any surface.

- Touch dry in 15-30min
- Bridges caps & cracks
- · Provides a flexible, durable, long lasting solution to leaks
- 360° spray system enables application at any angle
- · Ideal for hard to reach places





Part Number	Description
8498	CRC Leak Stop Spray Seal 1X350G

FREEZE SPRAY

CRC Freeze Spray is an aerosol coolant system that instantly freezes surfaces to -50°C. Freeze Spray's powerful blast of propellant dissipates heat and cools circuits. By instantly chilling suspect components, it will assist in locating thermal intermittent failures and shorts.

- · Formulated to be non-flammable and plastic safe.
- · Significantly reduces the risk of fire caused by incidental contact with energized electrical equipment.





808 SILICONE

Part Number

2039

CRC 808 Silicone is a multi-purpose silicone spray for general lubrication.

- · Revives, lubricates, reduces friction, waterproofs, cleans and shines
- Clear, odourless, non-staining no need for messy greases and oils
- Harmless to most materials metals, plastics, rubber, adhesives, wood, fabrics, glass, inks and paints
- · Provides ongoing protection over a wide range of temperatures & pressures
- · Does not damage surfaces or leave marks or stains



CRC Freeze Spray 1X300G



Part Number	Description
3055	CRC 808 Silicone Spray 1X330G

CHEMICALS

PROTECH® CONTACT CLEANER FLAMMABLE

42033502

- A stable, inert, high purity cleaning solvent

PROTECH CONTACT CLEANER **NON-FLAMMABLE** 42034004

- A stable, no flash point, non-conductive, inert, high purity cleaning solvent

PROTECH

PROTECH® HEAVY DUTY DEGREASER 42034003

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water

PROTECH

PROTECH® BRAKE & PARTS CLEANER **CHLORINATED** 42035001

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants

PROTECH BRAKE & PARTS CLEANER NON-CHLORINATED 42035002

- Does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform

PROTECH

PROTECH® AIR DUSTER 42032301

- A dry, multi-purpose cleaner for the safe removal or dust and lint from all delicate precision equipment
- Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- Non-corrosive and leaves no residue or condensation

PROTECH

PROTECH® ISOPROPYL ALCOHOL CLEANER 42032701

- High purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-conducting and contains no lubricants
- Excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment

PROTECH

PROTECH® CHAIN LUBRICANT

- Heavy duty multi-purpose chain lubricant
- Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- Innovative 2 way actuator with locking tab

PROTECH

PROTECH® SILICONE LUBRICANT 42033501

- A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- Provides a thin, clear protective film which is non-staining and non-corrosive
- Innovative 2 way actuator with locking tab
- For use one metal, plastic, rubber and wood

PROTECH

Dy-Mark PROTEC

PROTEC

PROTECH® MULTI-PURPOSE LUBRICANT 42034002

- A multi-use product that penetrates, lubricates, protects and displaces moisture
- It has hundreds of uses on the job, around home, garden or garage

PROTECH

PROTECH® WHITE LITHIUM GREASE 42033001

- High performance lithium based grease
- Provides long lasting lubrication for all metal applications
- Innovative 2 way actuator with locking tab
- Reduces friction whilst protecting against rust and corrosion
- Excellent water and heat resistance

PROTECH

PROTECH® DRY GRAPHITE LUBRICANT

- Multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- Finely ground powder for optimum penetration
- Lock lubricant

PROTECH

PROTECH® LANOLIN LUBRICANT 42034005

- Safe and environmentally friendly product
- Non-toxic, biodegradable, non-evaporative and provides long lasting lubrication and corrosion protection
- Moisture, salt and acid resistant without harming metal, plastics, paints, fibreglass, rubber or neoprene seals

PROTECH


PROTECH® PENETRATING OIL

- High speed penetrant and lubricant that quickly penetrates rusted and seized metal parts
- Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- Innovative 2 way actuator with locking tab
- Helps prevent further corrosion

PROTECH







- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



TE LITH



























































80