CONCRETE ANCHORING AND ACCESSORIES



WE ARE CHEMICAL ANCHORING



Sika AnchorFix®-1



Sika AnchorFix $\$ 1 is a two-component, fast curing styrene free chemical anchoring adhesive.

PACKAGING

- Part A: White 300 ml CTG
- Part B: Black

COLOURS

- Part A+B:
- Light grey









Sika AnchorFix®-3030 is an epoxy resin based, 2-part, thixotropic, high performance anchoring adhesive for anchoring threaded rods and reinforcing bars in both cracked and un-cracked concrete dry or damp concrete.

COLOURS

- Part A: Off whitePart B: Black
- PACKAGING585 ml DUAL CTG
- :k
- Part A+B :
- Light grey



BUILDING TRUST

ChemSet[™] THE TRUSTED NAME IN CHEMICAL ANCHORING

- Widely Specified, Accepted & Trusted
- Simple, Easy to Use Integrated System 1 Dispensing Gun
- Full System Provider Engineering Services, Drilling, Dust Removal, Chemical Anchors, Dispensing, Fixings Backed by Ramset™ Anchoring Professionals Australia Wide Engineers and Technical Service Team
- Ramset™ servicing the Australian Construction Industry for over 60 years



MULTI-PURPOSE POLYESTER ADHESIVE

Versatile Marine Grade Polvester. For Metalwork, Starter Bars and Structural Steel.





Product	Туре	Pack Size	Order Number
ChemSet™ Reo 502™	Pure Epoxy	600 ml	REO502P600
ChemSet™ 801 Xtrem™	Vinyl Ester	750 ml	C801X750
ChemSet™ 801 Xtrem™	Vinyl Ester	380 ml	C801X380
ChemSet™ 101 Plus	Marine Polyester	750 ml	C101J
ChemSet™ 101 Plus	Marine Polyester	380 ml	C101C
ChemSet™ 101 Plus	Marine Polyester	2 x 380 ml Kit	ISKP
ChemSet™ Universal Applicator		1	CUAP

For Peace of Mind, Contact Ramset™ the Anchoring Professionals, for Engineering and Installation Advice on Your Next Chemical Anchoring Project. * Refer to Ramset™ iExpert™ Design Software or Specifiers Anchoring Resource Book for load design information.

CONCRETE ANCHORING AND ACCESSORIES

PURE500 EPOXY CHEMICAL ADHESIVE 585ML DFC1110500



EA70 EPOXY ACRYLATE CHEMICAL ADHESIVE 410ML DFC1320005





The PURE500+™ is a two-component epoxy adhesive anchoring system. The system includes injection adhesive in plastic cartridges, mixing nozzles, dispensing tools and hole cleaning equipment. The PURE500+ is a high strength adhesive designed for various applications and hole drilling techniques, including diamond coring, and cleaning techniques. It is suitable for anchoring threaded rods and reinforcing bars in cracked and uncracked concrete, and also approved for water filled holes. PURE500+ is also very suitable for bonding rebars to concrete as post-installed rebar application. The PURE500+ is approved for 100-year design life.

AC200PLUS HYBRID ACRYLIC ADHESIVE 410ML AC200-PWR





The AC200+ is a two-component, high strength adhesive anchoring system. The system includes injection adhesive in plastic cartridges, mixing nozzles, dispensing tools and cleaning equipment. The AC200+ is a high strength adhesive designed for various applications and hole drilling and cleaning techniques. It is suitable for anchoring threaded rods and reinforcing bars in cracked and uncracked concrete, and also approved for water filled holes. It is also very suitable for bonding rebars to concrete as post-installed reinforcement application. The AC200+ is approved for 100-year design life.

AC100PRO VINYLESTER ADHESIVE 410ML AC100-PWR





The AC100-PRO is a two-component 10:1 ratio styrene-free vinylester adhesive anchoring system especially designed for anchoring of threaded rod, reinforcing bar or internal threaded rod sleeves into concrete and masonry base materials. It is also approved for bonding rebars to concrete as post-installed reinforcement application.



The EA70-PRO[™] is a two-component 10:1 ratio styrene-free epoxy acrylate adhesive anchoring system designed for use in the installation of threaded rod of variable length in solid concrete and masonry materials. This medium duty, fast curing formulation is recommended for use in concrete, solid brick and hollow brick materials. EA70-PRO[™] is not recommended for safety-critical long term sustained load applications.

AC100E POLYESTER INJECTION 300ML





AC100e[™] is a two-component mix-in-the nozzle polyester adhesive anchoring system suitable for non-structural applications. This no-fuss system is ETA approved for anchoring threaded rod into solid concrete and solid or hollow brick. The fast-curing formulation allows quick installation in medium duty, non-industrial applications. AC100e is not recommended for safety-critical long term sustained load applications.

INFASET VINYLESTER STYRENE - FREE INJECTION SYSTEM (420ML) 29108



Suitable for the fixation of facades, roofs, wood constructions, metal constructions, metal profiles, columns, beams, consoles, railings, sanitary devices, cable trays, piping, post-installed rebar connection (reconstruction or reinforcement), etc.



SOUDAFIX CA1400 125538 - 165mL 125539 - 280mL

10081

- 380ml cartridges - Heavy duty - Quick release action

- Easy to use and to apply with standard caulking gun
- Fast cure and styrene free (low odour)
- Can be used in wet drill holes and even under water

380ML INJECTION APPLICATOR TOOL

- Watertight and impermeable fixing



SOUDAL

新た

SOUDAFIX VE400-SF 117475 - 380mL

103265 - Applicator Gun for 380mL cartridges

- High compression strength
- High fire resistance F120
- Fast cure and styrene free
- Easy to use and to apply - Wide application area, even in wet drill holes, under water



4 IN 1 INJECTION TOOL CGPRO-PWR

DEWA

SOUDAL



CGPRO-PWR will dispense the 385 & 585ml (3:1) cartridge, as well as 300, 380 & 420ml (10:1) cartridges

The DEWALT blow pump is an industrial quality hand pump with a volume of 750ml. These are used as part of the anchoring system, to remove dust from the drilled hole, ensuring maximum performance is

CARTRIDGE GUN FOR 585ML CARTRIDGE CG585-PWR



ΜΡΛΟΤ-



Manual dispensing tool 3:1, for 385 / 585 ml cartridges

CARTRIDGE GUN FOR KEMFAST CG380KF2-PWR





Manual dispensing tool 10:1, for 420ml cartridge





achieved from the chemical anchor.



CONCRETE ANCHORING AND ACCESSORIES

HOLE CLEANING BRUSH

from the chemical anchor.



STANDARD MIXING NOZZLE 8482-PWR





Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. Suits AC100-PRO, AC100E & EA70-PRO.

Static mixing nozzles are used to ensure complete and proper mixing of

Material Number	Description
BR8-10MM-PWR	Brush for 8-10MM Hole Size
BR10-14MM-PWR	Brush for 10-14MM Hole Size
BR16-28MM-PWR	Brush for 16-28MM Hole Size

DEWALT steel adhesive brushes are suitable for hand or machine cleaning, and are available in standard threaded rod and rebar diameters. These are used as part of the anchoring system, to remove dust from the drilled hole, ensuring maximum performance is achieved

MIXER NOZZLE EXTENSIONS



Extension nozzles are used ensure the bottom of the hole is reached when installing adhesive in deep embedment depths. Can be cut down to preferred length to ensureminimal wastage.

Material Number	Description
MNEXT-PWR	Mixer Nozzle Extensions (200MM)
AEXTN-PWR	Adhesive Extensions Nozzle (1.0MT)

PISTON PLUG

DEWALT piston plugs are used in deep hole anchoring. They prevent the formation of air bubbles inside the hole during dispensing the adhesive.

Material Number

APP20-PWR

APP24-PWR

APP28-PWR

APP40-PWR





the adhesive components. Suits PURE500+

PURE EPOXY MIXING NOZZLE &

EXTENSION PFPN-PWR



DEWAL



Description Piston Plug 20mm Drill Dia x 12

Piston Plug 24mm Drill Dia x 11

Piston Plug 28mm Drill Dia x 11

Piston Plug 40mm Drill Dia x 11

HYBRID ACRYLIC MIXING NOZZLE

AC200NZL-PWR



MMNMNATTERE

Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. 10 pcs - Suits AC200+

Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. Suits PURE500+

