

TrakFast™ 800 PLUS



Features & Benefits

- Massive 100J power – Consistent fixings even in extreme applications.
- 50 pin magazine – Reduces downtime in loading the magazine.
- Battery Gauge – Helps avoid running out of battery power.
- Fuel Cell Gauge – Always know when to change fuel cells.
- Lithium Battery – Fast Charge, Long Life.
- Tool-less Depth of Drive Adjustment.
- Power Saving Technology – Isolates battery when tool is not in use.
- Optional 20 pin magazine for tight spaces.
- Easily removable fastener guide and magazine.
- Greater tool clearance – Allows the tool to fit in close to edge applications.
- Greater track clearance – Allows the tool to fit in deep track, up to 57mm.



Product Codes & Specifications

Item Code	Impact Energy	Magazine Capacity	Weight	Pin Capacity
TF800PLUS	100J	50 Pin	3.9kg	15-40mm

TrakFast™ 800 Plus / CableMaster™ 800 Plus PINS & FUEL PACKS - STANDARD DUTY



Item Code	Shank Length (mm)	Pack Qty
P8C620	20	500
P8C625	25	500
P8C630	30	500
P8C635	35	500

TrakFast™ 800 / CableMaster™ 800 PINS & FUEL PACKS - HEAVY DUTY FOR STEEL AND HARD CONCRETE



Item Code	Description / Shank Length (mm)	Pack Qty
P8HC615	Heavy Duty Steel/Concrete - 15mm	500
P8HC617	Premium Hard Concrete & Steel 17mm	500
P8HC622	Premium Hard Concrete & Steel 22mm	500

TrakFast™ 800 PINS & FUEL PACKS SPIRAL KNURLED PINS FOR FIXING PLYWOOD TO STEEL



Item Code	Description / Shank Length (mm)	Pack Qty
P8PLY138	Hard Steel Spiral Knurled Pins	1000

CableMaster™ 800



Features & Benefits

- Massive 82J power – Consistent fixings even in extreme applications.
- Compact design with 20 pin magazine allows the tool to fit into tight spaces.
- Battery Gauge – Helps avoid running out of battery power.
- Fuel Cell Gauge – Always know when to change fuel cells.
- Lithium Battery – Fast Charge, Long Life.
- Tool-less Depth of Drive Adjustment.
- Power Saving Technology – Isolates battery when tool is not in use.
- 50 pin magazine accessory available for volume applications.
- Easily removable fastener guide and magazine.
- Greater tool clearance – Allows the tool to fit in close to edge applications.
- Greater track clearance – Allows the tool to fit in deep track, up to 57mm.
- Removable Support Leg – Ensures tool is at 90° to work surface for optimum fixings



Product Codes & Specifications

Item Code	Impact Energy	Magazine Capacity	Weight	Pin Capacity
CM800PLUS	82J	20 Pin	3.8kg	15-40mm

- Pole tool to suit CableMaster™ 800 only **Part No.PULSALIFT800**



CableMaster™ 800 ELECTRICAL CONTRACTOR PACKS



ELECTRICAL & PLUMBING FIXING PACKS

Item Code	Description	Pack Qty
P8CPGCL	Contractor Pack - ClipElec + Hard Conc. Pins 22mm	500
P8CPGCLHC617	Contractor Pack - ClipElec + Hard Conc. Pins 17mm	500
P8CPGDLHC617	Contractor Pack - DataLec Clip + Hard Conc. Pins 17mm	500
P8CPGDLHC622	Contractor Pack - DataLec Clip + Hard Conc. Pins 22mm	500
P8CPGCT	Contractor Pack - CTClip + Hard Conc. Pins 22mm	500
P8CPGDAS20	C/Pack - Direct.Align H/saddle 20mm	400
P8CPGDAS25	C/Pack - Direct.Align H/saddle 25mm	400
P8CPGTRH	Contractor Pack - Threaded Rod Brkt.	400
P8CPGCWB	Contractor Pack - Catenary Wire Brkt.	400
SPMW	Strap & Plate Mounting Washer	500

* Contractor Packs contain electrical clips, pins, fuel cells and cable ties where applicable.



XPM



XP

Description

The FrameBoss™ XPM is a fully automatic powder actuated tool capable of fixing 10 pins without the need to reload or cycle the tool. The automatic piston return system and 10 pin magazine enable faster fixing rates with less effort. The magazine can be adjusted to lock into a number of positions to allow the tool to be used in confined spaces. The FrameBoss™ XP tool is supplied with a single shot fastener guide so that the tool to be used with longer fasteners and assemblies such as brackets and clips.



Application Example

Features & Benefits

- Automatic piston return.
- No manual cycling required.
- Easy to maintain on site.
- 10 Pin magazine and single shot fastener guide.
- 100mm single shot capacity.
- 75mm magazine capacity.
- 400J maximum impact energy.
- Power and Depth of drive adjustment.


FrameBoss™ Tool Kit Contents

- Steel Tool Case - FrameBoss™ Tool - Lubricating Oil - Safety Glasses
- Cleaning Brushes - Ear Plugs - Single Shot Fastener Guide
- Spall Guard - Cleaning Cloth - Replacement Buffer

Trades & Applications

	Residential Home Builder	Formworker	Ceiling & Partitioning Contractor	Brick Layer
Timber to concrete	✓	✓		
Timber to steel	✓	✓		
Sacrificial steel formwork to steel		✓		
Steel Track to concrete and steel			✓	
Brick ties to concrete and steel	✓			✓

Power load strips for FrameBoss™, FrameMaster™ (TS750P) & FormMaster™




Item Code	Colour	Strength	Pack Qty
PLSGR22	Green	Weak	100
PLSYW22	Yellow	Medium	100
PLSRD22	Red	Strong	100

Collated drive pins for use with FrameBoss™



Item Code	Shank Length (mm)	Head Diameter (mm)	Pack Qty
C960C	60	9	300
C975C	75	9	300

Drive pins for use with FrameBoss™, FrameMaster™ (TS750P), FormMaster™ & JobMaster™




Item Code	Shank Length (mm)	Head Diameter (mm)	Pack Qty
LDU25	25	8	100
LDU32	32	8	100
LDU50	50	8	100
LDU65	65	8	100
LDU75	75	8	100
LDU90	90	8	100
LDU99	100	8	100

Collated pins for fixing to structural steel and hard concrete for use with FrameBoss™, FrameBoss™ 75 & FrameBoss™ XPM




Item Code	Shank Length (mm)	Head Diameter (mm)	Pack Qty
SC925C	25	9	500
SC930C	30	9	500
SC940C	40	9	300
SC950C	50	9	300
SC960C	60	9	300

Washed pin assemblies



Item Code	Shank Length (mm)	Washer Diameter (mm)	Pack Qty
LWU25	25	22	100
LWU32	32	22	100

Specialist pins for fixing to structural steel



Item Code	Description	Pack Qty
SC950	Pin for fixing 35mm timber to steel	100
SC960	Pin for fixing 45mm timber to steel	100

Sacrificial formwork pins for use with FrameBoss™ XP, FormMaster™ and JobMaster™



Item Code	Description	Pack Qty
SBR9	20mm Pin for steel with 14mm washer	100

Powder Actuated Tool Accessories FrameBoss™ XP, FrameBoss™ XPM, FrameBoss™ & FrameBoss™ 75



Item Code	Description	Pack Qty
011483	Piston Return Spring (x1)	1
010983	Piston Insulation Ring (x2)	1
011158	75mm Magazine to suit XP tool	1
PA9316	Lubricating & Releasing Oil	1

Powder Actuated Accessories Clips



Item Code	Description	Pack Qty
RCA25F	Angle (Ramclip)	100

InsulFast™ T4



Features & Benefits



- Fast fixing method, much more efficient than PA tool insulation anchor fixing.
- More ergonomic, less recoil than a PA tool.
- A single gas cell will fix a whole box (500) of anchors.
- Eliminates need to tape over fixings due to integrated cap.
- Pre-loaded pins in anchors, one simple loading action.
- Smart tool with Gas and Battery gauges for uninterrupted productivity.
- Auto shut off feature to conserve energy.
- Visibly branded Ramset anchor and pin for easier specification and compliance checks.

Product Codes & Specifications

Item Code	Impact Energy	Magazine Capacity	Weight	Pin Capacity
T4IF	80J	N/A	3.6kg	25-100mm Insulation Pins

InsulFast™ T4 ACCESSORIES



Item Code	Description	Rigid Insulation Thickness	Soft Insulation Thickness	Fastener Colour
T4IG625	White anchor 25mm pin (qty 500) and 1x fuel cell	25mm	25mm -30mm	White
T4IG625B	Black anchor 25mm pin (qty 500) and 1x fuel cell	25mm	25mm -30mm	Black
T4IG638	White anchor 38mm pin (qty 500) and 1x fuel cell	38mm	38mm -45mm	White
T4IG650	White anchor 50mm pin (qty 500) and 1x fuel cell	50mm	50mm -55mm	White
T4IG650B	Black anchor 50mm pin (qty 500) and 1x fuel cell	50mm	50mm -55mm	Black
T4IG663	White anchor 63mm pin (qty 500) and 1x fuel cell	60mm	60mm -65mm	White
T4IG675	White anchor 75mm pin (qty 500) and 1x fuel cell	75mm	75mm -80mm	White
T4IG675B	Black anchor 75mm pin (qty 500) and 1x fuel cell	75mm	75mm -80mm	Black
T4IG6100	White anchor 100mm pin (qty 500) and 1x fuel cell	100mm	100mm -110mm	White
T4IG6100B	Black anchor 100mm pin (qty 500) and 1x fuel cell	100mm	100mm -110mm	White

InsulFast™ ACCESSORIES



Item Code	Description	Pack Qty
019336	Pulsa 800/800 Plus Battery	1
018546	Battery Charger (includes power supply)	1

TrakFast™ (LEGACY TOOL)



Features & Benefits



- Increased durability and reliability.
- Off position to prevent draining the battery when tool is not in use.
- Cordless - self powered, no set up time required.
- Sequential actuation - safe operation.
- Tool automatically resets piston.
- Narrow nose and profile to reach inside deep leg track.
- Soft cushioned grip.
- Carrying case.
- Well balanced.
- Mechanical fuel injection.
- Low maintenance.

Product Codes & Specifications

Item Code	Impact Energy	Magazine Capacity	Weight	Pin Capacity
TF1200	77J	40 Pin	3.8kg	13-38mm

TRAKFAST PINS (TF1200, TF1100) & FUEL PACKS - STANDARD DUTY



Item Code	Shank Length (mm)	Pack Qty
FPP012	13	1000
FPP034B	19	1000
FPP100	25	1000
FPP114	32	1000

TRAKFAST PINS (TF1200, TF1100) & FUEL PACKS - HEAVY DUTY



Item Code	Shank Length (mm)	Pack Qty
FPP012S	13	1000

InsulFast™ FUEL CELLS



Item Code	Description	Pack Qty
014605	P800 Fuel Cell	1

18V XR CONCRETE NAILER KIT (2X5.0AH)
DCN890P2-XE



18V XR CONCRETE NAILER (BARE)
DCN890N-XJ



18V XR LI-ION CORDLESS CONCRETE NAILER WITH RAPID CYCLE FOR FAST, CONTINUOUS NAILING.

A powerful cordless concrete nailer with the ability to drive 13mm nails into steel as well as up to 35mm into concrete.

APPLICATIONS:

- Drywall steel track installation to concrete, block and steel.
- Drywall tracks with deflection heads
- Wire Mesh fixing with 25mm lathing washers
- Fixing clips and clamps for electricians and plumbers
- Ceiling clips into concrete

DCN890 - CORDLESS CONCRETE NAILER PINS



The DCN890 nail range includes lengths measuring 15-35mm in length and 2.6-3.0mm in diameter. User-friendly colour coding clearly defines the nails as yellow for general purpose use, or red for extra hard concrete.

Material Number	Description
DCN8901015	1005 X Dcn890 15 X 2.6Mm Std Nails
DCN8901020	1005 X Dcn890 20 X 2.6Mm Std Nails
DCN8901025	1005 X Dcn890 25 X 2.6Mm Std Nails
DCN8901030	1005 X Dcn890 30 X 2.6Mm Std Nails
DCN8901035	1005 X Dcn890 35 X 2.6Mm Std Nails
DCN8903013	1000 X Dcn890 13 X 3Mm Xh Nails
DCN8903017	1005 X Dcn890 17 X 3Mm Xh Nails
DCN8903022	1005 X Dcn890 22 X 3Mm Xh Nails
DCN8901-XJ	1 X Driver Blade Kit For Dcn890
DCN8902-XJ	1 X Magnetic Contact Trip For Dcn890
DCN8903-XJ	1 X Non-Mag Contact Trip For Dcn890
DCN8904-XJ	1 X Drywall Contact Trip For Dcn890

TRAK-IT™ C5 FUEL CELL
DDF5140500



Trak-It™ C5 fuel cell has a black colour-coded valve for easy identification for use with Trak-It™ C5 gas nailers.

- Can fire up to 800 pins per cell
- Works in temperatures down to -12°C
- Lean mix for high heat and humidity performance
- One piece - no valve assembly required