

TrakFast™ 800 PLUS



Features & Benefits

- Massive 100J power – Consistent fixings even in extreme applications.
- 50 pin magazine – Reduces downtime in loading the magazine.
- Battery Gauge – Helps avoid running out of battery power.
- Fuel Cell Gauge – Always know when to change fuel cells.
- Lithium Battery – Fast Charge, Long Life.
- Tool-less Depth of Drive Adjustment.
- Power Saving Technology – Isolates battery when tool is not in use.
- Optional 20 pin magazine for tight spaces.
- Easily removable fastener guide and magazine.
- Greater tool clearance – Allows the tool to fit in close to edge applications.
- Greater track clearance – Allows the tool to fit in deep track, up to 57mm.



Product Codes & Specifications

| Item Code | Impact Energy | Magazine Capacity | Weight | Pin Capacity |
|-----------|---------------|-------------------|--------|--------------|
| TF800PLUS | 100J | 50 Pin | 3.9kg | 15-40mm |

TrakFast™ 800 Plus / CableMaster™ 800 Plus PINS & FUEL PACKS - STANDARD DUTY



| Item Code | Shank Length (mm) | Pack Qty |
|-----------|-------------------|----------|
| P8C620 | 20 | 500 |
| P8C625 | 25 | 500 |
| P8C630 | 30 | 500 |
| P8C635 | 35 | 500 |

TrakFast™ 800 / CableMaster™ 800 PINS & FUEL PACKS - HEAVY DUTY FOR STEEL AND HARD CONCRETE



| Item Code | Description / Shank Length (mm) | Pack Qty |
|-----------|------------------------------------|----------|
| P8HC615 | Heavy Duty Steel/Concrete - 15mm | 500 |
| P8HC617 | Premium Hard Concrete & Steel 17mm | 500 |
| P8HC622 | Premium Hard Concrete & Steel 22mm | 500 |

TrakFast™ 800 PINS & FUEL PACKS SPIRAL KNURLED PINS FOR FIXING PLYWOOD TO STEEL



| Item Code | Description / Shank Length (mm) | Pack Qty |
|-----------|---------------------------------|----------|
| P8PLY138 | Hard Steel Spiral Knurled Pins | 1000 |

CableMaster™ 800



Features & Benefits

- Massive 82J power – Consistent fixings even in extreme applications.
- Compact design with 20 pin magazine allows the tool to fit into tight spaces.
- Battery Gauge – Helps avoid running out of battery power.
- Fuel Cell Gauge – Always know when to change fuel cells.
- Lithium Battery – Fast Charge, Long Life.
- Tool-less Depth of Drive Adjustment.
- Power Saving Technology – Isolates battery when tool is not in use.
- 50 pin magazine accessory available for volume applications.
- Easily removable fastener guide and magazine.
- Greater tool clearance – Allows the tool to fit in close to edge applications.
- Greater track clearance – Allows the tool to fit in deep track, up to 57mm.
- Removable Support Leg – Ensures tool is at 90° to work surface for optimum fixings



Product Codes & Specifications

| Item Code | Impact Energy | Magazine Capacity | Weight | Pin Capacity |
|-----------|---------------|-------------------|--------|--------------|
| CM800PLUS | 82J | 20 Pin | 3.8kg | 15-40mm |

- Pole tool to suit CableMaster™ 800 only **Part No.PULSALIFT800**



CableMaster™ 800 ELECTRICAL CONTRACTOR PACKS



ELECTRICAL & PLUMBING FIXING PACKS

| Item Code | Description | Pack Qty |
|--------------|---|----------|
| P8CPGCL | Contractor Pack - ClipElec + Hard Conc. Pins 22mm | 500 |
| P8CPGCLHC617 | Contractor Pack - ClipElec + Hard Conc. Pins 17mm | 500 |
| P8CPGDLHC617 | Contractor Pack - DataLec Clip + Hard Conc. Pins 17mm | 500 |
| P8CPGDLHC622 | Contractor Pack - DataLec Clip + Hard Conc. Pins 22mm | 500 |
| P8CPGCT | Contractor Pack - CTClip + Hard Conc. Pins 22mm | 500 |
| P8CPGDAS20 | C/Pack - Direct.Align H/saddle 20mm | 400 |
| P8CPGDAS25 | C/Pack - Direct.Align H/saddle 25mm | 400 |
| P8CPGTRH | Contractor Pack - Threaded Rod Brkt. | 400 |
| P8CPGCWB | Contractor Pack - Catenary Wire Brkt. | 400 |
| SPMW | Strap & Plate Mounting Washer | 500 |

* Contractor Packs contain electrical clips, pins, fuel cells and cable ties where applicable.



XPM



XP

Description

The FrameBoss™ XPM is a fully automatic powder actuated tool capable of fixing 10 pins without the need to reload or cycle the tool. The automatic piston return system and 10 pin magazine enable faster fixing rates with less effort. The magazine can be adjusted to lock into a number of positions to allow the tool to be used in confined spaces. The FrameBoss™ XP tool is supplied with a single shot fastener guide so that the tool to be used with longer fasteners and assemblies such as brackets and clips.



Application Example

Features & Benefits

- Automatic piston return.
- No manual cycling required.
- Easy to maintain on site.
- 10 Pin magazine and single shot fastener guide.
- 100mm single shot capacity.
- 75mm magazine capacity.
- 400J maximum impact energy.
- Power and Depth of drive adjustment.

FrameBoss™ Tool Kit Contents

- Steel Tool Case - FrameBoss™ Tool - Lubricating Oil - Safety Glasses
- Cleaning Brushes - Ear Plugs - Single Shot Fastener Guide
- Spall Guard - Cleaning Cloth - Replacement Buffer

Trades & Applications

| | Residential Home Builder | Formworker | Ceiling & Partitioning Contractor | Brick Layer |
|-------------------------------------|--------------------------|------------|-----------------------------------|-------------|
| Timber to concrete | ✓ | ✓ | | |
| Timber to steel | ✓ | ✓ | | |
| Sacrificial steel formwork to steel | | ✓ | | |
| Steel Track to concrete and steel | | | ✓ | |
| Brick ties to concrete and steel | ✓ | | | ✓ |

Power load strips for FrameBoss™, FrameMaster™ (TS750P) & FormMaster™




| Item Code | Colour | Strength | Pack Qty |
|-----------|--------|----------|----------|
| PLSGR22 | Green | Weak | 100 |
| PLSYW22 | Yellow | Medium | 100 |
| PLSRD22 | Red | Strong | 100 |

Collated drive pins for use with FrameBoss™



| Item Code | Shank Length (mm) | Head Diameter (mm) | Pack Qty |
|-----------|-------------------|--------------------|----------|
| C960C | 60 | 9 | 300 |
| C975C | 75 | 9 | 300 |

Drive pins for use with FrameBoss™, FrameMaster™ (TS750P), FormMaster™ & JobMaster™




| Item Code | Shank Length (mm) | Head Diameter (mm) | Pack Qty |
|-----------|-------------------|--------------------|----------|
| LDU25 | 25 | 8 | 100 |
| LDU32 | 32 | 8 | 100 |
| LDU50 | 50 | 8 | 100 |
| LDU65 | 65 | 8 | 100 |
| LDU75 | 75 | 8 | 100 |
| LDU90 | 90 | 8 | 100 |
| LDU99 | 100 | 8 | 100 |

Collated pins for fixing to structural steel and hard concrete for use with FrameBoss™, FrameBoss™ 75 & FrameBoss™ XPM




| Item Code | Shank Length (mm) | Head Diameter (mm) | Pack Qty |
|-----------|-------------------|--------------------|----------|
| SC925C | 25 | 9 | 500 |
| SC930C | 30 | 9 | 500 |
| SC940C | 40 | 9 | 300 |
| SC950C | 50 | 9 | 300 |
| SC960C | 60 | 9 | 300 |

Washed pin assemblies



| Item Code | Shank Length (mm) | Washer Diameter (mm) | Pack Qty |
|-----------|-------------------|----------------------|----------|
| LWU25 | 25 | 22 | 100 |
| LWU32 | 32 | 22 | 100 |

Specialist pins for fixing to structural steel



| Item Code | Description | Pack Qty |
|-----------|-------------------------------------|----------|
| SC950 | Pin for fixing 35mm timber to steel | 100 |
| SC960 | Pin for fixing 45mm timber to steel | 100 |

Sacrificial formwork pins for use with FrameBoss™ XP, FormMaster™ and JobMaster™



| Item Code | Description | Pack Qty |
|-----------|-------------------------------------|----------|
| SBR9 | 20mm Pin for steel with 14mm washer | 100 |

Powder Actuated Tool Accessories FrameBoss™ XP, FrameBoss™ XPM, FrameBoss™ & FrameBoss™ 75



| Item Code | Description | Pack Qty |
|-----------|-------------------------------|----------|
| 011483 | Piston Return Spring (x1) | 1 |
| 010983 | Piston Insulation Ring (x2) | 1 |
| 011158 | 75mm Magazine to suit XP tool | 1 |
| PA9316 | Lubricating & Releasing Oil | 1 |

Powder Actuated Accessories Clips



| Item Code | Description | Pack Qty |
|-----------|-----------------|----------|
| RCA25F | Angle (Ramclip) | 100 |

InsulFast™ T4



Features & Benefits



- Fast fixing method, much more efficient than PA tool insulation anchor fixing.
- More ergonomic, less recoil than a PA tool.
- A single gas cell will fix a whole box (500) of anchors.
- Eliminates need to tape over fixings due to integrated cap.
- Pre-loaded pins in anchors, one simple loading action.
- Smart tool with Gas and Battery gauges for uninterrupted productivity.
- Auto shut off feature to conserve energy.
- Visibly branded Ramset anchor and pin for easier specification and compliance checks.

Product Codes & Specifications

| Item Code | Impact Energy | Magazine Capacity | Weight | Pin Capacity |
|-----------|---------------|-------------------|--------|--------------------------|
| T4IF | 80J | N/A | 3.6kg | 25-100mm Insulation Pins |

InsulFast™ T4 ACCESSORIES



| Item Code | Description | Rigid Insulation Thickness | Soft Insulation Thickness | Fastener Colour |
|-----------|---|----------------------------|---------------------------|-----------------|
| T4IG625 | White anchor 25mm pin (qty 500) and 1x fuel cell | 25mm | 25mm -30mm | White |
| T4IG625B | Black anchor 25mm pin (qty 500) and 1x fuel cell | 25mm | 25mm -30mm | Black |
| T4IG638 | White anchor 38mm pin (qty 500) and 1x fuel cell | 38mm | 38mm -45mm | White |
| T4IG650 | White anchor 50mm pin (qty 500) and 1x fuel cell | 50mm | 50mm -55mm | White |
| T4IG650B | Black anchor 50mm pin (qty 500) and 1x fuel cell | 50mm | 50mm -55mm | Black |
| T4IG663 | White anchor 63mm pin (qty 500) and 1x fuel cell | 60mm | 60mm -65mm | White |
| T4IG675 | White anchor 75mm pin (qty 500) and 1x fuel cell | 75mm | 75mm -80mm | White |
| T4IG675B | Black anchor 75mm pin (qty 500) and 1x fuel cell | 75mm | 75mm -80mm | Black |
| T4IG6100 | White anchor 100mm pin (qty 500) and 1x fuel cell | 100mm | 100mm -110mm | White |
| T4IG6100B | Black anchor 100mm pin (qty 500) and 1x fuel cell | 100mm | 100mm -110mm | White |

InsulFast™ ACCESSORIES



| Item Code | Description | Pack Qty |
|-----------|---|----------|
| 019336 | Pulsa 800/800 Plus Battery | 1 |
| 018546 | Battery Charger (includes power supply) | 1 |

TrakFast™ (LEGACY TOOL)



Features & Benefits



- Increased durability and reliability.
- Off position to prevent draining the battery when tool is not in use.
- Cordless - self powered, no set up time required.
- Sequential actuation - safe operation.
- Tool automatically resets piston.
- Narrow nose and profile to reach inside deep leg track.
- Soft cushioned grip.
- Carrying case.
- Well balanced.
- Mechanical fuel injection.
- Low maintenance.

Product Codes & Specifications

| Item Code | Impact Energy | Magazine Capacity | Weight | Pin Capacity |
|-----------|---------------|-------------------|--------|--------------|
| TF1200 | 77J | 40 Pin | 3.8kg | 13-38mm |

TRAKFAST PINS (TF1200, TF1100) & FUEL PACKS - STANDARD DUTY



| Item Code | Shank Length (mm) | Pack Qty |
|-----------|-------------------|----------|
| FPP012 | 13 | 1000 |
| FPP034B | 19 | 1000 |
| FPP100 | 25 | 1000 |
| FPP114 | 32 | 1000 |

TRAKFAST PINS (TF1200, TF1100) & FUEL PACKS - HEAVY DUTY



| Item Code | Shank Length (mm) | Pack Qty |
|-----------|-------------------|----------|
| FPP012S | 13 | 1000 |

InsulFast™ FUEL CELLS



| Item Code | Description | Pack Qty |
|-----------|----------------|----------|
| 014605 | P800 Fuel Cell | 1 |

18V XR CONCRETE NAILER KIT (2X5.0AH)
DCN890P2-XE



18V XR CONCRETE NAILER (BARE)
DCN890N-XJ



18V XR LI-ION CORDLESS CONCRETE NAILER WITH RAPID CYCLE FOR FAST, CONTINUOUS NAILING.

A powerful cordless concrete nailer with the ability to drive 13mm nails into steel as well as up to 35mm into concrete.

APPLICATIONS:

- Drywall steel track installation to concrete, block and steel.
- Drywall tracks with deflection heads
- Wire Mesh fixing with 25mm lathing washers
- Fixing clips and clamps for electricians and plumbers
- Ceiling clips into concrete

DCN890 - CORDLESS CONCRETE NAILER PINS



The DCN890 nail range includes lengths measuring 15-35mm in length and 2.6-3.0mm in diameter. User-friendly colour coding clearly defines the nails as yellow for general purpose use, or red for extra hard concrete.

| Material Number | Description |
|-----------------|--------------------------------------|
| DCN8901015 | 1005 X Dcn890 15 X 2.6Mm Std Nails |
| DCN8901020 | 1005 X Dcn890 20 X 2.6Mm Std Nails |
| DCN8901025 | 1005 X Dcn890 25 X 2.6Mm Std Nails |
| DCN8901030 | 1005 X Dcn890 30 X 2.6Mm Std Nails |
| DCN8901035 | 1005 X Dcn890 35 X 2.6Mm Std Nails |
| DCN8903013 | 1000 X Dcn890 13 X 3Mm Xh Nails |
| DCN8903017 | 1005 X Dcn890 17 X 3Mm Xh Nails |
| DCN8903022 | 1005 X Dcn890 22 X 3Mm Xh Nails |
| DCN8901-XJ | 1 X Driver Blade Kit For Dcn890 |
| DCN8902-XJ | 1 X Magnetic Contact Trip For Dcn890 |
| DCN8903-XJ | 1 X Non-Mag Contact Trip For Dcn890 |
| DCN8904-XJ | 1 X Drywall Contact Trip For Dcn890 |

TRAK-IT™ C5 FUEL CELL
DDF5140500



Trak-It™ C5 fuel cell has a black colour-coded valve for easy identification for use with Trak-It™ C5 gas nailers.

- Can fire up to 800 pins per cell
- Works in temperatures down to -12°C
- Lean mix for high heat and humidity performance
- One piece - no valve assembly required

SOUDAFIX CA1400

125538 - 165mL
125539 - 280mL

- Easy to use and to apply with standard caulking gun
- Fast cure and styrene free (low odour)
- Can be used in wet drill holes and even under water
- Watertight and impermeable fixing



SOUDAFIX VE400-SF

117475 - 380mL
103265 - Applicator Gun for 380mL cartridges

- High compression strength
- High fire resistance F120
- Fast cure and styrene free
- Easy to use and to apply
- Wide application area, even in wet drill holes, under water and as low as -10°C



380ML INJECTION APPLICATOR TOOL

10081

- 380ml cartridges
- Heavy duty
- Quick release action



4 IN 1 INJECTION TOOL

CGPRO-PWR



CGPRO-PWR will dispense the 385 & 585ml (3:1) cartridge, as well as 300, 380 & 420ml (10:1) cartridges

CARTRIDGE GUN FOR 585ML CARTRIDGE

CG585-PWR



Manual dispensing tool 3:1, for 385 / 585 ml cartridges

BLOW PUMP

BLOWPUMP-PWR



The DEWALT blow pump is an industrial quality hand pump with a volume of 750ml. These are used as part of the anchoring system, to remove dust from the drilled hole, ensuring maximum performance is achieved from the chemical anchor.

CARTRIDGE GUN FOR KEMFAST

CG380KF2-PWR



Manual dispensing tool 10:1, for 420ml cartridge



the name behind the names.

CSS Members: Australian Owned & Independently Operated. 100 plus stores nationwide.

CONCRETE ANCHORING AND ACCESSORIES

HOLE CLEANING BRUSH



DEWALT steel adhesive brushes are suitable for hand or machine cleaning, and are available in standard threaded rod and rebar diameters. These are used as part of the anchoring system, to remove dust from the drilled hole, ensuring maximum performance is achieved from the chemical anchor.

| Material Number | Description |
|-----------------|-----------------------------|
| BR8-10MM-PWR | Brush for 8-10MM Hole Size |
| BR10-14MM-PWR | Brush for 10-14MM Hole Size |
| BR16-28MM-PWR | Brush for 16-28MM Hole Size |

MIXER NOZZLE EXTENSIONS



Extension nozzles are used ensure the bottom of the hole is reached when installing adhesive in deep embedment depths. Can be cut down to preferred length to ensure minimal wastage.

| Material Number | Description |
|-----------------|------------------------------------|
| MNEXT-PWR | Mixer Nozzle Extensions (200MM) |
| AEXTN-PWR | Adhesive Extensions Nozzle (1.0MT) |

PISTON PLUG



DEWALT piston plugs are used in deep hole anchoring. They prevent the formation of air bubbles inside the hole during dispensing the adhesive.



| Material Number | Description |
|-----------------|---------------------------------|
| APP20-PWR | Piston Plug 20mm Drill Dia x 12 |
| APP24-PWR | Piston Plug 24mm Drill Dia x 11 |
| APP28-PWR | Piston Plug 28mm Drill Dia x 11 |
| APP40-PWR | Piston Plug 40mm Drill Dia x 11 |

STANDARD MIXING NOZZLE

8482-PWR



Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. Suits AC100-PRO, AC100E & EA70-PRO.

PURE EPOXY MIXING NOZZLE & EXTENSION

PFPN-PWR



Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. Suits PURE500+

MIXING NOZZLE - 19 ELEMENT

DFC1640550



Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. Suits PURE500+

HYBRID ACRYLIC MIXING NOZZLE

AC200NZZL-PWR



Static mixing nozzles are used to ensure complete and proper mixing of the adhesive components. 10 pcs - Suits AC200+