CONCRETE CONSTRUCTION PRECAST / TILT UP / FORMWORK

Flextoo

POINTED TROWELS

Flextool pointed trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool pointed trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available in both ProSoft rubber grip and solid moulded plastic handles.



Material Number FT4P1009-UNIT

Description FLX POINTED TROWEL 100W X 355L

Description

FLX SQUARE TROWEL 120W X 280L FLX SQUARE TROWEL 120W X 280L OPEN GRIP

SQUARE TROWELS

Flextool square trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool square trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available with ProSoft rubber grip handles in both closed and open style configurations.



lextoc

WOOD F	LOATS
--------	-------



lextoo

extoo

Wood Floats are used for creating a rough non-slip or textured finish on the concrete surface. Used predominately for outdoor areas such as footpaths and other pedestrian traffic applications. Available with ProSoft rubber handle for user comfort.



Material Number FT4P8002-UNIT

Description FLX WOOD FLOAT 112W X 380L

EDGERS



Concrete Edger Bull Nose trowels are used to create a smooth finish to slab edges. They produce a curved profile finish on the concrete edge to prevent chipping and damage to the concrete. Available with ProSoft handle for user comfort.

Material Number	Description
FT44008S-UNIT	FLX EDGER 75W X 140L X 19R X 19D
FT47008S-UNIT	FLX EDGER 140W X 200L X 20R X 19D

Flextool Concrete Screeds are made from durable yet lightweight

aluminium extrusions. Concrete screeds are used to level the

STEEL FLOATS

Material Number

FT4P1002-UNIT

FT41002O-UNIT



Steel Floats or "Sides Up" trowels as they are sometimes referred to are used for creating a non-slip finish on the concrete surface, also known as a stippled or coved finish. They are also used for trowelling dry shake materials into the top surface of the concrete.

Steel floats produce a finer texture to wood floats and are more durable and longer wearing due to their solid steel blade. Available with ProSoft rubber handle for user comfort.

All Flextool magnesium floats are produced with a broken-in or curved blade and come standard with a



Material Number

FT42019S-UNIT

Description FLX STEEL FLOAT 150W X 380L

Description

MAGNESIUM FLOATS

ProSoft rubber grip for user comfort.



Material Number	Description
FT401808-UNIT	FLX SCREED CLAMPED HANDLE 1500MM VIAL
FT401813-UNIT	FLX SCREED CLAMPED HANDLE 3000MM VIAL

RAKES

SCREEDS

concrete after it has been placed.



Material Number FT4P2051-UNIT

www.constructionsupply.com.au

WHEN YOU PURCHASE A MARSHALLTOWN® BRICK TROWEL THERE ARE NO SURPRISES



We precisely maintain blade chemistry and hardness to guarantee that your trowel will perform better than expected. Our handle rise is always set at precisely the same angle. This all means that every single Marshalltown brick trowel we make is great. Most manufacturers can make a few good brick trowels, and maybe even one or two great ones. Choosing a Marshalltown brick trowel means that you choose to get a great brick trowel every time.

PERMASHAPE® "FLAT" GOLDEN STAINLESS **FINISHING TROWEL** MT13GSFPD (506417)

- Guaranteed to stay flat use after use
- Made from highest grade stainless steel
- Shaped and tempered to a golden finish
- Size: 330x127mm (13 x 5")
- Handle: Durasoft

PERMASHAPE® "FLAT" STAINLESS STEEL **FINISHING TROWEL** MT73SSFPDXH (506505)

- Guaranteed to stay flat use after use
- Made from highest grade stainless steel
- Properly shaped and tempered
- Size: 356 x 121mm (14 x 43/4")
- Handle: Durasoft

STAINLESS STEEL FINISHING TROWEL MTMXS73SDH (506590)

- Highest grade hardened and tempered bright or golden stainless steel blade, properly shaped

- Aluminium alloy Xtralite® mounting is



- lightweight but very strong - Size: 356 x 121mm (14 x 4 3/4")
- Handle: Durasoft

PHILADELPHIA PATTERN BRICK TROWELS

- Forged from a single piece of high carbon steel, then heat treated for strength and durability
- Blade is taper ground and polished
- Handle rise is set for the correct hang and balance

 Impact area is extra strong 	g		MT19/11FG
Product Code	Size (mm)	Size (in)	Handle
MT19/11FG (506440)	279 x 140	11 x 5 ½	Durasoft
MT19/12FGXH (506442)	305 x 152	12 x 6	Durasoft
MT19L12XH (805085)	305 x 152	12 x 6	Leather

305 x 152

12 x 6

WIDE LONDON PATTERN BRICK TROWELS

- Forged from a single piece of high carbon steel, then heat treated for strength and durability
- Handle rise is set for the correct hang and balance
- Blade is taper ground and polished
- Impact area is extra strong

MT19P12XH (506444)

	-		
Product Code	Size (mm)	Size (in)	Handle
MT34/12FGXH (506451)	305 x 146	12 x 5 ¾	Durasoft
MT34L12XH (805084)	305 x 146	12 x 5 ¾	Leather
MT34P12XH (506456)	305 x 146	12 x 5 ¾	Plastic

BEVELLED END MAGNESIUM HAND FLOATS

- Extruded from very hard, durable, lightweight magnesium
- Our most popular float design
- Recommended for use with air entrained concrete
- Magnesium floats produce a smoother finish than wood

Product Code	Size (mm)	Size (in)	Handle
MT142D (506421)	305 x 79	12 x 3 1⁄8	Durasoft
MT145D (506424)	406 x 79	16 x 3 ⅓	Durasoft
MT146D (506426)	508 x 79	20 x 3 1/8	Durasoft

PERMASHAPE® "FLAT" GOLDEN STAINLESS **FINISHING TROWEL** MT145GSFPDXH (506425)



MT145D

- Guaranteed to stay flat use after use
- Made from highest grade stainless steel
- Shaped and tempered to a golden finish
- Size: 356 x 127mm (14 x 5)
- Handle: Durasoft

PERMASHAPE® "FLAT" STAINLESS STEEL **FINISHING TROWEL** MT13SSFPD (506418)

- Guaranteed to stay flat use after use
- Made from highest grade stainless steel
- Properly shaped and tempered
- Size: 330x127mm (13 x 5")
- Handle: Durasoft

PERMASHAPE® BROKEN-IN GOLDEN STAINLESS FINISHING TROWEL MTPB145GDH (511105)

- Broken-in shape eliminates line and ripple marks right from the start
- Bevelled edges prevent surface aggregate popping
- Size: 356 x 127mm (14 x 5")
- Handle: Durasoft

GOLDEN STAINLESS STEEL POOL TROWEL

- Highest grade hardened and tempered golden stainless steel blade properly shaped and fastened with stainless steel rivets
- Short Aluminium alloy Xtralite® mounting is lightweight but very strong
- Blade is flexible enough to bend to almost any radius



MTSP12GSD

Product Code	Size (mm)	Size (in)	Handle
MTSP10GSD (506621)	254 x 76	10 x 3	Durasoft
MTSP12GSD (506622)	305 x 89	12 x ½	Durasoft
MTSP14GSD (506623)	356 x 102	14 x 4	Durasoft
MTSP16GSD (510808)	406 x 115	16 x 4 ½	Durasoft

LONDON PATTERN BRICK TROWEL MT33/13FGXH (506448) - Forged from a single piece of high

- carbon steel, then heat treated for strength and durability
- Handle rise is set for the correct hang and balance
- Size: 330x137mm (13 x 5 3%)
- Handle: Durasoft



MT33/13FGXH



















Plastic

MT34/11FG





CONCRETE CONSTRUCTION PRECAST / TILT UP / FORMWORK

PRO POINTED FINISHING TROWEL RANGE OX-P014601 / OX-P014609 / OX-P014665 / OX-P014691 / OX-P014692 / OX-P014693

- High grade stainless steel blade
- Heavy duty aluminium shank
- 'Double hung' OXGRIP handle
- Also available:
- Trade Pointed Finishing Trowel Range OX-T017301 / OX-T017309 / OX-T017365 /OX-T017391 / OX-T017392



OX

PRO ALUMINIUM BULL FLOAT OX-P016606 / OX-P016609 / OX-P016612

- Heavy duty structural alloy
- Easy to clean powder coated finish






Also available:

- Pro Aluminium Bull Float • Mill Finish

OX-P016406 / OX-P016409 / OX-P016412 / OX-P016415 / OX-P016418

- Pro Telescopic Poles (OX-P016524/OX-P016550)
- Pro Clip Together Poles (OX-P019020/OX-P019024)



Round end aluminium bull floats set :

- 1pc aluminium bull float blade with 4 drilled holes
- 3pcs aluminum swaged handles Ø45mmX1830mm (1-3/4"X72")
- 1pc worm gear bracket
- 1pc red plastic box, which is for easy carry of the tools

SPRAYER

The Smith Industrial Sprayers are built to withstand harsh chemicals and are targeted towards contractor or construction work with ease of use and durability at their core. Each sprayer is fitted with chemicalresistant seals and brass components specially designed for contact with acetone, xylene, bond breakers, curing compounds and other concrete chemicals.

Material Number NP700096-UNIT Description SPS SPRAYER CONC SS S103E



-lextoo

Material Number	Description
OX-P016302	without hook
OX-P016303	with hook



- Pro Clamped Handle Screed Without Vial Range

OX-P021424 / OX-P021427 / OX-P021430 / OX-P021436

OX-P021408 / OX-P021412 / OX-P021415 / OX-P021418 / OX-P021421 /



PRO STAINLESS STEEL CONCRETE SPRAYER - 13.2L 0X-P040713

- Flexible heavy duty chemical resistant hose
- Superior lock-on trigger assembly
- Ergonomic pump handle



Also available:

- Pro Backpack Sprayer • 15L (OX-P044715)

MAGNESIUM FLOAT - OXGRIP HANDLE 0X-P017012 / 0X-P017016 / 0X-P017020

- Heavy duty magnesium blade
- Bevelled ends and rounded corners
- Ergonomic DURAGRIP handle
- Available in 12", 16" and 20"

Also available:

- Rounded Ends (OX-P400416)
- Wide Blade (OX-P400517)

PRO 100 X 500MM ALUMINIUM CONCRETE RAKE

- 1500mm long handle with soft grip
- Braced for additional strength

- Available in 1200mm - 3600mm

Available in 1200mm - 3600mm

- Heavy duty structural alloy

- Aluminium construction powder coated



Also available: