

**BLACK PANTHER MULTI-PURPOSE
CABLE CUTTERS | 185MM**
29-515

- Ideal knife replacement tool featuring quality Japanese 420J2 stainless steel
- Serrated edge blades for increased cutting capacity and corrosion resistance in industrial environments



**BLACK PANTHER GEN II
ROUND TIP INDUSTRIAL SNIPS | 185MM**
29-724B

- Rounded Tips for extra safety
- Stainless steel rounded tip serrated edge blades for increased cutting capacity
- Ideal for: Wire, aluminium, sheet metal, carpet, leather, rubber, gardening, food prep, camping and more



**BLACK PANTHER GEN II
INDUSTRIAL SNIPS | 185MM**
29-721

- Stainless steel serrated edge blades for increased cutting capacity
- Ideal for: Wire, aluminium, sheet metal, carpet, leather, rubber, gardening, food prop, camping and more



**BLACK PANTHER
SCISSORS | 210MM**
29-800

- Ambidextrous comfort grip handles
- One knife edge blade and one serrated edge blade
- Stainless Steel blades for durability



JOBSITE SCISSORS



Product Code	Description
48224043	Jobsite Scissors Offset
48224044	Jobsite Scissors Straight

MAGNETIC WRISTBAND
A-55895

- Strong Rare-Earth magnets keep small parts close at hand
- Breathable mesh interior for comfort
- Secure adjustable hook and loop closure
- Contoured for a comfortable fit around the wrist
- Wrap around your wrist, belt, or tool bag and keep small parts easily within reach



**WELLER PROFESSIONAL CORDLESS
BUTANE SOLDERING IRON PYROPEN
KIT-15 TO 60 WATTS**
WSTA3

- One hand operation
- Self-ignition finger switch - no spark lighter required
- Off button for fast, easy turn off



Also available in:

- 15 to 60 watts- WSTA6

**WERA 3950/9 MULTICOLOUR BALL END
HEX KEY SET STAINLESS METRIC 9
PCE**
022669

High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.



**WELLER 25W 240V SOLDERING
IRON WITH LED**
SP25NAU

- A round, soft-grip, non-slip handle design helps relax the hand during extended use.
- Weller heat resistant LEDs and housing ensure long life.



Also available in:

- 40W (SP40NAU)
- 80W (SP80NAU)

**WERA MULTICOLOUR HEX + BALL END
METRIC L-KEY CLIP SET**
073593

High quality L-key set with colour coded, convenient plastic sleeve. This ensures that the tool is quickly to hand and the ergonomic and pleasant handle is easy on the hands even at low temperatures. The wear-resistant clip material ensures secure storage of the L-keys as well as simple removal. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. The ballpoint on the long arm allows dependable working even in difficult installation situations.



HAND TOOLS AND ACCESSORIES

L-WRENCHES BALL END


Ball End inserts into a screw at a 25° angle.

Ball End saves time by quickly funnelling tool into screw.

25° angle allows natural hand and wrist movement.

Superior Ball End strength and working angle.

Works in hard to reach places.



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head



BD10999

BD10938

BD14199

Size	O/A Length	Arm Length	Pieces	Item #
Metric (Tagged)				
1.27	72	13	1	BD15749
1.5	77	14	1	BD15750
2.0	82	16	1	BD15752
2.5	88	17	1	BD15754
3.0	98	19	1	BD15756
3.5	100	21	1	BD15758
4.0	110	22	1	BD15760
4.5	114	25	1	BD15762
5.0	119	27	1	BD15764
5.5	124	29	1	BD15766
6.0	139	31	1	BD15768
7.0	140	33	1	BD15770
8.0	152	35	1	BD15772
9.0	159	37	1	BD15774
10.0	171	39	1	BD15776
12.0	220	44	1	BD15780
14.0	260	55	1	BD15784
17.0	280	61	1	BD15786
19.0	295	69	1	BD15788
Metric Sets				
6 Pce Set: 1.5, 2, 2.5, 3, 4, 5mm			6	BD10946
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD10999
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm + Screw Grab Friction Drops 15ml			9	BD14199
9 Pce Set (Extra Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD16099
15 Pce Set: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm			15	BD10995

Size	O/A Length	Arm Length	Pieces	Item #
Imperial (Tagged)				
.050"	72	13	1	BD15702
1/16"	76	14	1	BD15703
5/64"	81	15	1	BD15704
3/32"	86	16	1	BD15705
7/64"	90	18	1	BD15706
1/8"	95	19	1	BD15707
9/64"	101	20	1	BD15708
5/32"	107	21	1	BD15709
3/16"	114	24	1	BD15710
7/32"	124	26	1	BD15711
1/4"	141	29	1	BD15712
5/16"	152	32	1	BD15713
3/8"	171	35	1	BD15714
7/16"	191	38	1	BD15715
1/2"	210	41	1	BD15716
9/16"	229	44	1	BD15717
5/8"	248	48	1	BD15718
3/4"	286	54	1	BD15719
Imperial Sets				
8 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"			8	BD10932
7 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"			7	BD10945
10 Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			10	BD10938
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD10937
13 Pce Set (Extra Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD16037


L-WRENCHES COLORGUARD™ BALL END

Color-coded tools can be distinguished at a glance.

Superior rust protection finish.

Sizes are stamped on the tool.


Ball End inserts into screw at a 25° angle.



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Color-coded and superior rust protection finish

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head



BD69499

BD69637

Size	Pieces	Item #
Metric Set		
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD69499
Combo Set		
22 Pce Set: 9 Pce Metric & 13 Pce Imperial	22	BD69600


Size	Pieces	Item #
Imperial Set		
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	13	BD69637

L-WRENCHES PROHOLD® TIP BALL END

Non-magnetic button holds screw tight on the tool every time.

Super smooth rotational action.

Tool strength is not compromised by the ProHold® button.



ProHold® Tips
Holds screw tight on the tool every time.



Up to 20% stronger, with more torque and higher wear resistance than standard steel.



Environmentally safe finish for better corrosion resistance and grip.

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head.



BD74992

Size	O/A Length	Arm Length	Pieces	Item #
Metric (Tagged)				
1.27	72	13	1	BD75749
1.5	77	14	1	BD75750
2.0	82	16	1	BD75752
2.5	88	17	1	BD75754
3.0	98	19	1	BD75756
4.0	110	22	1	BD75760
5.0	119	27	1	BD75764
6.0	139	31	1	BD75768
8.0	152	35	1	BD75772
10.0	171	39	1	BD75776

Size	O/A Length	Arm Length	Pieces	Item #
Metric Sets				
7 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6mm			7	BD74992
9 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD74999

Size	O/A Length	Arm Length	Pieces	Item #
Imperial (Tagged)				
1/16"	76	14	1	BD75703
5/64"	81	15	1	BD75704
3/32"	86	16	1	BD75705
1/8"	95	19	1	BD75707
9/64"	101	20	1	BD75708
5/32"	107	21	1	BD75709
3/16"	114	24	1	BD75710
7/32"	124	26	1	BD75711
1/4"	141	29	1	BD75712
5/16"	152	32	1	BD75713
3/8"	171	35	1	BD75714

Size	O/A Length	Arm Length	Pieces	Item #
Imperial Sets				
10 Pce Set (Long): 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			10	BD74938
13 Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD74937

MULTI-PACKS L-WRENCHES & GORILLAGRIP® FOLD UP

Assembled from our most popular sets.

Multiple sets per package.

Tip selections include Ball End, Hex End and ProHold® Tip Ball End.


Ideal for mechanics and general purpose.



BD14187



BD14189




BD14130



BD20499



BD20199




BD22199

Size	Pieces	Item #
16 Pce Set: L-Wrench Ball End 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 2-8mm (Item # BD12587)	16	BD14187
22 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + Hex End GorillaGrip® Fold Up 5/64-1/4" (Item # BD12589)	22	BD14189
34 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 5/64-5/32", 1.5-5mm (Item # BD12550)	34	BD14130

Size	Pieces	Item #
22 Pce Set: ProHold® L-Wrench Ball End .050-3/8" (Item # BD74937) + 1.5-10mm (Item # BD74999)	22	BD20499
22 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm (Item # BD10999)	22	BD20199
22 Pce Set: L-Wrench Hex End .050-3/8" (Item # BD12137) + 1.5-10mm (Item # BD12199)	22	BD22199

L-WRENCHES HEX END

Chamfered tool tips eliminate burrs and help tools seat in screw head. Sharp corners transfer more torque to the screw and reduce stripping. Precision machined for ease of use and superior fit.



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head



BD12199



BD12137

Size	O/A Length	Arm Length	Pieces	Item #
Metric (Long) (Tagged)				
1.5	77	14	1	BD15950
2.0	82	16	1	BD15952
2.5	88	17	1	BD15954
3.0	98	19	1	BD15956
4.0	110	22	1	BD15960
4.5	114	25	1	BD15962
5.0	119	27	1	BD15964
6.0	139	21	1	BD15968
8.0	152	35	1	BD15972
9.0	159	27	1	BD15974
10.0	171	39	1	BD15976
12.0	220	44	1	BD15980
14.0	260	55	1	BD15984
17.0	280	61	1	BD15986
19.0	295	69	1	BD15988
Metric (Short) (Tagged)				
.71	31	6	1	BD15847
.89	31	9	1	BD15848
1.27	42	13	1	BD15849
1.5	44	14	1	BD15850
2.0	49	16	1	BD15852
2.5	54	17	1	BD15854
3.0	61	19	1	BD15856
3.5	65	21	1	BD15858
4.0	68	22	1	BD15860
4.5	73	25	1	BD15862
5.0	78	27	1	BD15864
5.5	83	29	1	BD15866
6.0	88	31	1	BD15868
7.0	93	33	1	BD15870
8.0	98	35	1	BD15872
9.0	102	37	1	BD15874
10.0	109	39	1	BD15876
11.0	115	42	1	BD15878
12.0	122	42	1	BD15880
14.0	136	55	1	BD15884
17.0	156	61	1	BD15886
19.0	175	69	1	BD15888
Metric Sets				
9 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				9 BD12199
6 Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5mm				6 BD12246
9 Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				9 BD12299
10 Pce Wallet Set (Short): 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				10 BD00009
Imperial (Long) (Tagged)				
.028"	66	6	1	BD15900
.035"	68	9	1	BD15901
.050"	72	13	1	BD15902
1/16"	76	14	1	BD15903
5/64"	81	15	1	BD15904

Size	O/A Length	Arm Length	Pieces	Item #
3/32"	86	16	1	BD15905
7/64"	90	18	1	BD15906
1/8"	95	19	1	BD15907
9/64"	101	20	1	BD15908
5/32"	107	21	1	BD15909
3/16"	114	24	1	BD15910
7/32"	124	26	1	BD15911
1/4"	133	29	1	BD15912
5/16"	152	32	1	BD15913
3/8"	171	35	1	BD15914
7/16"	191	38	1	BD15915
1/2"	210	41	1	BD15916
9/16"	229	44	1	BD15917
5/8"	248	48	1	BD15918
3/4"	286	54	1	BD15919
Imperial (Long) (Packaged)				
7/8"	322	60	1	BD12120
1"	359	67	1	BD12121
Imperial (Short) (Tagged)				
.028"	31	6	1	BD15800
.035"	31	9	1	BD15801
.050"	42	13	1	BD15802
1/16"	45	14	1	BD15803
5/64"	48	15	1	BD15804
3/32"	51	16	1	BD15805
7/64"	54	18	1	BD15806
1/8"	58	19	1	BD15807
9/64"	61	20	1	BD15808
5/32"	64	21	1	BD15809
3/16"	70	24	1	BD15810
7/32"	77	26	1	BD15811
1/4"	83	29	1	BD15812
5/16"	96	32	1	BD15813
3/8"	108	35	1	BD15814
7/16"	121	38	1	BD15815
1/2"	133	41	1	BD15816
9/16"	146	44	1	BD15817
5/8"	159	48	1	BD15818
3/4"	184	54	1	BD15819
Imperial Sets				
13 Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12137
7 Pce Set (Short): 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"			7	BD12245
13 Pce Set (Short): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12237
10 Pce Wallet Set (Short): 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD00008

GORILLAGRIP® FOLD UP SETS

Patented handle design makes every job faster and easier.
Durable GorillaGrip® handle is stronger than steel handles.
Tool user can adjust tool tension.



Up to 20% stronger, with more torque and higher wear resistance than standard steel

Moulded in 90° stop converts the tool into a time saving speed wrench
Blades open up to 270° from handle.
Moulded on stops then blades securely in place



BD12897

BD12544

BD12533




Environmentally safe finish for better corrosion resistance and grip

Size	Pieces	Item #
TORX® GorillaGrip® Fold Up		
8 Pce Set: T6, T7, T8, T9, T10, T15, T20, T25	8	BD12632
8 Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	8	BD12634
Tamper Resistant TORX® GorillaGrip® Fold Up		
7 Pce Set: TR7, TR8, TR9, TR10, TR15, TR20, TR25	7	BD12636
8 Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	8	BD12638
Ball End GorillaGrip® Fold Up		
5 Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12894
5 Pce Set: 5, 6, 7, 8, 10mm	5	BD12897
Hex End GorillaGrip® Fold Up		
7 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6mm	7	BD12592
7 Pce Set: 2, 2.5, 3, 4, 5, 6, 8mm	7	BD12587
6 Pce Set: 3, 4, 5, 6, 8, 10mm	6	BD12595

Size	Pieces	Item #
9 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	9	BD12591
9 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	9	BD12589
5 Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12585
12 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32", 1.5, 2, 2.5, 3, 4, 5mm	12	BD12550
Utility GorillaGrip® Fold Up		
5 Pce Set: PH #1, Slotted 3/16", Hex 4, 5, 6mm	5	BD12540
Multi Pack GorillaGrip® Fold Up		
16 Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587)	16	BD12522
15 Pce Set: 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	15	BD12544
24 Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	24	BD12533

T-HANDLES HEX END


Solid steel handles.
Welded handle/blade connection.
Ergonomic handle design.
Flywheel effect saves time.
Smooth, non-porous handle coating.
Handle coating extends along blade.



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Ergonomic Handle
Welded directly to blade for durable and comfortable grip

ProGuard DST
Environmentally safe finish for better corrosion resistance and grip

Sizes Printed On Handles
For easy and quick section



BD13389

BD13390

Size	Item #
Metric (Tagged) 229mm	
6 Pce Set: 2, 2.5, 3, 4, 5, 6mm	BD15348
Metric (Tagged) Graduated Length	
8 Pce Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm	BD13387
8 Pce Set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm	BD13389

Size	Item #
Imperial Sets	
8 Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	BD13332
10 Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	BD13390
*Individual tagged sizes available	