

# HAND TOOLS AND ACCESSORIES

## COPPER/RAWHIDE HAMMERS



Part No.	Item	Size	Weight (g)	Weight (lb)	Face (mm)	Length (mm)	Handle
TH208	508923	A	355	0.8	25	230	Wood
TH210	508924	1	710	1.6	32	270	Wood
TH210PH	810174	1	775	1.7	32	305	Plastic
TH212PH	810171	2	1080	2.4	38	310	Plastic
TH212	508925	2	1070	2.4	38	305	Wood
TH214	508926	3	1600	3.5	44	305	Wood
TH216	508927	4	2380	5.2	50	355	Wood
TH216FG	508928	4	2470	5.4	50	405	Fibreglass

## COPPER HAMMERS



Part No.	Item	Size	Weight (g)	Weight (lb)	Face (mm)	Length (mm)	Handle
TH308C	508934	A	425	0.9	25	230	Wood
TH310	508936	1	830	1.8	32	270	Wood
TH310PH	810172	1	895	2.0	32	305	Plastic
TH312PH	810173	2	1270	2.8	38	310	Plastic
TH312	508938	2	1260	2.8	38	305	Wood
TH314	508941	3	1940	4.3	44	305	Wood
TH316	508943	4	2830	6.2	50	355	Wood
TH322	508949	5	6000	13.2	70	915	Wood
TH316FG	508945	4	2920	6.4	50	405	Fibreglass

## NYLON HAMMERS



Part No.	Item	Weight (g)	Weight (lb)	Face (mm)	Length (mm)	Handle
TH708	508971	250	0.6	25	255	Wood
TH710	508974	445	1.0	32	280	Plastic
TH712	508979	650	1.4	38	305	Plastic
TH714	508984	850	1.9	44	305	Plastic
TH716	508988	1230	2.7	50	305	Plastic
TH720	508993	2200	4.9	63	355	Wood
TH720FG	508994	2270	5.0	63	405	Fibreglass

**SOLID COPPER MALLET WITH PLASTIC HANDLE**



- TH704 (508968)**  
- 38mm Face  
- 2lb (955g)
- TH705 (508969)**  
- 44mm Face  
- 3lb (1325g)



**#5 RAWHIDE FACED HAMMER**  
TH22 (508929)



- Malleable Iron head fitted with cylindrical faces of compressed Rawhide.
- 70mm Face
- 7.25lb (3275g)
- Wooden Handle



REPLACEMENT FACES AVAILABLE

**VINYL GRIP CLAW HAMMERS**



- EWE3-20C (502174)**  
- Length: 13.5" (343mm)  
- 20oz (565g)
- EWE3-28C-24 (502185)**  
- Length: 13.5" (343mm)  
- 24oz (680g)



**VINYL GRIP WELDER'S CHIPPING HAMMER**  
EWE3-WC (502192)



- Welding Chipping Hammer has a bonded and moulded Shock Reduction Grip®
- The head and handle are forged in one piece.
- 14oz (400g)
- Length: 11"/279mm



**LEATHER GRIP CLAW HAMMERS**



- EWE20C (502165)**  
- Length: 12.5"/318mm  
- 20oz (565g)
- EWE24C (502167)**  
- Length: 13.5"/343mm  
- 24oz (680g)



**VINYL GRIP DRILLING HAMMERS**



- EWB3-4LB (502155)**  
- Length: 11.5"/292mm  
- 4lb (1.8kg)
- EWB3-4LBL (502156)**  
- Long Handled  
- Length: 16"/406mm  
- 4lb (1.8kg)



# SANDO

UNBREAKABLE™ STRIKING TOOLS

The Sando unbreakable handle sledgehammer was developed in 1975 to withstand the rigours of hard rock mining conditions. Each handle consists of high tensile steel rods that are moulded in abrasive-resistant rubber, making it unbreakable with outstanding durability. Our innovative locking plate design ensures that the head will not separate from the handle. The abrasive-resistant rubber is injected all the way into the eye of the hammer head. The rubber in the eye inhibits the transfer of the shock into the handle, reducing fatigue and the risk of injury and making the hammer more comfortable to use. The superior quality of the rubberised handle provides excellent grip in wet and dry conditions which makes the Sando hammer more versatile and safer to use.

**1.5LB (0.7KG) STEEL CLAW HAMMER**  
SDSSCLAW (810084)



- A classic Sando handle fitted to a British pattern head for perfect balance and accurate striking



**2.5LB (1.1KG) HATCHET**  
SDSS1100HATCH (810083)



- A classic Sando handle fitted to a precision ground head for superior balance



**1.5LB (0.7KG) BALL PEIN HAMMER**  
SDSS700GRBP (810081)



- A classic Sando handle fitted to a British pattern head for perfect balance and accurate striking



**2LB40(0.9KG) BALL PEIN HAMMER**  
SDBP/2-14 (507897)



- A classic Sando handle fitted to a British pattern head for perfect balance and accurate striking



# HAND TOOLS AND ACCESSORIES

## 20OZ CLAW HAMMER ANTI VIBRATION HANDLE 29038



- Anti-Vibration Handle for better comfort and less arm fatigue
- Oversized strike face with large sweet spot
- Precision balanced head for user comfort and control



## CLAW HAMMER METAL HANDLE



- Metal handle
- Soft rubber grip
- High carbon steel
- Hardness: 50-58 HRC



Code	Description
28915	20oz Claw Hammer
28916	24oz Claw Hammer

## 3LB STONING HAMMER FIBREGLASS HANDLE 28914



- Steel handle
- Soft rubber grip
- High carbon steel
- Hardness: 50-58 HRC



## 4LB MASH HAMMER 28913



- Steel handle
- Soft rubber grip
- High carbon steel
- Hardness: 50-58 HRC



## SLEDGE HAMMER HICKORY HANDLE



- 830mm Hickory handle
- Soft rubber grip
- High carbon steel head
- Hardness: 50-58



Code	Description
29036	10lb Sledge Hammer Hickory Handle
29037	12lb Sledge Hammer Hickory Handle

## NORMALISED BALL PEIN HAMMERS



- Useful for engineers and used in metal work for striking punches and chisels
- Hammer ball end for riveting work
- Head is forged then normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised



Part Number	Description
7HBPFRHY0.450	450g - Pinned Steel Core Fibreglass Handle
7HBPFRHY0.675	675g - Pinned Steel Core Fibreglass Handle
7HBPFRHY0.900	900g - Pinned Steel Core Fibreglass Handle
7HBPFRHY1.135	1.135kg - Pinned Steel Core Fibreglass Handle

## MILWAUKEE HAMMERS




Product Code	Description
48229016	17oz Milled Face Steel Framing Hammer
48229017	17oz Smooth Face Steel Framing Hammer
48229316	19oz Poly/Fibreglass Hammer
48229080	20oz Curved Claw Hammer
48229022	22oz Milled Face Steel Framing Hammer
48229023	22oz Smooth Face Steel Framing Hammer
48229040	4-in-1 Linesman Hammer
48229310	3lb/48oz Fiberglass Drilling Hammer

## NORMALISED SLEDGE HAMMERS



- A well balanced versatile sledge hammer for building, construction, mining and demolition work
- Head is normalised for a softer face (below 20HRC) that will mushroom, for applications where risk of chipping needs to be minimised



Part Number	Description
5HSNFRHY04	4lb with Pinned Steel Core Fibreglass Handle
5HSNFRHY07	7lb with Pinned Steel Core Fibreglass Handle
5HSNFRHY10	10lb with Pinned Steel Core Fibreglass Handle
5HSNFRHY14	14lb with Pinned Steel Core Fibreglass Handle

## DRAPER REDLINE 225G (8 OZ) JOINERS/ WARRINGTON HAMMER 67670



Forged black painted head, hardened and tempered with polished faces and hardwood shaft. Sold loose.

Draper Redline is our entry level range, delivering quality guaranteed tools at affordable prices.



## STEEL SLEDGE HAMMERS

**SANDO**



- The handle consists of a core of high tensile steel rods that are moulded in abrasive-resistant rubber making it unbreakable with outstanding durability.
- The innovative locking plate design ensures that the head will not separate from the handle.
- The abrasive-resistant rubber is injected all the way into the eye of the hammer head. The rubber in the eye inhibits the transfer of shock into the handle, reducing fatigue and the risk of injury and making the hammer more comfortable to use.
- The superior quality of the rubberised handle provides excellent grip in wet and dry conditions which makes the SANDO hammer more versatile and safer to use.
- The hammer head conforms to ASME/ANSI, BS876 & ISO15601 specifications and the faces are induction hardened to 50-58 HRC.

Product Code	Weight	Handle length
SDSLDG/4-24 (507911)	4LB/1.8KG	24"
SDSLDG/8-24 (507912)	8LB/3.6KG	24"
SDSLDG/8-30 (507914)	8LB/3.6KG	30"
SDSLDG/10-30 (507906)	10LB/4.5KG	30"
SDSLDG/12-30 (507908)	12LB/5.5KG	30"
SDSLDG/14-30 (507909)	14LB/6.3KG	30"

## COPPER HEAD SLEDGE HAMMERS

**SANDO**



- The handle consists of a core of high tensile steel rods that are moulded in abrasive-resistant rubber making it unbreakable with outstanding durability.
- The superior quality of the rubberized handle provides excellent grip in wet and dry conditions which makes the SANDO hammer more versatile and safer to use.
- The 99.98% pure copper hammer head reduces the chance of damage to workpieces and reduces the chance of ignition or sparking in hazardous areas.

Product Code	Weight	Handle length
SDSLDG/14-30C (510888)	14LB/6.3KG	30"
SDSLDG/8-24C (510887)	8LB/3.6KG	24"
SDSLDG/3-12C (510884)	3LB/1.4KG	12"
SDSLDG/4-12C (510885)	4LB/1.8KG	12"
SDSLDG/8-30C (510886)	8LB/3.6KG	30"

## STEEL CLUB HAMMERS

**SANDO**



- The handle consists of a core of high tensile steel rods that are moulded in abrasive-resistant rubber making it unbreakable with outstanding durability.
- The innovative locking plate design ensures that the head will not separate from the handle.
- The abrasive-resistant rubber is injected all the way into the eye of the hammer head. The rubber in the eye inhibits the transfer of shock into the handle, reducing fatigue and the risk of injury and making the hammer more comfortable to use.
- The superior quality of the rubberized handle provides excellent grip in wet and dry conditions which makes the SANDO hammer more versatile and safer to use.
- The hammer head conforms to ASME/ANSI, BS876 & ISO15601 specifications and the faces are induction hardened to 50-58 HRC.

Product Code	Weight	Handle length
SDCLUB/2-12 (507898)	2.5LB/900G	12"
SDCLUB/4-12 (507899)	4LB/1.8KG	12"
SDCLUB/4-16 (810082)	4LB/1.8KG	16"

## SOFT FACE SLEDGE HAMMERS

**SANDO**



- The handle consists of a core of high tensile steel rods that are moulded in abrasive-resistant rubber making it unbreakable with outstanding durability.
- The innovative locking plate design ensures that the head will not separate from the handle.
- The abrasive-resistant rubber is injected all the way into the eye of the hammer head. The rubber in the eye inhibits the transfer of shock into the handle, reducing fatigue and the risk of injury and making the hammer more comfortable to use.
- The superior quality of the rubberized handle provides excellent grip in wet and dry conditions which makes the SANDO hammer more versatile and safer to use.
- The hammer head conforms to ASME/ANSI, BS876 & ISO15601 specifications and the faces are induction hardened to below 25 HRC.

Product Code	Weight	Handle length
SDSLDG/14-30SF (510883)	14LB/6.3KG	30"
SDSLDG/4-12SF (510880)	4LB/1.8KG	12"
SDSLDG/10-30SF (510881)	10LB/4.5KG	30"
SDSLDG/8-30SF (510879)	8LB/3.6KG	30"
SDSLDG/8-24SF (510878)	8LB/3.6KG	24"
SDSLDG/12-30SF (510882)	12LB/5.5KG	30"