

MAGNETIC BOX LEVELS - DIGITAL

FAMOUS TOLEDO



- Memory store and recall
- Rainproof and dust resistant
- Tilted LCD screen with LED backlight
- Battery operated: 9V



Material Number	Length
322050	600mm
322051	1200mm

MAGNETIC BOX LEVELS

FAMOUS TOLEDO



- Reinforced aluminium frame
- Enlarged easy read horizontal vial (33% bigger)
- Unique side-view vial provides accurate plumb reading

Material Number	Description
322060	600mm
322090	900mm
322120	1200mm
322180	1800mm
322240	2400mm

MAGNETIC TORPEDO LEVEL – 250MM

322010

FAMOUS TOLEDO



- Handy portable lightweight level ideal for all big and small measuring jobs
- Features two solid shockproof horizontal and vertical acrylic vials
- Precision milled flat surface with dual magnets
- Accuracy: < 0.5mm/m (0.0005 in/in.)

aLine ML360 SERIES

ML360-15/ ML-360G

The ML-360 series laser level incorporates all the features any trades-person could possibly require in their measurement equipment. No matter what you're working on, whether you're carrying out a survey or working as a carpenter, tiler or electrician, you'll want the best laser level for the job.



aLine

IMEX LX22G

012-LX22G

The LX22G is the latest in laser edge technology in a compact package with high accuracy and robust construction for all internal trades.



imex accurate for life



5.2Ah Lithium Battery Platform.



Quick Release Heavy duty magnetic bracket.



Job Site Tough Rugged housing designed for construction sites.

IMEX LX3DG

012-LX3DG

The ultimate in multi-line laser levelling, the Imex LX3DG has full 360° uninterrupted lines and a unique preciseALIGN™ fine adjustment which pivots from the datum point for the optimum levelling experience. Powered with a lithium platform, the kit includes a spare battery for maximum efficiency.



imex accurate for life



PreciseAlign™ Up to 10° Fine Adjustment for precise 90° set out on LX3DG.



5.2Ah Lithium Battery Platform.



360(degree) Layout Horizontal and vertical 360-degree layout.



Quick Release Heavy duty magnetic bracket.



Job Site Tough Rugged housing designed for construction sites.



5.2Ah Lithium Battery Platform.

IMEX LX25GP

012-LX25GP

The LX25GP is the industry class leader line and dot laser for ultimate reference dot set-out with dots that bisect the lines. Combines with a robust quick release magnetic bracket for efficient and accurate levelling in all interior situations.



imex accurate for life

LASERS, MEASURING, LEVELLING AND DETECTING

aLine CL-5 SERIES CL-5DR/CL-5DG

Accurate, self-levelling cross-line and five dot laser with a red/green beam.

The aLine CL-5DR/G is equipped with two 180° horizontal/vertical lines, plus 5 perpendicular dots over the interior fit-out area.



aLine

IMEX I88R 012-I88R

Features

- 5-year Imex warranty
- Accuracy $\pm 1.5\text{mm}$ @ 30m
- Long-range operation (600m)
- Dust/Water Rating IP66
- LRX10 digital laser receiver
- Horizontal/Vertical self-levelling $\pm 5^\circ$
- Simple, intuitive dual manual slope capability $\pm 5^\circ$
- 2x 9Ah lithium-ion battery



aLine AL-3D SERIES AL-3DR/AL-3DG

Accurate, self leveling 3D multi-line laser which generates extremely bright red/green lines.

Designed specifically for interior fit-out tasks, the AL-3DR/G is equipped with 3x 360° lines around your whole job.



aLine

IMEX I88G 012-I88G (Green Beam)

Features

- 5-year Imex warranty
- Accuracy $\pm 1.5\text{mm}$ @ 30m
- Long-range operation (600m)
- Dust/Water Rating IP66
- LRX10 digital laser receiver
- Horizontal/Vertical self-levelling $\pm 5^\circ$
- Simple, intuitive dual manual slope capability $\pm 5^\circ$
- 2x 9Ah lithium-ion battery



IMEX I66R 012-I66R

Features

- 5-year Imex warranty
- Accuracy $\pm 2\text{mm}$ @ 30m
- Long-range operation (400m)
- Dust/Water Rating IP66
- LRX6 digital laser receiver
- Automatic self-levelling $\pm 5^\circ$
- Horizontal only rotating laser
- 2x 9Ah lithium-ion battery



LASERS



IMEX I77R 012-I77R

Features

- 5-year Imex warranty
- Accuracy $\pm 1.5\text{mm}$ @ 30m
- Long-range operation (600m)
- Dust/Water Rating IP66
- LRX10 digital laser receiver
- Automatic self-levelling $\pm 5^\circ$
- Simple, intuitive manual slope capability $\pm 5^\circ$
- 2x 9Ah lithium-ion battery



Product Code

Description

L43PL-301C	REDLITHIUM™ USB Rechargeable 3 Point Laser Kit (1 x 3.0Ah)
L4CLL-301C	REDLITHIUM™ USB Rechargeable Cross Line Laser Kit (1 x 3.0Ah)
L4CPL-301C	REDLITHIUM™ USB Rechargeable Cross + 2 Plumb Laser Kit (1 x 3.0Ah)
M12CPL-0C	M12™ Cross Line + 2 Plumb Laser (Tool Only)
M123PLA-0C	M12™ 3 Plane Laser (Tool Only)
48351111	Laser Target
48351211	50 m 165 ft Laser Detector
48351311	360° Laser Bracket with Quick Connect
48351411	1.8m 72 IN Laser Tripod
48351313	Laser Track Clip with Quick Connect

TOPCON RL-H5B
1021200-71



Features

- 5-year Topcon warranty
- Accuracy $\pm 3\text{mm}$ @ 30m
- Long-range operation (400m)
- Construction tough built IP66 water-resistant housing
- LS-80X long-distance laser receiver
- Automatic self-levelling $\pm 5^\circ$
- Horizontal only rotating laser



TOPCON SV2S
313990772



Features

- 5-year Topcon warranty
- Dual dial-in grade $\pm 15\%$
- Long-range operation (800m)
- Vertical alignment function
- Electronic beam masking (to avoid interference with other lasers on site)
- LS-100D Premium Receiver (mm)
- Construction tough built IP66 water-resistant housing



TOPCON RL-H5A
1021200-45



Features

- 5-year Topcon warranty
- Accuracy $\pm 1.5\text{mm}$ @ 30m
- Long-range operation (800m)
- Simple, intuitive manual slope capability $\pm 5^\circ$
- Dust/Water Rating IP66
- LS-80X long-distance laser receiver
- Automatic height of instrument alert (elevation alert)



aLine AL-HV SERIES
AL-HVR/AL-HVG



The AL-HVR/G is a heavy duty horizontal and vertical self-levelling laser.

This laser is ideal for both general and interior construction applications.



IMEX E60K
012-E60K



The Imex E60K is an economical rotary laser designed for the handyman, farmer or tradie who doesn't use a laser all the time. A 400m diameter range, all in one convenient hard plastic carry case.

Includes

- 2 metre staff
- Aluminium tripod
- LR1 Detector



ROTATION LASER-AUTOMATIC
LAR350, LAR300, LAR160 and LAR16G.



- Level large areas precisely.
- Measure at a very high degree of accuracy and are therefore best suited, in interaction with a receiver, to use at great distances.
- They offer great functionality and are flexible in their use both indoors and outdoors.



Part No.	Range (m)	Accuracy	Type	Shock Protection	Beam	Laser
19270	800	$\pm 0.1\text{mm/m}$	Horizontal	1.8m fall	Red	LAR300
19019	800	$\pm 0.1\text{mm/m}$	Dual Grade & Vertical	1.8m fall	Red	LAR350
19111	800	$\pm 0.1\text{mm/m}$	Dual Grade & Vertical	1.8m fall	Red	LAR350 + TRIPOD + STAFF
19157	600	$\pm 0.1\text{mm/m}$	Vertical		Red	LAR160
19240	600	$\pm 0.1\text{mm/m}$	Vertical		Green	LAR160 G

TOPCON DT-10 THEODOLITE DT-10



The Astor DT-10 is ideal for building set out and general construction. With its dual face LCD display. The DT-10 a very popular choice for building contractors.

Features

- 30 x Magnification
- Accuracy ± 10 arc seconds
- Alkaline and Rechargeable battery packs (supplied)



TOPCON TP-L6 SERIES



Topcon's TP-L6 Series Pipe Lasers offer a combination of features and technology that are proven to meet the demands of contractors more than any other alignment lasers on the market.

With a new compact design the Topcon TP-L6 can be used in even the tightest of pits. Available in economical red beam or high visibility green beam, the new Topcon pipe lasers come with better than ever battery life to keep you working.



TP-L6WB
1034437-10
Red Beam

TP-L6WBG
1034437-11
Green Beam

TOPCON AT-B AUTO LEVEL SERIES



Features

- 5-year Topcon warranty
- Rapid, accurate and stable automatic compensation
- Ultra-short 20 cm focussing
- All-weather dependable
- Clampless, endless fine horizontal adjustments

IMEX IPL3T 012-IPL3TR/012-IPL3TG



The all new Imex IPL3 series pipe drainage lasers have new wireless remote setting, auto track on-grade and the capability of fitting a 100mm PVC pipe. With interchangeable feet for a variety of pipe sizes, a huge -20% to +40% grade and fully submersible IP68 rating the new Imex pipe lasers are set up for the most demanding tasks.

AT-B4A
1012379-53

AT-B3A
1012379-03

AT-B2
2110220B0



IPL3TR
012-IPL3TR
Red Beam



IPL3TG
012-IPL3TG
Green Beam

IMEX ILAR 012-ILAR28/ 012-ILAR32



Combining an all metal, fully sealed housing for all weather protection and high magnification.

Imex LAR28 and LAR32 are the most robust auto-levels available. A magnetic damping compensator ensures better stability and reliability in all conditions.



iDig



A simple, accurate and affordable machine control solution for small and mini excavators.

- Patented simple setup and exchange between machines
- Take control of your work – no need for a grade checker or surveyor
- Eliminate rework and save time.



LD100 RECEIVER
012-LD100

Features

- Detects all red and green beam line lasers
- 80mm laser detection window
- Working radius up to 50m from unit
- Heavy duty bracket for staff
- High or low accuracy settings
- Loud or soft buzzer



TOPCON LS-B10 MACHINE RECEIVER 312660101
LS-B10W - 312660111(blueooth version)

Features

- 270° laser detection angle
- Up to 700m Detection Range
- Large LED indicators
- Display screen
- Compatible with Topcon control systems
- Magnetic Feet
- Topcon wireless communication (LS-B10W)



IMEX MR240 MACHINE CONTROL RECEIVER
012-MR240

Features

- 3-year Imex warranty
- 240° reception range
- Dual use on machinery or on a staff with standard rotating laser
- Fine 5mm or course 12.5mm options
- 135mm pick-up board
- Ultra strong magnets



TOPCON LS-100D HAND RECEIVER
1026030-01

Features

- 4 accuracy resolutions from ±0.5mm to ±10mm
- 90mm reception height for extra-wide beam capture sensor
- Built-in magnets for vertical & horizontal steel erection
- Hold button for locking display to read elevation results
- 45 hour battery life



IMEX MR360 MACHINE CONTROL RECEIVER
012-MR360C/ 012-MR360M

Features

- 3-year Imex warranty
- 360° reception range
- In-cab display with 8m of cable
- Large 250mm pick-up
- Quick install for Machines & excavators of all sizes
- Comes with clamp or magnet mounts



IMEX ELEVATING TRIPOD
012-SJP50

Features

- Heavy duty aluminium
- Fine adjustment
- Elevates to 2.6m
- Standard tripod thread to fit most lasers
- Quick release legs



IMEX TRIPOD
012-EV18

Features

- Used for line lasers indoors
- Elevates to 1.8m
- Fine adjustment
- Swivel head for angle setting



IMEX TRIPOD
012-SJW20

Features

- Fiberglass construction for minimum temperature variation
- Suits all lasers, theodolites and total stations
- Twist locks



TOPCON TRIPOD AND STAFF
Build_Combo2

Build combo is the perfect pairing for any laser work inside or outside. Kit includes aluminium Standard duty (dome top) tripod & 5m 'E' Face staff



IMEX TRIPOD AND STAFF
012-TSCOM

- Standard aluminium tripod with twist locks
- Standard metric 5m staff with canvas bag

