

ASR 36-18 BL 25 M SC
602046850

BRUSHLESS



- Inbuilt CordlessControl
- Uncluttered control panel
- For M class dusts
- SelfClean: semi-automatic filter



MFE 40
604040530



- Metabo S-automatic safety clutch
- Tacho-Constamatic (TC)- Full Wave Electronics
- Robust aluminium die-cast hood
- Metabo Marathon motor



ASR 35 M ACP
602058190



- Automatic trailing mechanism
- Automatic shut-down
- For M class dusts
- AutoCleanPlus



RSEV 19-125
603825710



- 1,900 Watt strong Metabo Marathon-motor
- High torque and overload capacity
- Vario Tacho Constamatic (VTC) Full-wave Electronics
- Metabo S-automatic safety clutch



ASR 35 H ACP
602059190



- Automatic trailing mechanism
- Automatic shut-down
- For H class dusts
- AutoCleanPlus



KGS 254 M
602540190



- Robust die-cast aluminium design
- Bright LED work light
- Depth guide
- Effective dust extraction



KGS 305 M
619305190



- Robust die-cast aluminium design
- Bright LED work light
- Depth guide
- Spindle lock



KHE 5-40
600391530



- Metabo VibraTech (MVT)
- Vario-Constamatic (VC)- Full wave electronics
- Electronic soft start and Restart protection
- Metabo S-automatic safety clutch



KGS 315 PLUS
0103150000



- Vario-Constamatic (VC)-Full wave electronics
- Metabo Quick
- Soft start
- Depth guide



**MIRKA DEROS 650CV
RANDOM ORBITAL SANDER**
MID6502022AN

MIRKA



Pad Size: 150mm
Orbit: 5mm
Weight: 1kg
Noise Level: 71dB
Vibration Level: 3.4m/s²

Duct System: Central Vacuum
Ready
Power Input: 350W
Speed: 4,000-10,000/min

**MIRKA DEOS 663CV
RANDOM ORBITAL CORNER SANDER**
MID6630201AN

MIRKA



Pad Size: 100x152x152mm
Orbit: 3mm
Weight: 0.97kg
Noise Level: 68dB
Vibration Level: 2.6m/s²

Duct System: Central Vacuum
Ready
Power Input: 250W
Speed: 5,000-10,000/min

**MIRKA AROS-B 150NV CORDLESS
RANDOM ORBIT SPOT REPAIR SANDER**
8991150311AN

MIRKA



Pad Size: 32mm
Orbit: 5mm
Weight: 0.56kg
Noise Level: 61dB
Vibration Level: 1.9m/s²

Duct System: Non-Vacuum
Battery Capacity: 2.5Ah
Speed: 4,000-8,000/min

**MIRKA AROP-B CORDLESS
RANDOM ORBITAL POLISHER**
8991012311AN

MIRKA



Pad Size: 77mm
Orbit: 12mm
Weight: 0.89kg
Noise Level: 60dB
Vibration Level: 4.3m/s²

Duct System: Non-Vacuum
Battery Capacity: 2.5Ah
Speed: 4,000-7,000/min

MIRKA DUST EXTRACTOR 1025
8999080111

MIRKA



Volume Flow Air: 3600l/min
Vacuum: 210mbar
Weight: 8kg
Noise Level: 64dB

Filter Cleaning System:
Push & Clean
Power Input: 1000W

MIRKA DUST EXTRACTOR 1230
8999180111

MIRKA



Volume Flow Air: 4500l/min
Vacuum: 250mbar
Weight: 14.5kg
Noise Level: 60dB

Filter Cleaning System:
Push & Clean
Power Input: 1200W

**18V XR LI-ION BRUSHLESS HEAVY DUTY
3 MODE SDS+ ROTARY HAMMER**



DCH274N-XE

- Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 24mm
- Rotation stop mode
- No Load Speed: 0-1100rpm
- Max. Drilling Capacity [Concrete]: 24mm
- Quick release SDS-Plus toolholder and keyless chuck



DRILLING & HOLE CLEANING SYSTEM



DWH050-XJ

- Ideal for dust free drilling up to 52mm in diameter and unlimited depth
- Includes hole cleaning nozzles
- Durable rubber seal allows for adhesion to most masonry surfaces
- Unit sucks to a flat surface



**54V XR LI-ION BRUSHLESS 2 MODE
DEDICATED ROTARY HAMMER 10KG
SDS-MAX**



DCH773N-XJ

- 19.4 Impact Joules
- Anti rotation system detects a loss of tool control, and reacts by instantly cutting the power
- Ideal for drilling anchors and fixing holes into concrete, brick and masonry up to 52mm in diameter



**18V XR CORDLESS ROTARY
HAMMER DUST EXTRACTION SYSTEM**



DWH205DH-XJ

- Compatible with DCH263
- Dust free drilling up to 26 mm in diameter and 180mm in depth
- High quality washable HEPA filter
- Quick, one handed release from hammer with no tools required



**18V XR LI-ION BRUSHLESS HEAVY DUTY
IN-LINE 3 MODE SDS+ ROTARY HAMMER**



DCH263N-XJ

- Rotation stop mode
- Ideal for drilling anchors and fixing holes into concrete, brick, and masonry from 4mm to 28mm
- Bright white LED with delay feature improves visibility
- Max. Drilling Capacity [Concrete]: 28mm
- 2 Speeds: 0-1,165 RPM, 0-4,300 BPM



**18V XR CORDLESS ROTARY HAMMER
DUST EXTRACTION SYSTEM**



D25303DH-XJ

- Ideal for dust free drilling up to 16mm in diameter with excellent suction and has a maximum drilling depth of 160mm
- Hose Length: 120mm, Hose Diameter: 30mm
- Compatible with DCH273 & DCH274 (Type 2 Only)



**45MM SDS-MAX (6KG) 3-MODE
COMBINATION HAMMER 1350W**



D25614K-XE

- Ideal for drilling anchor fixing and through holes in concrete and masonry from 12 to 45mm in diameter. Core drilling up to 150mm
- Rotation stop mode with lock-on switch for chiselling
- Impact energy: 10.5J



**18V XR CORDLESS ROTARY HAMMER
DUST EXTRACTION SYSTEM**



D25304DH-XJ

- Dust free drilling up to 26 mm in diameter
- High quality washable HEPA filter
- Deep drilling up to 180mm while maintaining a clean environment
- Quick, one handed release from hammer with no tools required



**30MM HEX DEMOLITION
BREAKER (16KG)**



D25961K-XE

- Lowest vibration in the 16kg class ensures the highest trigger time
- Soft start feature ensures accurate clean breaking without chisel walking
- Highest productivity due to an optimum balance of power, impact energy and vibration
- Blows per Minute: 1450bpm, Impact energy: 35J



18V XR BRUSHLESS QUARTER SHEET SANDER

DCW200N-XJ

- Wireless Tool Control allows cord free connectivity to WTC-equipped DEWALT dust extractors
- Textured anti-slip top and body grip
- Dual plane counter-balance low-vibration design reduces user fatigue
- Orbits Per Minute: 8,000 - 13,500opm
- Hook & loop platen



DEWALT

54V XR FLEXVOLT M CLASS DUST EXTRACTOR

DCV586MN-XJ

- M-Class Compliant, suitable for use on construction sites
- TSTAK® Compatible
- Automatic dual filter cleaning filter cleaned every 30 seconds
- Wet and dry for maximum clean up flexibility and on vac 2.4m hose storage for ease of use
- Wireless Tool Control



DEWALT

18V XR LI-ION BRUSHLESS 125MM RANDOM ORBITAL SANDER

DCW210N-XJ

- Textured anti-slip top and body grip
- Orbits Per Minute: 8000-12000opm
- Orbit Size: 2.6mm
- Uses hook and loop paper for consistent adhesion and fast changing
- Dustbag included



DEWALT

DEWALT TSTAK RADIO

DWST1-81080-XE

- 6 speaker surround sound, producing 45W output
- Onboard Battery Charging
- Compatible with 18V & 18V/54V FLEXVOLT Battery Packs
- TSTAK Connect App allows total control of the system remotely
- Bluetooth® AUX & USB Inputs, DAB/FM



DEWALT

18V XR BRUSHLESS 225MM DRYWALL SANDER

DCE800N-XJ

- Ventilated 225mm high efficiency backing pad
- 1.25m-1.6m tool length, lock on trigger
- Wireless Tool Control for dust extraction
- Up to 40mins runtime with DCB546-XE (Sold Separately)



DEWALT

DEWALT TOUGHSYSTEM RADIO & CHARGER

DWST1-75664-XE

- Bluetooth, 3.5mm Aux. Input, USB charger
- Power: AC & 18V/14.4V DEWALT battery charger, USB charger
- DAB+ with 12 FM presets



DEWALT

38L DUST EXTRACTOR VACUUM (M CLASS)

DWV902M-XE

- A filter is automatically cleaned every 30 seconds reducing filter clogging and delivering constant air flow
- M-Class compliant, suitable for use on construction sites
- Dual filter cleaning system
- Wet and dry pick up with variable suction control allows for the reduction of suction power if required
- Automatic start and stop control when the power tool is operated



DEWALT

12V / 18V XR PREMIUM BLUETOOTH SPEAKER

DCR011-XJ

- Accepts 12V, 14.4V and 18V XR Li-Ion batteries
- USB port provides mobile phone charging
- Integrated bass port maximises bass and range
- Bluetooth, AUX, USB



DEWALT

POWER TOOLS AND ACCESSORIES

M18™ BATTERIES CHARGERS & ACCESSORIES



M18

Product Code	Description
M18B2	M18™ REDLITHIUM™-ION 2.0Ah Compact Battery
M18B4	M18™ REDLITHIUM™-ION 4.0Ah Battery
M18B5	M18™ REDLITHIUM™-ION 5.0Ah Battery
M18HB3	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 3.0Ah Battery Pack
M18HB6	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 6.0Ah Battery Pack
M18HB8	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 8.0Ah Battery Pack
M18HB12	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 12.0Ah Battery Pack
M12-18FC	M12™ & M18™ Rapid Charger
M12-18SC	M12™ & M18™ Super Charger
M12-18AC	M12™ & M18™ Automotive Charger
M18DFC	M18™ Dual Bay Simultaneous Rapid Charger
M12-18C3	M12™ & M18™ Rapid Charge Station
M1418C6	M18™ Six Pack Sequential Charger
M18SP-501B	M18™ REDLITHIUM™-ION 5.0Ah Starter Pack
M18HOSPD122B	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 12.0Ah Dual Bay Starter Pack
M18HOSPD802B	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 8.0Ah Dual Bay Starter Pack
M18HOSPS121B	M18™ REDLITHIUM™-ION HIGH OUTPUT™ 12.0Ah Super Charger Starter Pack
M18SPD502B	M18™ REDLITHIUM™-ION Dual Bay 5.0Ah Starter Pack

CORDED 240V



The MILWAUKEE® 30L M-Class Dust Extractor with Auto Clean provides users with a solution for all dust extraction applications in workshop or jobsite use. An automatic filter cleaning mechanism helps maintain consistent airflow and suction at 250 mbar in tough dust-producing applications, reducing exposure to the harmful effects of dust. The extractor's two-step filtration system captures dust at 99.9% efficiency with the main filter. For added convenience, an on-board tool activated plug allows users to start and stop the vacuum with a power tool to increase productivity. The adaptors included are compatible with MILWAUKEE® dust extraction accessories.

Product Code	Description
AS30LAC	30L L-Class Dust Extractor w/ Auto Clean
AS30MAC	30L M-Class Dust Extractor w/ Auto Clean
K545S	6.7kg 2 mode SDS-max rotary hammer 1300w

M12 FUEL™ POWER PACKS



M12 FUEL
DRIVEN TO OUTPERFORM.

Product Code	Description
M12FPP2A-421B	M12 FUEL™ 2 Piece Power Pack 2A

M18™ & M18 FUEL™ POWER PACKS



M18 FUEL
DRIVEN TO OUTPERFORM.

M18

Do more with MILWAUKEE® Power Packs. Ranging from 2 piece to up to 10 piece packs, they will help you get the job done from Drilling, Fastening, Cutting, Grinding and more. MILWAUKEE® Tool – Nothing But Heavy Duty.

Product Code	Description
M18CBLPP2A-302B	M18™ Compact Brushless 2 Piece Power Pack 2A
M18BLPP2A2-402C	M18™ Brushless 2 Piece Power Pack 2A2
M18FPP2A2-502C	M18 FUEL™ 2 Piece Power Pack 2A2 BONUS M12B2
M18FPP2S2-502C	M18 FUEL™ 2 Piece Power Pack 2S2
M18FPP2F2-502P	M18 FUEL™ 2 Piece Power Pack 2F2
M18FPP2S2-502C	M18 FUEL™ 2 Piece Power Pack 2S2
M18FPP3L2-502B	M18 FUEL™ 3 Piece Power Pack 3L2
M18FPP3M2-502B	M18 FUEL™ 3 Piece Power Pack 3M2
M18FPP4L2-503B	M18 FUEL™ 4 Piece Power Pack 4L2
M18FPP6F2-503B	M18 FUEL™ 6 Piece Power Pack 6F2
M18FPP8B2-503B	M18 FUEL™ 8 Piece Power Pack 8B2
M18ONEPP2A2-502C	M18 FUEL™ ONE-KEY™ Power Pack 2A2 (M18ONEPD2, M18ONEID2) BONUS M12B2
M18ONEPP2B2-502C	M18 FUEL™ ONE-KEY™ Power Pack 2B2 (M18ONEPD2, M18ONEIWF12) BONUS M12B2