

## WORK GLOVES



MILWAUKEE® Demolition Work gloves are designed to provide ultimate durability and all-day comfort. Featuring SMARTSWIPE™ capabilities, TPR Knuckle protection, secure hook and loop closure. In addition, a breathable lining and built-in terry cloth sweat wipe ensure the gloves remain comfortable all day. This breathable glove is ideal for construction work, demolitions and material handling.

| Product Code | Description            |
|--------------|------------------------|
| 48228735     | Work Gloves – S        |
| 48229731     | Work Gloves – M        |
| 48229732     | Work Gloves – L        |
| 48229733     | Work Gloves – XL       |
| 48229734     | Work Gloves – XXL      |
| 48228715     | Free-Flex Gloves – S   |
| 48228711     | Free-Flex Gloves – M   |
| 48228712     | Free-Flex Gloves – L   |
| 48228713     | Free-Flex Gloves – XL  |
| 48228714     | Free-Flex Gloves – XXL |

## WORK GLOVES



MILWAUKEE® Performance Work Gloves are designed to provide ultimate durability and all-day comfort. Featuring SMARTSWIPE™ capabilities, high dexterity fingertips, and a hook and loop closure for a secure fit. This lightweight and breathable glove is ideal for high dexterity applications, light material handling and general work.

| Product Code | Description                         |
|--------------|-------------------------------------|
| 48228725     | Performance Gloves – S              |
| 48228721     | Performance Gloves – M              |
| 48228722     | Performance Gloves – L              |
| 48228723     | Performance Gloves – XL             |
| 48228724     | Performance Gloves – XXL            |
| 48228745     | Performance Fingerless Gloves – S   |
| 48228741     | Performance Fingerless Gloves – M   |
| 48228742     | Performance Fingerless Gloves – L   |
| 48228743     | Performance Fingerless Gloves – XL  |
| 48228744     | Performance Fingerless Gloves – XXL |

## LEATHER GLOVES



| Product Code | Description                      |
|--------------|----------------------------------|
| 48730010     | Mil Premium Leather Gloves – S   |
| 48730011     | Mil Premium Leather Gloves – M   |
| 48730012     | Mil Premium Leather Gloves – L   |
| 48730013     | Mil Premium Leather Gloves – XL  |
| 48730014     | Mil Premium Leather Gloves – XXL |
| 48730020     | Mil Hybrid Leather Gloves – S    |
| 48730021     | Mil Hybrid Leather Gloves – M    |
| 48730022     | Mil Hybrid Leather Gloves – L    |
| 48730023     | Mil Hybrid Leather Gloves – XL   |
| 48730024     | Mil Hybrid Leather Gloves – XXL  |

## IMPACT GLOVES




| Product Code | Description                        |
|--------------|------------------------------------|
| 48228750     | Mil Impact Demolition Gloves – S   |
| 48228751     | Mil Impact Demolition Gloves – M   |
| 48228752     | Mil Impact Demolition Gloves – L   |
| 48228753     | Mil Impact Demolition Gloves – XL  |
| 48228754     | Mil Impact Demolition Gloves – XXL |

## SAFETY SPECS

- Impact-A general purpose safety specs
- 99% UV protection
- Medium impact
- AS/NZS 1337.1:2010 certified



| Code  | Description |
|-------|-------------|
| 12807 | Clear Lens  |
| 12808 | Smoke Lens  |



## SAFETY GLASSES

Our Safety Glasses have an integrated flexible nose bridge providing you with extended comfort as well as comfortable rubber arms for extended wear. Having the clear option also keeps your eyes stay safe when working indoors. Additionally, these MILWAUKEE® protective glasses are compliant with AS/NZS 1337.1 2010.

| Product Code | Description                               |
|--------------|-------------------------------------------|
| 48732900     | Clear Safety Glasses                      |
| 48732905     | Tinted Safety Glasses                     |
| 48732920     | Performance Clear Safety Glasses          |
| 48732925     | Performance Tinted Safety Glasses         |
| 48732940     | High Performance Clear Safety Glasses     |
| 48732945     | High Performance Polarised Safety Glasses |

# SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT

## RUSH

**bolle**  
SAFETY



### Features and Benefits:

- Fully recyclable, ultra light weight, 9 Base lens, all polycarbonate frame
- Built in brow protection
- Adjustable PVC nose bridge plus comfort bars in the temple arms
- Platinum Lite anti-fog/anti-scratch coating on both sides of lenses
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| 1652301    | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1652302    | Smoke    | I3           |                                            |

## NESS

**bolle**  
SAFETY



### Features and Benefits:

- Ultra wrap-around frame
- Non-slip nose bridge
- Linear temples design
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| NESSPSI    | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| NESSPSF    | Smoke    | I3           |                                            |

## IRI-s DIOPTR

**bolle**  
SAFETY



### Features and Benefits:

- High contour (10.5 base), single piece lens
- Tilt Adjustable, co-moulded temple arms for customised secure fit
- Multi Adjustable B-Flex nose bridge allows height, tilt and width adaptability for a customised and comfortable fit
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions     | Lens Marking | Coatings                                   |
|------------|--------------|--------------|--------------------------------------------|
| 1671001    | Diopter +1   | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1671002    | Diopter +1.5 | IO           |                                            |
| 1671003    | Diopter +2   | IO           |                                            |
| 1671004    | Diopter +2.5 | IO           |                                            |
| 1671005    | Diopter +3   | IO           |                                            |
| IRIDPSF1   | Diopter +1   | I3           |                                            |
| IRIDPSF1.5 | Diopter +1.5 | I3           |                                            |
| IRIDPSF2   | Diopter +2   | I3           |                                            |
| IRIDPSF2.5 | Diopter +2.5 | I3           |                                            |
| IRIDPSF3   | Diopter +3   | I3           |                                            |

## PRISM

**bolle**  
SAFETY



### Features and Benefits:

- Lightweight & rimless frame
- Comfortable, straight temples
- Fully recyclable: all polycarbonate frame with no metal parts
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions     | Lens Marking | Coatings                                   |
|------------|--------------|--------------|--------------------------------------------|
| 1614401    | Clear        | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1614402    | Smoke        | I3           |                                            |
| 1614404    | Quartz       | I3           |                                            |
| 1614406    | Amber        | IO           |                                            |
| 1614403    | Silver Flash | I2           | Hard Coat                                  |

## SILEX

**bolle**  
SAFETY



### Features and Benefits:

- FLEX160° temples to adapt to all heads and reduce pressure points
- No metal parts
- Ultra-wraparound frame
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| SILEXPSI   | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| SILEXPSF   | Smoke    | I3           |                                            |
| SILEXPSJ   | Amber    | IO           |                                            |

## OVERLIGHT II

**bolle**  
SAFETY



### Features and Benefits:

- Lightweight over spectacle frame
- Suitable for most modern prescription frames
- Side, upper and lower protection
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| 1680501    | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1680502    | Smoke    | I3           |                                            |

## RUSH+ / RUSH+ SMALL

**bolle**  
SAFETY



### Features and Benefits:

- Ultra lightweight, 9 Base lens, built in brow protection
- Adjustable PVC nose bridge plus co-moulded temple arms for superior comfort and grip
- Available in a smaller fit for narrow faces
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions        | Lens Marking | Coatings                                             |
|------------|-----------------|--------------|------------------------------------------------------|
| 1662301    | Clear           | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1662302    | Smoke           | I3           |                                                      |
| 1662310    | Bronze          | I2           |                                                      |
| RUSHPCSP   | Copper          | I1           |                                                      |
| 1662318    | Gradient Bronze | IO           | Anti-fog inside                                      |
| 1672301    | Clear           | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1672302    | Smoke           | I3           |                                                      |
| RUSHPSPSIS | Clear           | IO           |                                                      |
| RUSHPSCSPL | Copper          | I1           |                                                      |

## CONTOUR

**bolle**  
SAFETY



### Features and Benefits:

- Ultra lightweight
- High gloss, dark gun metal frame, 8 base curve distortion free lens
- Rubber nose pads for superior comfort and non-slip fit
- Half frame dual lens design providing extensive eye coverage
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References  | Versions     | Lens Marking | Coatings                                             |
|-------------|--------------|--------------|------------------------------------------------------|
| 1615501     | Clear        | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1615502     | Smoke        | I3           |                                                      |
| PSSCONT-C10 | Copper       | I1           |                                                      |
| 1615503     | Amber        | IO           |                                                      |
| 1615505     | Bronze       | I3           | Anti-fog inside                                      |
| 1615504     | Copper Flash | I1           |                                                      |
| 1652107     | Polarised    | I3           | Anti-scratch                                         |

## MERCURO

**bolle**  
SAFETY



### Features and Benefits:

- Wide field of vision, no metal parts
- Optional strap for more support
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions  | Lens Marking | Coatings                                             |
|------------|-----------|--------------|------------------------------------------------------|
| MERPSF     | Smoke     | I3           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| MERCSP     | Copper    | I1           |                                                      |
| MERPOL     | Polarised | I3           | Anti-scratch                                         |
| PSSMERCPO9 | Polarised | I3           |                                                      |
| PSSMERCPI0 | Polarised | I3           |                                                      |

## SILEX+ / SILEX+ SMALL

**bolle**  
SAFETY



### Features and Benefits:

- Ultra wrap-around frame
- Panoramic field of view
- FLEX160° temples to adapt to all heads and reduce pressure points
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References  | Versions     | Lens Marking | Coatings                                             |
|-------------|--------------|--------------|------------------------------------------------------|
| SILEXPPSI   | Clear        | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| SILEXPPSF   | Smoke        | I3           |                                                      |
| SILEXPCSP   | Copper       | I1           |                                                      |
| PSSSILP0402 | Small/Clear  | IO           |                                                      |
| PSSSILP4262 | Small/Smoke  | I3           |                                                      |
| PSSSILPC092 | Small/Copper | I1           |                                                      |

## TRYON

**bolle**  
SAFETY



### Features and Benefits:

- PC/TPR co-injected temples for better comfort
- FLEX160° temples for improved comfort
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions   | Lens Marking | Coatings                                             |
|------------|------------|--------------|------------------------------------------------------|
| TRYOPSI    | Clear      | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| TRYOPSF    | Smoke      | I3           |                                                      |
| TRYOCSP    | Copper     | I1           |                                                      |
| TRYOFLASH  | Blue flash | I3           | AS/AF                                                |
| TRYOPOL    | Polarised  | I3           | AS                                                   |

## NESS+

**bolle**  
SAFETY



### Features and Benefits:

- Ultra wrap-around frame for perfect protection
- Bi-material temples for better comfort
- Non-slip bridge
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                             |
|------------|----------|--------------|------------------------------------------------------|
| NESSPPSI   | Clear    | IO           | PLATINUM <sup>+</sup> P<br>Anti-scratch/<br>Anti-fog |
| NESSPPSF   | Smoke    | I3           |                                                      |
| NESSPCSP   | Copper   | I1           |                                                      |

# SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT

## RUSH SEAL



### Features and Benefits:

- Full EVA 'positive seal' to maximize protection in dusty environments
- Single piece, optically correct, 9 base and distortion free lens
- Upper brow protection
- Lightweight frame
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection.

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| 1652301PS  | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1652302PS  | Smoke    | I3           |                                            |

## PRISM SEAL



### Features and Benefits:

- Single piece optically correct lens, polycarbonate frame
- 8 base curve provide wrap around coverage
- EVA and Nylon gasket to maximize protection in dusty environments
- Ultra light weight (30g) including the dust gasket
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                                   |
|------------|----------|--------------|--------------------------------------------|
| 1614401PS  | Clear    | IO           | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |
| 1614402PS  | Smoke    | I3           |                                            |

## RUSH+ SEAL



### Features and Benefits:

- Ultra light weight, 9 Base lens
- Positive seal gasket and strap kit to maximise protection in dusty environments
- Adjustable PVC nose bridge plus co-moulded temple arms for superior comfort and grip
- Available in a smaller fit for narrow faces
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                              |
|------------|----------|--------------|---------------------------------------|
| 1662301FB  | Clear    | IO           | PLATINUM<br>Anti-scratch/<br>Anti-fog |
| 1662302FB  | Smoke    | I3           |                                       |
| 1662310FB  | Bronze   | I2           |                                       |
| 1672301FB  | Clear    | IO           |                                       |
| 1672302FB  | Smoke    | I3           |                                       |

## NESS+ SEAL



### Features and Benefits:

- Ultra wrap-around frame for perfect protection
- Bi-material temples for better comfort and grip
- Non-slip nose bridge
- Positive seal gasket for dust protection
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                              |
|------------|----------|--------------|---------------------------------------|
| PSSNESF028 | Clear    | IO           | PLATINUM<br>Anti-scratch/<br>Anti-fog |
| PSSNESF417 | Smoke    | I3           |                                       |

## HUSTLER SEAL



### Features and Benefits:

- Rubber nose pads
- High gloss black nylon frame
- Full EVA eye seal to maximise protection against dusty environments
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions | Lens Marking | Coatings                              |
|------------|----------|--------------|---------------------------------------|
| 1662601    | Clear    | IO           | PLATINUM<br>Anti-scratch/<br>Anti-fog |
| 1662602    | Smoke    | I3           |                                       |

## COBRA SPECTACLE



### Features and Benefits:

- Upper brow protection
- Panoramic vision, single piece distortion free lens
- Comfortable, non-slip pivoting temples
- Full EVA eye seal to maximise protection against dusty environments
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection.

| References | Versions | Lens Marking | Coatings                              |
|------------|----------|--------------|---------------------------------------|
| PSSCOBF027 | Clear    | IO           | PLATINUM<br>Anti-scratch/<br>Anti-fog |
| PSSCOBF416 | Smoke    | I3           |                                       |
| PSSCOBFT05 | Bronze   | I2           |                                       |

## UVEX SPORTSTYLE

- 100% UV protection
- Ultra lightweight for extended wearer comfort
- Adjustable nose bridge to suit individual requirements
- Side arms combine hard and soft materials
- Soft grip ensures non-slip comfort
- Pressure free fit and ability to fit various head sizes
- Available in anti-fog (both sides) and anti-scratch (both sides) lens coatings



| Code     | Description                                                  |
|----------|--------------------------------------------------------------|
| 9193-075 | Clear Anti-scratch (both sides) lens Black/blue frame        |
| 9193-076 | Grey 14% VLT Anti-scratch (both sides) lens Black/blue frame |
| 9193-425 | Clear Anti-fog (both sides) lens Black/green frame           |
| 9308-426 | Grey 14% VLT Anti-fog (both sides) lens Black/green frame    |

**uvex**

## UVEX I-WORKS

- 100% uv protection
- High level of compatibility with other worn PPE
- Soft grip side arms provide a pressure free fit
- No metal parts
- Available in anti-fog or anti-scratch lens coatings



| Code     | Description                                                       |
|----------|-------------------------------------------------------------------|
| 9194-471 | Clear Anti-scratch (both sides) lens Grey/Anthracite frame        |
| 9194-472 | Grey 14% VLT Anti-scratch (both sides) lens Grey/Anthracite frame |
| 9194-571 | Clear Anti-fog (both sides) lens Grey/Anthracite frame            |
| 9194-572 | Grey 14% VLT Anti-fog (both sides) lens Grey/Anthracite frame     |

## UVEX PHEOS CX2

- X-branded safety spectacles with a modern, sporty design
- X-tended brow guard
- X-twist side arm technology delivers non-slip fit
- Large field of vision
- Duo component technology for comfort
- Excellent ventilation
- Can easily be combined with other worn PPE
- Anti-fog/anti-scratch lens coating



| Code     | Description                                                 |
|----------|-------------------------------------------------------------|
| 9198-200 | Grey 14% VLT Anti-fog/anti-scratch lens White/black arms    |
| 9198-201 | Amber 80%+ VLT Anti-fog/anti-scratch lens Black/yellow arms |
| 9198-202 | Clear Anti-fog/anti-scratch lens White/black arms           |

**uvex**

## UVEX PHEOS

- 100% UV protection
- Soft, non-slip ear pieces - prevent pressure points
- Very large field of vision
- Can be easily combined with other worn PPE
- No metal parts
- Small version available
- Available with vented foam guard
- Anti-fog/anti-scratch lens coating



| Code      | Description                                                                  |
|-----------|------------------------------------------------------------------------------|
| 9192-300  | Grey 23% VLT Anti-fog/anti-scratch lens Black/grey frame                     |
| 9192-302  | Clear Anti-fog/anti-scratch lens Black/grey frame                            |
| 9192-306  | Amber Anti-fog/anti-scratch lens Black/grey frame                            |
| 9192-307G | SCT 45-50% VLT Anti-fog/anti-scratch lens Black/orange frame with foam guard |
| 9192-200  | Clear Anti-fog/anti-scratch lens White/lime frame - small version            |
| 9192-201  | Grey 23% VLT Anti-fog/anti-scratch lens White/orange frame - small version   |

**uvex**

**uvex**

## UVEX X-FIT

- Ultra lightweight – 23g
- Innovative hinged side arm design
- No metal parts
- Anti-fog/anti-scratch



| Code     | Description                                                   |
|----------|---------------------------------------------------------------|
| 9199-200 | Clear Anti-fog/anti-scratch lens Blue translucent arms        |
| 9199-202 | Grey 14% VLT Anti-fog/anti-scratch lens Grey translucent arms |



## UVEX OCEANIA

- 100% UV protection
- Polarised lens
- Lightweight sporty wraparound design
- Slim temple arms
- Soft nose pads



| Code     | Description                                                |
|----------|------------------------------------------------------------|
| 9101-093 | Grey 12% VLT Polarised lens Anti-scratch Black gloss frame |



## UVEX RALLY MKII

- Polarised lens
- 100% UV protection
- Suitable for high glare environments
- Soft nose pads for comfort
- Perfect for work, sport and leisure



| Code     | Description                                          |
|----------|------------------------------------------------------|
| 9220-137 | Grey 12% VLT Polarised lens Anti-scratch Black frame |



## UVEX AQUARIUS

- 100% UV protection
- Polarised lens
- Integrated side shields
- Rubberised edge on slim temple arms
- Soft nose pads



| Code     | Description                                              |
|----------|----------------------------------------------------------|
| 9101-083 | Grey 12% VLT Polarised lens Anti-scratch Matt grey frame |



## UVEX TURBO

- 100% UV protection
- Stylish design
- Soft nose pads
- Comfortable and flexible dual component technology



| Code     | Description                                    |
|----------|------------------------------------------------|
| 9101-070 | Grey 20% VLT lens Anti-scratch Gun metal frame |



## UVEX SUXXEED

- Ergonomically shaped side arms with soft-grip temple ends
- Soft, flexible nose pad adapts to the wearer
- Non-slip and pressure-free fit
- UV400 – 100 % protection
- Anti-fog/anti-scratch
- Metal-free



| Code     | Description                                                  |
|----------|--------------------------------------------------------------|
| 9181-265 | Clear Anti-fog/anti-scratch lens Anthracite/blue arms        |
| 9181-281 | Grey 23% VLT Anti-fog/anti-scratch lens Anthracite/lime arms |



**MACK SAFETY GLASSES WAVE**  
*MKWAVE*

- Colours:
  - Blue Arm: Clear Lens, Light Mirror Lens
  - Red Arm: Amber Lens, Smoke Lens
- Ultra lightweight
- Anti-fog coating (except lite mirror)
- Anti-scratch coating
- 99.9% UV protection
- AS/NZS 1337.1:2010 Medium Impact

**MACK**



**MACK SAFETY GLASSES MONTEREY**  
*MKMNTEREYPZ / MKMNTEREYPC*

- Anti-scratch coating
- Blocks 100% UVA and UVB harmful rays
- Polarised Green Lens
  - Reduces glare and eye fatigue
- Photochromatic Grey Lens
  - Transition lens
- AS/NZS 1337.1:2010 Medium Impact

**MACK**



**MACK SAFETY GLASSES VX2**  
*MKVX2SPC*

- Colours: Crystal Clear Mirror, Crystal, Blue Mirror, Crystal Smoke, Crystal Brown
- Mining and food safe with no metal parts
- Ultra light weight
- Anti-scratch
- Anti-fog coating (except mirror lens)
- 99% UV protection
- AS/NZS 1337.1:2010 Medium Impact

**MACK**



**MACK SAFETY GLASSES DUO ONE**  
**SIZE FITS ALL**  
*MKDUOSPECCR / MKDUOSPECSM*

- Mining and food safe with no metal parts
- Padded side arms for temple comfort
- Removable/adjustable nose pads
- Anti-scratch & anti-fog coating
- 99% UV protection and ultra lightweight 25g
- AS/NZS 1337.1:2010 Medium Impact

**MACK**



**FRONTIER SAFETY GLASSES KOKODA**  
*FRKODASPC*

- Colours: Blue Mirror, Clear, Smoke
- Smooth streamlined finish with moulded nose bridge
- Anti-scratch and anti-fog lens (except blue mirror)
- 99.9% UV Protection
- AS/NZS 1337.1:2010 Medium Impact



**MACK SAFETY GLASSES FLYER**  
**BLACK POLARIZED**  
*MKFLYER00BK*

- Polarised Grey Lens - reduces glare and eye fatigue
- Anti-scratch coating
- 99% UV protection
- AS/NZS 1337.1:2010 Medium Impact

**MACK**



**FRONTIER SAFETY GLASSES OSPX**  
*FROVERSPXCL / FROVERSPXSM*

- Comfortable safety glasses to fit over prescription frame
- May be used as standard and visitor's safety glasses
- Anti-scratch and anti-fog coating
- AS/NZS 1337.1:2010 Medium Impact



**FRONTIER SAFETY GLASSES VISION X**  
*FRVISXSXC*

- Colours: Amber, Blue Mirror, Clear, Smoke
- Tough polycarbonate construction
- Moulded nose bridge
- Ultra lightweight
- Anti-scratch lens
- 99.9% UV protection
- AS/NZS 1337.1:2010 Medium Impact



**EVOLVE SAFETY GLASSES WITH GASKET & HEADBAND**

- Completely metal-free design
- Duo-spherical lens with high quality anti-fog coating on both the inside and outside
- Rimless spectacles offer wide field of vision
- Unique clip-off frames with interchangeable headband strap

**maxisafe**



| Product Code | Lens Shade    |
|--------------|---------------|
| EVO370-GH    | Clear         |
| EVO371-GH    | Smoke         |
| EVO372-GH    | Silver Mirror |



**DEFENDERS POLARISED SMOKE LENS SAFETY GLASSES**  
*28947*

For work or play the Impact-A Defenders safety glasses are a sports wrap around safety spec, designed for style and comfort while providing the wearer with peace of mind, when it comes to eye protection.

Not only are the lens polarised but are also medium impact rated as per the Australian standard AS/NZS1337.1:2010.

- Sports wrap around style
- Polarised polycarbonate smoke lens providing 99.9% UV protection
- Medium impact rated AS/NZS1337.1:2010 certified
- Anti-Scratch coating

**IMPACT-A**  
THE TRADIE'S MATE



**BOOMERANG PPE/SAFETY EYE WEAR CLEANING WIPES 300 SACHETS/BOX**  
*CWSPCWIPE000300*

- Anti-fog pre moistened cleaning wipes
- Streak-free
- Suitable for safety eye wear, respirator and earmuff hygiene
- Individually wrapped and sealed for convenience
- Non woven, biodegradable tissue

**BOOMERANG**



# SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT

## PROTEUS 1 SAFETY GLASSES

- AquaShield Hardened Anti-Fog Technology
- Cold formable arms for individual fit
- Ultra soft TPR Anti-Slip Nose Pad
- Dust Guard Di tech Lens provides dust & water protection



| Product Code | Description                          |
|--------------|--------------------------------------|
| 9500         | Proteus 1 Clear Safety Glasses       |
| 9502         | Proteus 1 Smoke Safety Glasses       |
| 9509         | Proteus 1 Light Brown Safety Glasses |

## PROTEUS 2 SAFETY GLASSES

- AquaShield Hardened Anti-Fog Technology
- Optically correct distortion free lens
- Cold formable arms for individual fit
- Soft D-i Tech Arms to ensure a secure comfortable grip
- Dust Guard Di tech Lens provides dust & water protection
- Dual lens full frame for increase strength & impact resistance



| Product Code | Description                    |
|--------------|--------------------------------|
| 1900         | Proteus 2 Clear Safety Glasses |
| 1902         | Proteus 2 Smoke Safety Glasses |

## PROTEUS 3 SAFETY GLASSES

- AquaShield Hardened Anti-Fog Technology
- Soft D-i Tech Arms to ensure a secure comfortable grip
- Ultra soft TPR Anti-Slip Nose Pad
- SuperFlex arms ensure Low Clamp force reducing temporal pressure
- Adjustable temples for optimal facial positioning & PPE integration



| Product Code | Description                    |
|--------------|--------------------------------|
| 9400         | Proteus 3 Clear Safety Glasses |
| 9402         | Proteus 3 Smoke Safety Glasses |

## PROTEUS 4 SAFETY GLASSES

- AquaShield Hardened Anti-Fog Technology
- Large Lens for increases lateral/horizontal eye coverage
- Low profile arm to aid in use with other PPE
- Ultra soft TPR Anti-Slip Nose Pad
- SuperFlex arms ensure Low Clamp force reducing temporal pressure



| Product Code | Description                          |
|--------------|--------------------------------------|
| 9300         | Proteus 4 Clear Safety Glasses       |
| 9302         | Proteus 4 Smoke Safety Glasses       |
| 9309         | Proteus 4 Light Brown Safety Glasses |

## PROTEUS 5 SAFETY GLASSES

- AquaShield Hardened Anti-Fog Technology
- Large Lens for increases lateral/horizontal eye coverage
- Cold formable arms for individual fit
- Foam Dust gasket & Strap as standard inclusion
- SuperFlex arms ensure Low Clamp force reducing temporal pressure



| Product Code | Description                    |
|--------------|--------------------------------|
| 6600         | Proteus 5 Clear Safety Glasses |
| 6602         | Proteus 5 Smoke Safety Glasses |

## PROTEUS G1 SAFETY GOGGLES

- AquaShield Hardened Anti-Fog Technology
- PanoVision lens for increase field of view.
- Indirectly Vented for increased airflow & reduced liquid ingress. Excellent overspec use.
- Ultra "SoftTouch" TPR gasket for extend wear
- Certified Liquid Splash Protection



| Product Code | Description                     |
|--------------|---------------------------------|
| 3800         | Proteus G1 Clear Safety Goggles |
| 3802         | Proteus G1 Smoke Safety Goggles |

## VADAR GOGGLE FACESHIELD COMBO

- Medium impact
- 99.9% UV protection
- Anti-fog, liquid splash protection for the eyes & face
- Multiple vents for increased airflow & minimisation of lens fogging
- Wide peripheral vision



| Product Code | Description                              |
|--------------|------------------------------------------|
| 5000         | Vadar Goggle Faceshield Combo Clear Lens |
| 5002         | Vadar Goggle Faceshield Combo Smoke Lens |

## FILTERSPEC PRO GOGGLE / MASK COMBO FSPG

- Optimal fit, breathing resistance & filtration
- Minimises lens fogging due to seal created
- Fully adjustable strap to achieve the optimal fit & comfort
- Anti-fog, anti-scratch, medium impact protection lens
- Fully adjustable strap to achieve the optimal fit & comfort
- Can be worn over most prescription eyewear
- 5.5 base curve, one piece lens offers unobstructed viewing





## UVEX U-SONIC

- Compact and ultra lightweight (69 grams)
- 100% UV protection
- Soft flexible components – adapts to any facial shape
- Dust and splash resistant
- Low pressure, wide fully adjustable headband
- Anti-fog/anti-scratch



| Code     | Description                                                                  |
|----------|------------------------------------------------------------------------------|
| 9308-251 | Grey/lime Indirect vented frame Clear Anti-fog/antiscratch lens              |
| 9308-255 | Grey/lime Indirect vented frame Grey 23% VLT Anti-fog/anti-scratch lens      |
| 9308-342 | Red/black TBVR frame (fire goggle - type 3) Clear Anti-fog/anti-scratch lens |

**uvex**

## UVEX ULTRAVISON

- Indirect vented/non-vented/top vent closed options
- Dust and splash resistant
- Options for open/closed cell foam face liner
- Available in two lens material options - polycarbonate (anti-fog/anti-scratch) or acetate (anti-fog)
- Fits over most prescription spectacles
- Option to fit lower face guard or lower face guard flip-up



| Code      | Description                                                                                             |
|-----------|---------------------------------------------------------------------------------------------------------|
| 9301-304  | Indirect vented frame Clear Anti-fog/anti-scratch polycarbonate lens (open cell foam)                   |
| 9301-324  | Indirect top vent closed frame Grey 20% VLT Anti-fog/anti-scratch polycarbonate lens (closed cell foam) |
| 9301-603  | Non-vented red frame Clear Anti-fog/anti-scratch polycarbonate lens Gas tight                           |
| 9301-628  | Indirect vented frame Grey 30% VLT Anti-fog both sides Acetate lens (open cell foam)                    |
| 9301-626  | Indirect top vent closed frame Clear Anti-fog both sides Acetate lens (closed cell foam)                |
| 9301-383F | uvex lower face guard only - fits all 9301 models Uncoated                                              |
| 9301-393F | uvex "Flip-up" lower face guard only - fits all 9301 models Uncoated                                    |

**uvex**

## UVEX ULTRASONIC

- 100% UV protection
- Non-allergenic TPE naturally moulds to individual face shapes
- Indirect ventilation system
- Dust and splash resistant
- Can be worn over most prescription glasses
- Available in anti-fog/anti-scratch or anti-fog coatings



| Code     | Description                                                                      |
|----------|----------------------------------------------------------------------------------|
| 9302-345 | Orange/grey Indirect vented frame Clear Anti-fog/anti-scratch lens               |
| 9302-346 | Orange/grey Indirect vented frame Grey 20% VLT Anti-fog/anti-scratch lens        |
| 9302-390 | Grey/black Top Indirect vent reduced frame Grey 20% VLT Anti-fog both sides lens |

**uvex**

## UVEX MEGASONIC

- Frameless lens design for unrestricted view
- Ergonomic face seal for fit and comfort
- X frame design for flexible adjustment to any face
- Fits comfortably over most prescription glasses
- Extra wide headband
- Anti-fog/anti-scratch



| Code     | Description                                                             |
|----------|-------------------------------------------------------------------------|
| 9320-266 | Grey/blue Indirect vented frame Clear Anti-fog/anti-scratch lens        |
| 9320-282 | Grey/blue Indirect vented frame Grey 23% VLT Anti-fog/anti-scratch lens |

**uvex**

## COBRA TPR



### Features and Benefits:

- High strength goggle
- Neoprene strap option available, and TPR comfort foam
- Compact, lightweight and panoramic
- 100% sealed model
- Especially suitable for clean industries and the agro-food industry
- Approved to AS/NZS 1337.1.2010 for Medium Impact Protection

| References | Versions                  | Lens Marking | Coatings                                             |
|------------|---------------------------|--------------|------------------------------------------------------|
| 1667001    | Clear with Neoprene Strap | IO           | PLATINUM <sup>®</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1667101    | Clear                     | IO           |                                                      |
| 1667102    | Smoke                     | I3           |                                                      |

## ULTIM8 GOGGLE



### Features and Benefits:

- Sealed, bi-material frame for improved protection and comfort
- Adjustable strap
- Compact and ultra-strong model
- Approved to AS/NZS 1337.1.2010 for Medium Impact & Chemical Splash, Gas and Dust Protection



| References | Versions | Lens Marking | Coatings                                             |
|------------|----------|--------------|------------------------------------------------------|
| ULTIPSISO  | Clear    | CDGIO        | PLATINUM <sup>®</sup> P<br>Anti-scratch/<br>Anti-fog |
| ULTIPFSO   | Smoke    | CDGI3        |                                                      |

## PILOT 2 / PILOT 2 NEO



### Features and Benefits:

- Adjustable strap
- Fits over prescription glasses
- Excellent field of vision
- PC/TPR twin/material frame
- 3 versions to cover all needs, indoor and/or outdoor use
- Available with neoprene strap for petro-chemical industry
- Approved to AS/NZS 1337.1.2010 for Medium Impact & Chemical Splash Protection

| References  | Versions | Lens Marking | Coatings                                             |
|-------------|----------|--------------|------------------------------------------------------|
| 1679110     | Clear    | CIO          | PLATINUM <sup>®</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1679112     | Smoke    | CI3          |                                                      |
| 1679118     | Copper   | C11          |                                                      |
| PSGPIL2-L16 | Clear    | CIO          |                                                      |
| PSGPIL2-L17 | Copper   | C11          |                                                      |

## BLAST WITH MOUTHGUARD



### Features and Benefits:

- Low profile and lightweight PVC frame
- Closed cell foam
- Exceptional dust protection.
- Can be worn over spectacles & disposable respirators
- Optional mouthguard that attaches to the base of the goggle for superior face protection
- Approved to AS/NZS 1337.1.2010 for Medium Impact & Chemical Splash and Dust Protection



| References | Versions                                                                      | Lens Marking | Coatings                                   |
|------------|-------------------------------------------------------------------------------|--------------|--------------------------------------------|
| 1669203    | Blue Frame with SBR Foam/<br>Clear Lens/Mouth Guard/Indirect Top/Bottom Vents | CDIO         | PLATINUM LITE<br>Anti-scratch/<br>Anti-fog |

## ATOM



### Features and Benefits:

- Ultra lightweight and compact goggles (the lightest in the range)
- Comfortable and flexible TPR frame
- Fits over prescription glasses
- Fit: Unisex - Medium
- Approved to AS/NZS 1337.1.2010 for Medium Impact & Chemical Splash Protection

| References | Versions                                                     | Lens Marking | Coatings                                             |
|------------|--------------------------------------------------------------|--------------|------------------------------------------------------|
| 1652801    | Clear Lens<br>Indirect Vents Top & Bottom                    | CIO          | PLATINUM <sup>®</sup> P<br>Anti-scratch/<br>Anti-fog |
| 1652821    | Clear Lens<br>Top Vent Closed                                | CIO          |                                                      |
| 1652831    | Clear Lens<br>Top Vent Closed<br>With SBR Foam & Mouth Guard | CIO          |                                                      |

## SPHERE



### Features and Benefits:

- The superior ergonomic design means Sphere can be worn not only with spectacles & goggles, but also with respiratory masks, without any interference to the face shield.
- Provides splash protection
- Electrical flash certified EN166
- Approved to AS/NZS 1337.1.2010 for High Impact Protection (120m/s)



| References | Versions                                            | Lens Marking | Coatings |
|------------|-----------------------------------------------------|--------------|----------|
| 1662301FB  | Complete head shield and head gear with clear visor | V,O          | -        |

**FRONTIER CLARITY  
GOGGLE CLEAR**

FRCLARGGLCR0000

- Chemical splash resistant
- Non-vented
- Anti-fog and anti-scratch coating
- AS/NZS 1337.1:2010 Medium Impact



**FRONTIER FACE SHIELD HI IMPACT  
CLEAR ONE SIZE FITS ALL**

FRFSHIELDCLR / FRFSVISORCR

- Visor Replacement Frontier Clear available
- High impact visor suitable for grinding, cutting & splash hazards
- Ratchet adjustable brow guard
- Chin guard attachment included
- Wide vision, anti-scratch & UV protection
- AS/NZS 1337.1:2010 Medium Impact



**MAXIPRO SAFETY GOGGLE  
& VISOR COMBO**

EUUV350C

- Wide peripheral vision and face coverage
- Panoramic lens can be worn over prescription glasses
- Facial support compatible with half masks
- Anti-fog lens 99.9%
- UV protection for outdoor wear
- Clear visor can be flipped up
- Certified to Medium Impact Resistance AS/NZS 1337.1:2010



**MAXISAFE CLEAR EXTRA HIGH  
IMPACT VISOR**

EBF454

- Certified to extra high impact resistance AS/NZS 1337.1:2010
- Ratchet adjustable headgear
- Quicklock visor replacement
- Anti-fog coated clear lens



| Product Code | Lens Shade |
|--------------|------------|
| EHV434       | Clear      |
| EHV413       | Smoke      |
| EHV437       | Shade 5    |



**STRIKER BROWGUARD VISOR  
WITH CHINGUARD**

BGVCG

- Anti-fog & anti-scratch 2mm Extra High Impact visor offering advanced impact protection
- 260mm long visor with chinguard
- 99.9 % UV protection
- Flared ear cowls for use with hearing protection
- Visor material: Polycarbonate
- Visor size: 260mm x 410mm
- Browguard Material: Polyethylene



**MAXISAFE VISOR HOLDER**

EVH432

- Fitted with QuickFit Locks
- Fits all major brands of helmets



**STRIKER BROWGUARD WITH CLEAR VISOR  
& ADDER EARMUFFS**

BGVCEADD

- One piece design offering 180° head protection made from polyethylene
- QuickLock clips for quick & easy visor replacement
- Molten metal & hot solids resistant
- Anti-scratch 2mm visor
- Virgin polycarbonate
- 99.9% UV protection for outdoor wear
- One piece wrap around allowing for unobstructed views & excellent side protection
- Class 5, SLC80, 32dB earmuffs



**REPLACEMENT MEDIUM IMPACT  
CLEAR VISOR**

ERC430

- Complies with AS/NZS 1337
- Anti-Fog
- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection

