

SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT

FRONTIER IGUANA NITRILE GLOVE - CUT C

FRIGUANC5 FL (FL FLURO)

- Cut C and puncture level 3 protection
- Seamless 13 gauge shell for enhanced dexterity
- Micro foam nitrile coat for superior wet and oily grip
- Enhanced padding and vibration
- EN388:2016 "Mechanical Risks" - 4X43C



FRONTIER TAKT MICRO FOAM NITRILE GLOVE

FRMICRFMN BK (BK BLACK)

- General purpose - heavy duty
- Seamless 13 gauge nylon shell for enhanced dexterity
- Micro foam nitrile coat for excellent wet/dry grip
- Coating provides vibration absorption for added comfort
- EN388:2016 "Mechanical Risks" - 4X43C



FRONTIER ICE COLD FIGHTER HPT GLOVE - CUT C

FRCOLDFC5 BJ (BJ BLACK/GREEN)

- Cut level C protection
- Contact Cold level 2 protection
- Terry lining provides warmth for temperatures down to -50°C
- 3/4 dip HPT foam coating for assured water and oil repellent grip
- EN388:2016 "Mechanical Risks" - 3X42C



FRONTIER GAUNTLET WELDING GLOVE

FRWELDRBGB8 / FRWELDRPBL

- 40cm split cowhide cuff with Kevlar stitching
- Blue - reinforced high wear areas
- Black/Gold
 - Resistance: contact heat rated to level 1
 - Resistance: burning, convective heat, small drips of molten metal rated to level 4
- EN388:2016 "Mechanical Risks" - 4143



FRONTIER RIGGER GLOVE

FRRIGGSTDWW / FRRIGPREMBE

- Elasticised wrist. Length: 250mm
- Wing thumb allows better open hand pulling and grabbing
- Standard Cowgrain - B grade grey/white
 - EN388:3121
- Premium Cowhide - A/B grade beige
 - EN388:2016 "Mechanical Risks" - 3122



FRONTIER RED PVC SINGLE DIPPED GLOVE

FRPVCSGLD

- Chemical protection
- Sizes: 27cm, 35cm, 45cm
- Single dipped PVC construction offering good dexterity
- Good liquid protection
- Resistant to oils, greases and chemicals
- EN388:2016 "Mechanical Risks" - 4131, EN374-2



ASTRO-GRIP HEAVY DUTY 240mm DISPOSABLE NITRILE NON SLIP ORANGE

SAASTROGR

- Textured grip for enhanced gripping power
- Outstanding strength, wear and dexterity
- Exceptional chemical and puncture resistance
- Maximum comfort for extended wear
- High Vis Orange
- 100 gloves per box



RAVEN-GRIP EXTENDED CUFF 290mm HEAVY DUTY 8 MIL DISPOSABLE NITRILE NON SLIP BLACK

SARAVENGR

- Textured grip for enhanced gripping power
- Outstanding strength, wear and dexterity
- Exceptional chemical and puncture resistance
- Maximum comfort for extended wear
- 50 gloves per box



CONTEGO ISA MECHANICS GLOVE COORIGINL

- Colours: Black, Fluro Yellow
- 0.8mm premium breathable synthetic leather palm
- Padded palm for vibration reduction and comfort
- Grip tab closure with impact protection, increased comfort and improved fit
- EN388:2016 "Mechanical Risks" - 2111



CONTEGO VERSADEX LIGHT DUTY ANTI-VIBRATION GLOVE

COVDEX

- Available in: Black, 3 Pack Grey/Blue/Red
- Impact protection and anti vibration
- Slim cut design for even light duty, sensitive work
- PU impregnated material on palm offers great tactility
- Slip on/off cuff design
- EN388:2016 "Mechanical Risks" - 2142



CONTEGO BLACKWATER IMPACT GLOVE - CUT D

COBLKMECHFL

- Stretch spandex shell with fourchettes provides breathability, easy movement and comfort
- TPR impact finger / knuckle strap plus back guard provides extra protection
- Neoprene wrist with impact resistance for extra protection
- EN388:2016 "Mechanical Risks" - 3X41DP



CONTEGO HYBRIDZ IMPACT GLOVE - CUT C

COHYBRIDZGY

- Anti-Impact, Anti-Cut, Anti-Vibration
- Extra thumb crotch reinforcement provides extreme durability in high wear areas
- Breathable foam nitrile palm for optimal fit and dexterity
- EN388:2016 "Mechanical Risks" - 4X42CP



NINJA MAXIM EVOLUTION PFT GLOVE
NIMXEVLU GY (GREY)

- General purpose - light duty high dexterity
- Unmatched comfort and performance with PFT™ coating and Ingenia™ performance yarn to keep hands dry
- Touch screen compatible
- Good wet grip, & excellent dry & oil grip
- Santised for all day freshness
- EN388:2016 "Mechanical Risks" - 4121A



NINJA MAXIM COOL NFT GLOVE
NIMXCLNT (GY) GREY

- General purpose - heavy duty
- Lightweight design, excellent liquid resistance, exceptional oil grip, durable, long lasting
- Soft, textured NFT™ coating 'micro capillaries' finish keeps hands dry and cool
- Santised for all day freshness
- EN388:2016 "Mechanical Risks" - 4131A



NINJA MAXIM GRIPX HPT GLOVE
NIGRPXHPT (BL BLACK / FY FLURO YELLOW)

- General purpose - heavy duty
- Superior liquid resistance
- Grip Smart - Soft, flexible HPT™ (Hydropellant Technology) coating provides highest level of wet, oily, and dry grip
- Encapsulated air pockets mitigate vibrations
- EN388:2016 "Mechanical Risks" - 3131X



NINJA MAXIM MULTI-LITE PU GLOVE
NIMLTLTE BL (BL BLUE)

- General purpose - light duty high dexterity
- Feather light and breathable with excellent tactility for precise applications
- Excellent wet and dry grip
- Abrasion and tear resistant
- Polyurethane coated nylon shell
- General assembly and light engineering
- EN388:2016 "Mechanical Risks" - 3121X



NINJA RAZR NFT BA2-OIL GLOVE - CUT B
NIMXOILC3 BL (BL BLUE)

- Cut Resistant Fluid Protection - medium duty
- Splash protection and precision handling in oily environments
- Soft, textured NFT Nitrile base coating with the 'micro-capillaries' finish keeps hands dry
- High performance engineered liners
- EN388:2016 "Mechanical Risks" - 4331B



NINJA CELSIUS ICE COLD RESISTANT GLOVE
NICEFRZR (FY FLURO YELLOW / BL BLACK)

- Cold handling - heavy duty
- Flexibility in cold conditions with liquid resistance and enhanced wet and dry grip
- HPT™ coated palm and fingertips remain soft and flexible in temperatures as low as -50°C
- Thermsmart - outstanding thermal protection
- EN388:2016 "Mechanical Risks" - 3231X



NINJA RAZR NFT CA3 GLOVE - CUT C
NIMAXIMC5 (BL BLUE / FY FLURO YELLOW)

- Cut C Resistant - heavy duty
- Lightweight gloves that offer superior tactility, dexterity, and flexibility
- Excellent grip in oily/dry/wet conditions
- NFT Coating enables breathability
- Reinforced thumb and forefinger
- EN388:2016 "Mechanical Risks" - 4X42C



NINJA RAZR SLASH-TEC NFT DA4 GLOVE - CUT D
NIRZRSTDO BB (BB BLACK)

- Cut D Resistant - heavy duty
- Lightweight, exceptional dexterity, precision handling, durability, and abrasion resistance
- NFT Coating enables breathability
- Suitable for use both wet and dry
- Touch screen compatible
- EN388:2016 "Mechanical Risks" - 4X21D



NINJA MULTI-TECH CHEMICAL ALCHEMY IMPACT GLOVE - CUT D
NIALCCUTD FY (FY FLURO YELLOW)

- Chemical, Cut D & Impact Protection - heavy duty
- Superior flexibility and work well in wet, dry and oily conditions
- Provides protection against chemicals
- Double dipped PVC coating for excellent grip
- EN388:2016 "Mechanical Risks" - 4X42DP



NINJA MULTI-TECH CHEMICAL PREMIER GLOVE - CUT D
NIPRECUTD BR (BR BLACK/RED)

- Chemical & Cut D Protection - heavy duty
- Designed to provide all-day comfort
- Chem Smart to protect against dangerous chemicals
- PVC coating channels away liquids to provide exceptional grip in wet and dry conditions
- EN388:2016 "Mechanical Risks" - 4X42D



NINJA RAZR SLASH-TEC NFT FA6 GLOVE - CUT F
NIRZRSTFO BB (BB BLACK)

- Cut F Resistant - heavy duty
- Lightweight gloves offering exceptional dexterity, precision handling, durability and abrasion resistance
- NFT Coating enables breathability
- Touch screen compatible
- EN388:2016 "Mechanical Risks" - 4X42F



NINJA RAZR SLASH-TEC NFT FA6 IMPACT GLOVE - CUT F
NIRZRSTFI BB (BB BLACK)

- Cut F and Impact Resistant - heavy duty
- Lightweight gloves offering exceptional dexterity, precision handling, durability and abrasion resistance
- NFT Coating enables breathability
- Touch screen compatible
- EN388:2016 "Mechanical Risks" - 4X42F



MAXITEK FORCESHIELD X7 GLOVES 120-3700X7

- High level cut resistant protection glove. Palm & fingers are coated with "Wet Grip" nitrile, the 18 Gauge inner liner is manufactured from ultrafine PolyKor X7
- Heavy duty impact ANSI/ISEA 138 impact protection standard tested at level 2
- Touch screen functionality; hygienically sanitised & UPF50+ protection
- High visibility design with wet grip performance, & reinforced thumb crotch
- Sizes: 7 - 11



GUARDTEK CUT 5 GLOVES CUT-5YE

- Cut Level C Protection from a hand formed close fitting liner minimising any hand fatigue or resistance of movement for all day wear
- Antimicrobial treated Liner for extra protection
- Amazing dexterity & sensitivity from seamless knit construction of liner
- High water vapour transmission keeps hands cool & dry
- Hi-vis yellow liners for maximum visibility & safety
- Sizes: 7 - 11




G-TEK POLYKOR X7 PLATINUM F+ GLOVES 16-377

- ISO 13997 A.7 Cut Rating 25% higher than EN388:2016 level F
- NeoFoam coated palm & fingertips offers great abrasion resistance & outstanding wet/dry grip
- Ultra fine 18 Gauge PolyKor X7 liner offers dexterity & durability
- Touch screen functionality; hygienically sanitised & UPF50+ protection
- Complies with FDA food handling requirements 21 CFR 177.2600
- Sizes: 7 - 11




G-TEK POLYKOR GLOVES 16-333

- Seamless construction offers increased comfort & breathability
- ISO 13997 Cut Rating level C
- PolyKor soft feel shell is lightweight & provides excellent dexterity, tactile sensitivity & cut resistance
- Single dipped nitrile micro-surface coated palm & fingertips help extend the life of the glove & provide excellent abrasion resistance
- Knit wrist helps prevent dirt & debris from entering the glove
- Sizes: 7 - 11



G-TEK POLYKOR VR-X CUT C OIL RESISTANT WET & DRY GLOVES 16-VRX380

- Complete 360 liquid proof coating to the wrist area
- Cut Level C protection
- Absolute perfect fit & control at the finger tips
- Touch screen compatible
- VRX "Advanced Barrier" technology to render inactive the spread of virus & bacteria
- Silicone free
- Individually packed & sealed for hygiene
- Tested effective up to 6 wash cycles
- Sizes: 6 - 12




GUARDTEK SUPERSKIN GLOVES 34-323

- Precise fit for every hand, movement activated technology allows the glove to mould to your individual hand shape
- Breathable micro-porous nitrile coated palm & fingers for exceptional tactile sensitivity & maximum dexterity
- Anti-microbial infusion with high water vapour transmission keeps hands cool & hygienically dry
- Abrasion & tear resistant to a higher level than traditional leather gloves while providing an un-restricted "second skin" fit & feel
- Sizes: 6 - 11



G-TEK POLYKOR X7 DUAL COAT GLOVES 16-939

- ISO 13997 Cut Level C; ANSI A3 protection rating
- Your hands will remain safe & dry with no contamination contact by liquids or oils
- Ultra fine 18 Gauge PolyKor X7 liner offers dexterity & durability
- Touch screen functionality
- Sanitized for hygiene
- Ultra violet resistant, UPF 50+
- Sizes: 7 - 11



ARAX NITRILE SAND DIP PALM GLOVES AGND

- EN388:2016 Cut Resistance Level "C"
- Super thin 18 gauge machine knit for comfort & protection
- Good cut resistance without comfort or dexterity
- Re-inforced nitrile thumb crotch for extra protection where it counts
- Breathable Arax liner
- Form for comfortable all day wear
- Colour coded for size
- Sizes: 7 - 11



A120 PU PALM GLOVE

- Smooth PU coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- 13 gauge liner for a perfect fit
- Maximum dexterity
- Perfect for intricate tasks



PORTWEST



A320 DEXTI GRIP GLOVE

- Nitrile foam coating for excellent grip in wet and dry conditions
- Palm dipped to increase dexterity and ventilation
- 13 gauge liner for a perfect fit
- Breathable seamless liner
- Perfect for intricate tasks



PORTWEST



A350 DERMIFLEX GLOVE

- Nitrile foam coating for excellent grip in wet and dry conditions
- Palm dipped to increase dexterity and ventilation
- 15 gauge liner for extra dexterity
- Breathable seamless liner
- Lightweight and comfortable



PORTWEST



A335 DERMIGRIP GLOVE

- Nitrile sandy coating
- Palm dipped to increase dexterity and ventilation
- 15 gauge liner for extra dexterity
- Breathable seamless liner
- Lightweight and comfortable



PORTWEST



AP80 LIQUID PRO GLOVE

- Liquid Pro offers maximum liquid protection
- Latex foam coating for excellent grip in wet and dry conditions
- Dual latex coating for additional protection in tough conditions
- 13 gauge liner for a perfect fit
- Lightweight and comfortable



PORTWEST



A622 CUT C PU GLOVE

- Level C cut resistance
- 13 gauge liner for a perfect fit
- Smooth PU coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- Breathable seamless liner



PORTWEST



AP81 LIQUID PRO CUT GLOVE

- Level D cut resistance
- Seamless 13 gauge liner
- Liquid Pro offers maximum liquid protection
- Dual latex coating
- Prevents grease, oil and water penetration



PORTWEST



CT45 NITRILE CUT GLOVE

- Level D cut resistance
- 18 gauge liner for extra dexterity
- Free from glass and steel fibres
- Nitrile foam coating for excellent grip in wet and dry conditions
- Retains cut performance level for up to 10 washes



PORTWEST



HUNTER C5

Provides a Cut 5 level resistance without sacrificing dexterity. The Palm has a lightweight PU coating for improved grip, and is designed for precision tasks and handling where cut risks may be present.

Code	Description	Size
10030519	Medium	8
10030520	Large	9
10030521	XL	10
10030522	XXL	11



IMPACT-A
THE TRADIE'S MATE™



HUNTER GP

Breathable low lint synthetic lycra infused nylon glove. Has a seamless and lightweight knit for enhanced ventilation, keeping hands cooler.

Code	Description	Size
10030515	Medium	8
10030516	Large	9
10030517	XL	10
10030518	XXL	11



IMPACT-A
THE TRADIE'S MATE™



HUNTER LITE

Anti-Static, breathable, low lint synthetic nylon glove, with a lightweight knit for enhanced ventilation. Palm has a PU coating for improved grip and dexterity.

Code	Description	Size
13159	Medium	8
12801	Large	9
12802	XL	10
28747	XXL	11



IMPACT-A
THE TRADIE'S MATE™



HUNTER RIGGERS

- Heavy duty cow grain leather
- Wing thumb palm for increased durability and hand feel

Code	Description
29146	Small
13414	Medium
13415	Large
13416	XL
29147	XXL

IMPACT-A
THE TRADIE'S MATE™



G-FORCE ULTRA C5 CUT RESISTANT GLOVE GCF178

- 18 gauge exclusive lining technology
- Certified to the Oeko-Tex 100® standard
- Touch screen compatible
- Abrasion resistant micro-foam nitrile coated palm
- Over 33% lighter than a standard cut D nitrile glove
- Reinforcement between thumb and index fingers
- Sanitized hygiene function
- Contact Heat Resistant up to 100°C
- Available in sizes: S - 3XL



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



G-FORCE CUT 5 TPR GLOVE GBX280

- Unique TPR Impact Protection on fingers and back of hand for ultimate flexibility and comfort
- 15 gauge exclusive lining technology
- Abrasion resistant micro-foam nitrile coated palm
- Certified to the Oeko-Tex 100® standard
- Available in sizes: S - 2XL

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



G-FORCE HI-VIS CUT C GLOVE WITH NITRILE PALM GTH238

- Hi-Vis Yellow 13 Gauge Kenima® Super Cut Resistant Yarn
- CE/EN388:2016 ISO Cut Resistant Level C
- CE/EN388:2003 Cut Resistant Level 5
- Contact heat resistance up to 100°C
- Available in sizes: S - 3XL



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



G-FORCE ULTRA C3 CUT RESISTANT GLOVE GCT177

- Ultra-thin 18 gauge exclusive lining technology
- Certified to the Oeko-Tex 100 standard
- Touch screen compatible
- Abrasion resistant micro-foam nitrile coated palm
- Over 33% lighter than a standard cut C nitrile glove
- Reinforcement between thumb and index fingers
- Sanitized hygiene function
- Contact Heat Resistant up to 100°C
- Available in sizes: S - 2XL



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



G-FORCE CHEMSAFE CUT E GLOVE GNC282

- CE/EN388:2016 ISO Cut Resistant Level E
- 13 gauge UHMWPE Cut Level E liner
- Double-dipped nitrile coating
- Waterproof and splash-resistant with excellent resistance to chemicals, oils & acids
- Available in sizes: M - 3XL



SUPAFLEX GLOVE WITH MICRO-FOAM COATING GFN267

- Polyurethane/Nitrile micro foam coated on the palm
- Seamless Nylon/Lycra liner
- Ultra thin coating
- Touch screen compatible
- Highest level abrasion resistance
- Lycra provides stretch and a close fit
- Breathable coating
- Certified to the Oeko-Tex 100® standard
- No coating strike through inside the glove to cause skin irritations
- Certified to; EN388:2016 4.1.4.1.X
- Available in sizes: XS - 2XL



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



RIGGER GUARD 5 CUT RESISTANT GLOVE GRC299

- Genuine high cow grain leather
- Certified to Highest Level Cut Level F
- Wing thumb for stitch free palm
- Double stitched for strength
- Elastic back
- ISO Cut Level F
- Available in sizes: S - 3XL



SUPAFLEX HI-VIS YELLOW GLOVE GFH217

- Polyurethane/Nitrile micro foam coated palm
- Touch screen compatible
- Seamless Nylon/Lycra liner
- Ultra thin coating
- Certified to the Oeko-Tex 100® standard
- Sanitized® hygiene function
- Available in sizes: XS - 2XL



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



ELECTRICAL INSULATING GLOVES GEG294

Maxisafe Electrical Insulating gloves are designed exclusively for electricians working with live voltages up to 1 kV or as additional protective measure for live working at voltages exceeding 1 kV.

Product Code	Max Use Voltage	Test Voltage
GEG294	500v	2.5kv
GEG295	1,000v	5kv
GEG296	7,500v	10kv
GEG297	17,000v	20kv



MaxiFlex® ULTIMATE™



- Precision Handling™ in dry environments.
- DURAtect® technology for outstanding durability of more than 18,000 abrasive cycles.
- AIRtech® technology delivers 360° breathability.
- Optimised grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Product Code	Description
42-874	Palm coated
42-874FY	Fluoro yellow, palm coated
42-876	Full coated

MaxiFlex® ELITE™



- Anti-Static certified to EN 16350
- Precision Handling™ in dry environments.
- DURAtect® technology for outstanding durability
- 30% thinner than traditional foam nitrile gloves
- AIRtech® technology delivers 360° breathability.
- Optimised grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Product Code	Description
34-774B	Palm coated

MaxiFlex® ULTRA™



- AIRtech® technology delivers 360° breathability.
- CUTtech® technology for high cut-protection.
- Optimised grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Product Code	Description
44-3745	Cut 5C, palm coated
44-3745FY	Cut 5C, fluoro yellow, palm coated
44-3745-30	Cut 5C, extended cuff
44-4745	Cut 3D, palm coated
44-5745	Cut 3E, palm coated

MaxiDry®



- Controlled Performance™ in wet or oily environments.
- LIQUItect® technology increases resistance to oils
- Excellent comfort through a synthetic coating combined with an industry leading super light seamless knit liner.
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Product Code	Description
56-425	3/4 length coated
56-427	Full coated
56-426	Gauntlet
56-451	Thermal resistant

MaxiFlex® CUT™



- Precision Handling™ in dry environments.
- DURAtect® technology for outstanding durability.
- AIRtech® technology delivers 360° breathability.
- CUTtech® technology for medium cut-protection (EN-Cut Level 3B).
- LIQUItect® increased resistance to oils (as noted in table).
- Optimised grip delivered through our micro-cup finish allows for a controlled grip.
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort.

Product Code	Description
34-8743	Palm coated
34-8753	3/4 length coated
34-8743FY	Fluoro yellow
34-305	Oil - palm coated
44-305	Oil - 3/4 length coated
34-450LP	Oil - leather palm, cut 3C

MaxiChem® TRITECH™



- New TRItech® technology provides outstanding chemical resistance, dexterity and comfort - 30% thinner.
- Market leading comfort through a synthetic coating combined with a super light seamless knit liner.
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications.
- Certified as a Type A product according to EN ISO 374:2016 + A1:2018

Product Code	Description
76-730	Natural latex
76-733	Natural latex, cut 3C
76-830	Nitrile
76-833	Nitrile, cut 3B

RIG LIZARD® THIN LIZZIE™ 2095

HexArmor+uvex

- Knit: 13-gauge HPPE and glass blend shell provides 360° of EN388:2016 Cut Level F protection
- Coating: PU palm coating provides superior grip and abrasion resistance
- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design keeps hands safe from smash and impact hazards
- Reinforced thumb saddle
- EN388:2016 (4X44FP)



UVEX ATHLETIC D5 XP

- High Level D cut protection and a reinforced thumb joint
- Comfortable fit and knitted cuff
- Good grip on dry and slightly oily/wet workpieces
- Flexible safety gloves with good tactile feel
- Free of harmful substances in accordance with OEKO-TEX® Standard 100
- EN388:2016 (4X43D)



Code	Description
209505 - 209512	HexArmor Thin Lizzie 2095 sizes 5 - 12

Code	Description
60030006 - 6003011	uvex athletic D5 XP sizes 6 - 11

UVEX PHYNOMIC C5

- Lightweight all-round cut protection (Level C) with Dyneema® Diamond Technology
- 45% bio-based HPPE, making it particularly sustainable
- Very good mechanical abrasion resistance thanks to the moisture-resistant aqua-polymer foam coating
- Very good grip in dry and slightly damp areas
- Highly breathable coating
- Outstanding tactile feel
- Free of harmful substances in accordance with OEKO-TEX® Standard 100
- Excellent skin tolerance – Confirmed by the proDERM Institute
- EN388:2016 (4X42C)



uvex

UVEX PHYNOMIC ALL-ROUND

- Dirt resistant universal safety gloves
- Combination of moisture repellant aqua polymer and robust Nitrile Butadiene Rubber (NBR) foam coating
- Good abrasion resistance and grip in dry and slightly damp environments
- High breathability
- Slim fit design provides good tactile feel when assembling smaller workpieces
- Free of harmful substances in accordance with OEKO-TEX® Standard 100
- EN388:2016 (4122X)



uvex

Code	Description
6008107 - 6008112	uvex phynomic c5 sizes 7 - 12

Code	Description
6002806 - 6002811	uvex phynomic all-round 6 - 11

UVEX ATHLETIC LITE

- Slim fit design and elastane in the liner
- Open pored microfoam coating makes the gloves very breathable, which reduces excessive perspiration
- Good grip in dry and slightly damp areas
- Free of harmful substances in accordance with OEKO-TEX® Standard 100
- EN388:2016 (4132X)



uvex

Code	Description
6002706 - 6002711	uvex athletic lite sizes 6 - 11



the name behind the names.

CSS Members:
Australian Owned
& Independently
Operated. 100 plus
stores nationwide.

WORK GLOVES



MILWAUKEE® Demolition Work gloves are designed to provide ultimate durability and all-day comfort. Featuring SMARTSWIPE™ capabilities, TPR Knuckle protection, secure hook and loop closure. In addition, a breathable lining and built-in terry cloth sweat wipe ensure the gloves remain comfortable all day. This breathable glove is ideal for construction work, demolitions and material handling.

Product Code	Description
48228735	Work Gloves – S
48229731	Work Gloves – M
48229732	Work Gloves – L
48229733	Work Gloves – XL
48229734	Work Gloves – XXL
48228715	Free-Flex Gloves – S
48228711	Free-Flex Gloves – M
48228712	Free-Flex Gloves – L
48228713	Free-Flex Gloves – XL
48228714	Free-Flex Gloves – XXL

WORK GLOVES



MILWAUKEE® Performance Work Gloves are designed to provide ultimate durability and all-day comfort. Featuring SMARTSWIPE™ capabilities, high dexterity fingertips, and a hook and loop closure for a secure fit. This lightweight and breathable glove is ideal for high dexterity applications, light material handling and general work.

Product Code	Description
48228725	Performance Gloves – S
48228721	Performance Gloves – M
48228722	Performance Gloves – L
48228723	Performance Gloves – XL
48228724	Performance Gloves – XXL
48228745	Performance Fingerless Gloves – S
48228741	Performance Fingerless Gloves – M
48228742	Performance Fingerless Gloves – L
48228743	Performance Fingerless Gloves – XL
48228744	Performance Fingerless Gloves – XXL

LEATHER GLOVES



Product Code	Description
48730010	Mil Premium Leather Gloves – S
48730011	Mil Premium Leather Gloves – M
48730012	Mil Premium Leather Gloves – L
48730013	Mil Premium Leather Gloves – XL
48730014	Mil Premium Leather Gloves – XXL
48730020	Mil Hybrid Leather Gloves – S
48730021	Mil Hybrid Leather Gloves – M
48730022	Mil Hybrid Leather Gloves – L
48730023	Mil Hybrid Leather Gloves – XL
48730024	Mil Hybrid Leather Gloves – XXL

IMPACT GLOVES



Product Code	Description
48228750	Mil Impact Demolition Gloves – S
48228751	Mil Impact Demolition Gloves – M
48228752	Mil Impact Demolition Gloves – L
48228753	Mil Impact Demolition Gloves – XL
48228754	Mil Impact Demolition Gloves – XXL

SAFETY GLASSES



SAFETY SPECS

- Impact-A general purpose safety specs
- 99% UV protection
- Medium impact
- AS/NZS 1337.1:2010 certified



Code	Description
12807	Clear Lens
12808	Smoke Lens



Our Safety Glasses have an integrated flexible nose bridge providing you with extended comfort as well as comfortable rubber arms for extended wear. Having the clear option also keeps your eyes stay safe when working indoors. Additionally, these MILWAUKEE® protective glasses are compliant with AS/NZS 1337.1 2010.

Product Code	Description
48732900	Clear Safety Glasses
48732905	Tinted Safety Glasses
48732920	Performance Clear Safety Glasses
48732925	Performance Tinted Safety Glasses
48732940	High Performance Clear Safety Glasses
48732945	High Performance Polarised Safety Glasses