FRONTIER CLARITY GOGGLE CLEAR FRCLARGGLCR0000



- Chemical splash resistant
- Non-vented
- Anti-fog and anti-scratch coating
- AS/NZS 1337.1:2010 Medium Impact

MAXIPRO SAFETY GOGGLE & VISOR COMBO EUV350C

- Wide peripheral vision and face coverage
- Panoramic lens can be worn over prescription glasses
- Facial support compatible with half masks
- Anti-fog lens 99.9%
- UV protection for outdoor wear
- Clear visor can be flipped up
- Certified to Medium Impact Resistance AS/NZS 1337.1:2010



STRIKER BROWGUARD VISOR WITH CHINGUARD BGVCG

- Anti-fog & anti-scratch 2mm Extra High Impact visor offering advanced impact protection
- 260mm long visor with chinguard
- 99.9 % UV protection
- Flared ear cowls for use with
- hearing protection
- Visor material: Polycarbonate
- Visor size: 260mm x 410mm
- Browguard Material: Polyethylene

REPLACEMENT MEDIUM IMPACT CLEAR VISOR

- Complies with AS/NZS 1337
- Anti-Fog

ERC430

- Medium impact resistant
- 99.9% UV Protection for outdoor use
- Aluminium edge for extra protection



MAXISAFE VISOR HOLDER EVH432

- maxisafe.

mox isofe.



- One piece design offering 180° head protection made from polyethylene
- QuickLock clips for quick & easy visor replacement
- Molten metal & hot solids resistant
- Anti-scratch 2mm visor
- Virgin polycarbonate
- 99.9% UV protection for outdoor wear

& ADDER EARMUFFS

BGVCEADD

- One piece wrap around allowing for unobstructed views & excellent side protection
- Class 5, SLC80, 32dB earmuffs
 - AS/NZS 1270:2002 AS/NZS 1337:2010 Lic SMKH20580 Lic SMKH25279

STRIKER BROWGUARD WITH CLEAR VISOR



- Fitted with QuickFit Locks

- Fits all major brands of helmets

EHV413

EHV437



Smoke

Shade 5

FRONTIER FACE SHIELD HI IMPACT

- Visor Replacement Frontier Clear available

CLEAR ONE SIZE FITS ALL

FRFSHIELDCR / FRFSVISORCR

cutting & splash hazards

IMPACT VISOR

AS/NZS 1337.1:2010

- Ratchet adjustable headgear

- Quicklock visor replacement

- Anti-fog coated clear lens

EBF454

- Ratchet adjustable brow guard

- Chin guard attachment included

- Certified to extra high impact resistance















FRONTIER

SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT



uvex

- daylight - Folds to palm size for better carriage
- and to keep clean
- Lightweight and comfortable
- Adjustable dual pin system provides multiple positioning for better fit - CE certified



UVEX K SERIES EARMUFFS

- Earmuffs with length adjustment
- Lightweight with a small cup
- Easily adjustable for a perfect fit
- Padded headband for optimum wearer comfort
- Extra-soft memory foam ear cushions
- Complies with AS/NZS 1270



| Code | Description |
|----------|-----------------------------------|
| 2610.001 | K1 Earmuffs Class 5 (28dB) |
| 2610.002 | K2 Earmuffs Class 5 (31dB) |
| 2610.003 | K3 Earmuffs Class 5 (33dB) |
| AC-EB | Earmuff bag with velcro belt loop |
| | |

EARMUFF 26DB - CLASS 5 - BLUE HRE662

- Class 5 protection with SLC80 rating of 26dB
- Unique Elastex sweat reducing ear cushions
- Super low headband tension for extended use
- Replaceable cushioned headband
- Two-point suspension for simple height adjustment
- Made in Germany
- AS/NZS 1270:1999 compliant

maxisafe.



- CE-CAT III
- Lightweight and comfortable
- Hi-Visibility colour for visibility in
- daylight Retail bag which aids presentation
- for retail sales - 100% metal free



UVEX K200 EARMUFFS

- Range of position possible with 360° capsule
- rotation - Dielectric ear muff
- Suitable for use in workplace environments with exposure to electrical voltage
- Adjustable headband for a customised fit
- SLC80: 26dB, Class 5
- Complies with AS/NZS 1270



uvex

| | cription |
|---------------|-------------------------------------|
| 2610.200 K200 |) Dielectric Earmuff Class 5 (28dB) |

HELMET EARMUFF 26DB - CLASS 5 HRE646

ma**X**ısafe.

- Class 5 protection with SLC80 rating of 26dB
- Unique Elastex sweat reducing ear cushions
- 3 Optional positions: working, airing and resting
- Designed to easily mount and adjust the Maxisafe visor holder
- Made in Germany
- AS/NZS 1270:1999 compliant

EARMUFF 32DB - CLASS 5 - RED HRE661

- Class 5 protection with SLC80 rating of 32dB
- Unique Elastex sweat reducing ear cushions
- Super low headband tension for extended use
- Replaceable cushioned headband
- Two-point suspension for simple height adjustment
- Made in Germany
- AS/NZS 1270:1999 compliant

UVEX XACT-BAND

- Integrated sound absorbers reduce noise transmission via the band
- Ergonomic thumb indentations for easy handling and correct insertion
- Extremely lightweight 4g
- High visibility lime colour for easy visual inspection
- Designed and tested for under the chin wearing mode only - Replacement pods available
- SLC80 22dB Class 4
- Complies with AS/NZS 1270

Code Description

2125.372 Ear band, grey/skye blue Class 4 (22dB), 5 pieces per box

UVEX X-FIT DISPOSABLE EARPLUGS

- Disposable earplugs with a compact, ergonomic design
- Tapered plug shape ensures natural, pressure free fit
- Patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- High-vis lime colour for easy visual inspection
- Corded and uncorded versions available
- SLC80: 26dB, Class 5
- Complies with AS/NZS 1270

| Code | Description |
|-------|---|
| XF-CD | Lime corded Earplugs Class 5 (26dB), 100 pairs per box |
| XF-UC | Lime uncorded Earplugs Class 5 (26dB), 200 pairs per box |
| XF-PB | Lime uncorded Earplugs Class 5 (26dB), Refill 200 pairs per polybag |
| AC-PD | AC-PD Earplug dispenser with capacity of 600 pairs |

MAXIPLUG QUIET BAND 19DB -**CLASS 3** HQB634

- Lightweight & durable
- Designed for intermittent noise exposure
- Washable, reusable and replaceable ear pods
- Certified to AS/NZS1270:2002
- Class 3 protection with SLC₈₀ rating of 19dB
- Each set includes extra pair of pods
- Box of 10



maXisafe.

FRONTIER OVERHEAD EARMUFF **30DB YELLOW** FREARMUFFYY00C5

- High quality robust hearing protection - high noise use
- Hi vis colour for increased visibility
- Hi vis padded headband for comfort and visibility
- Stainless steel wire headband construction
- Complies to AS/NZS 1270:2002

UVEX XACT-FIT CORDED EARPLUGS

- Disposable earplugs uniquely shaped to match the anatomy of the ear canal
- Tapered plug shape ensures natural, pressure free fit
- Replacement earplugs available
- Sealed PU foam reduces the potential for contamination
- High-vis lime colour for easy visual inspection
- SLC80: 22dB, Class 4
- Complies with AS/NZS 1270



| Code | Description |
|-------|---|
| XA-CD | Lime earplugs corded Class 4 (22dB), 50 pairs per box |
| XA-RP | Lime replacement pods Class 4 (22dB), 250 pairs per box |
| | |

UVEX COM4-FIT DISPOSABLE EARPLUGS uvex

- Disposable earplugs with a compact, ergonomic design
- Patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- Increased wearing comfort, when worn for extended periods
- Corded and uncorded versions

| Code | Description | |
|-------|---|--|
| CF-CD | Orange corded Earplugs Class 5 (26dB), 100 pairs per box | |
| CF-UC | Orange uncorded Earplugs Class 5 (26dB), 200 pairs per box | |
| CF-PB | Orange uncorded Earplugs Class 5 (26dB), Refill 200 pairs per polybag | |
| AC-PD | AC-PD Earplug dispenser with capacity of 600 pairs | |

MAXIPLUG QUIET BAND **REPLACEMENT PODS** HQB678

- For use with HQB634







maxisafe.



FRONTIER

uvex



maXisafe.

uvex

- - available
 - SLC80 22dB, Class 4
 - Complies with AS/NZS 1270

- Perfect for narrow and smaller ear canals

SAFETY - WORK PLACE AND TRAFFIC MANAGEMENT

MAXIPLUG UNCORDED EARPLUGS **TRADIES PACK HEU660**

- Ergonomically shaped disposable earplug
- Class 5 protection with SLC₈₀ rating of 26dB
- Tapered design for easy fit
- Soft polyurethane for maximum comfort
- Certified to AS/NZS1270:2002
- 100 pairs per Tradies Pack



maXisafe.

DISPOSABLE EARPLUGS – BOX OF 200 28965

- Class 5, SLC8026dB
- Disposable PU foam

TOOL LANYARDS

- Hearing protection for noise
 - levels to 110 dB(A)
- Pairs packaged in individual poly bags



MPACT-

COMFORTLITE **UNCORDED EARPLUGS** HLU630

- Hearing protection for noise levels up to 110dB (A)
- 200 pairs per box" and "1 pair per bag
- Comfortable T-shape for easy insertion
- Highly visible protection
- Class 5 SLC80 26dB

FRONTIER FOAM EARPLUG 27DB CLASS 5 YELLOW

FREARPLUGYY00C5 / FRPLUGCRDYY00C5

- Corded Box of 100, Uncorded Box of 200
- Hi vis colour to identify wearer compliance
- Corded: Hearing protection for noise levels up to 112dB (A)
- Uncorded: Quality hearing protection for noise levels up to 27dB(A) Complies to AS/NZS 1270:2002

PROBELL & PROBULLET DISPOSABLE EARPLUGS

- Class 5, SLC80 27dB Hearing Protection



| Product Code | Description |
|--------------|--|
| EPYU | ProBell Disposable Earplugs Uncorded - 200 Pairs |
| EPYC | ProBell Disposable Earplugs Corded - 100 Pairs |
| EPOU F | ProBullet Disposable Earplugs Uncorded - 200 Pairs |
| EPOC F | ProBullet Disposable Earplugs Uncorded - 100 Pairs |

DISPOSABLE EARPLUGS – PACK OF 50 29015

- Class 5, SLC8027dB
- Disposable, PU foam - Hearing protection for noise levels to 110 dB(A)
- Comes in sealable container





ž

maxisafe



MILWAUKEE's Lanyard range ensures job site safety by securing tools and preventing falling objects from causing injury.

| Product Code | Description |
|--------------|---|
| 48228810 | 4.5kg (10lb) 915mm Locking Tool Lanyard |
| 48228811 | 4.5kg (10lb) 1370mm Extended Reach Lanyard |
| 48228812 | 4.5kg (10lb) 1830mm Extended Reach Lanyard |
| 48228815 | 6.8kg (15lb) 915mm Locking Tool Lanyard |
| 48228816 | 6.8kg (15lb) 1370mm Extended Reach Lanyard |
| 48228817 | 6.8kg (15lb) 1830mm Extended Reach Lanyard |
| 48228850 | 15kg (35lb) 915mm Locking Tool Lanyard |
| 48228820 | 4.5kg (10lb) 915mm Quick-Connect Tool Lanyard |
| 48228860 | Self-Adhering Tape 3.6m (12ft) |
| 48228823 | Quick Connect Accessory 3pc 4.5kg (10lb) |
| 48228822 | Small Quick Connect Accessory 3pc 2.2kg (5lb) |
| 48228870 | D-Ring Web Attachment 5pc 0.9kg (2lb) |
| 48228871 | D-Ring Web Attachment 5pc 2.2kg (5lb) |
| 48228872 | D-Ring Web Attachment 15kg (35lb) |
| 48228880 | Split Ring 5pc 19mm (3/4") 0.9kg (2lb) |
| 48228881 | Split Ring 5pc 25mm (1") 0.9kg (2lb) |
| 48228882 | Split Ring 5pc 38mm (1.5") 0.9kg (2lb) |
| 48228883 | Split Ring 5pc 50mm (2") 0.9kg (2lb) |
| 48228855 | 22kg (50lb) Anchor Strap Lanyard |
| 48228830 | 2.2kg (5lb) Clinch Wrist Lanyard |
| 48228835 | 2.2kg (5lb) Quick Connect Wrist Lanyard |

MAXISAFE TOOL LANYARDS ZTL01 - Single ZTL02 - Twin

- Convenient stretch-lanyard for tool tethering

- Heavy duty elasticised, polyester webbing
- Twin lanyard has 'Y' leg for tethering two tool - Anchoring loop secures to tool or tether
- anchor - Single-action karabiner for attaching to
- users belt
- Can hold tools up to 10kg
- Relaxed length 85cm
- Expanded length 135cm



maxisafe.

FRONTIER