

**WELDING SET CA-27 YOGA ADF 9-13TC + CA BASIC IN THE DUFFEL BAG**  
RYB1125



- High-quality autodarkening filter - optical quality 1/1/1/2
- True Colour technology ADF as an option
- Lightweight and comfortable
- Enlarged viewing area 100 x 53mm
- Continuously adjustable shade 9-13
- The wide range of adjustable sensor sensitivity
- Individual delay settings
- Grinding mode



**P2 3-PANEL FLAT FOLD RESPIRATOR WITH VALVE, BOX 20**  
RES510



- Unique 3-panel design fits a wide range of face shapes and sizes, accommodates facial movements and makes the respirator easy to talk through
- Sculptured nose panel provides excellent field of vision and improves compatibility with eyewear
- Hygienic, individual packaging protects from contamination prior to use
- Foldable, easy to store design



**P1 MOULDED RESPIRATOR - BOX 20**  
RES501



- P1 Unique Pre-moulded respirator fits a wide variety of face profiles
- Pre-formed nose-bridge minimizes the risk of leaks
- Twin straps offer firm comfortable fit
- Suitable for medical, grinding, sanding and dusty environments
- Metal free mask - suitable for food industry
- Certified to AS/NZS 1716
- Box of 20 Masks



**FRONTIER P2 RESPIRATORS**  
FRP2



- Flat Fold with valve (10 units/box) and without valve (20 units/box)
- Moulded cup with valve (10 units/box)
- Standard cup with valve (10 units/box) and without valve (20 units/box)
- Adjustable nose bridge and strap
- Tested and complies to AS/NZS1716:2012



**P2 MOULDED RESPIRATOR WITH VALVE - BOX 10**  
RES504



- P2 Unique Pre-moulded respirator fits a wide variety of face profiles
- Exhalation valve provides increased air flow and comfort
- P2 rating offers protection against mechanically and thermally generated particles
- Pre-formed nose-bridge
- Twin straps offer firm comfortable fit
- Metal free mask - suitable for food industry
- Certified to AS/NZS 1716
- Box of 10 Mask



**PREMIUM ROOFERS KIT WITH FULL BODY HARNESS**  
ZRK903H



- Light weight, full Body Roofers Harness
- 2m high tenacity polyester sling
- 15m kernmantle rope line with adjuster and shock absorber
- Twist Lock Karabiners x3
- Maxisafe harness gear backpack



**MAXISAFE SELF RETRACTABLE 2M LANYARDS**  
ZMIC02



- Inbuilt textile Energy Absorber for shock absorption
- Extremely lightweight
- 1 x Triple Action Karabiner with Captive Pin
- 1 x Aluminium Hook with Anti-Theft Screws
- 2 Metres of Retractable Webbing
- Minimum Breaking strength: 15kN
- High Strength Polymer casing provides maximum durability
- Conforms to EN360:2002 & Dynamic Requirement of EN355:2002



## ROOFERS SAFETY KIT

Code: GH001

Features and Benefits:

- GH-01A full body harness
- GH-01B adjustable lanyard
- GH-01D 15m fall arrest line
- GH-01E screwgate carabiner
- Anchor strap and Backpack
- Conforms to AS/NZS 1891.1



## ADJUSTABLE LANYARD

Code: GH-01B

- 1.3-1.7m working length
- Energy absorbing design
- Double action snap hooks
- For use with a full body harness
- Certified to AS/NZS 1891.1



## ELEVATED WORK PLATFORM HARNESS KIT

Code: GH101

Features and Benefits:

- GH-01A full body harness,
- GH-01B adjustable lanyard
- 10L storage bucket



## SCREWGATE CARABINER

Code: GH-01E

Used to link a harness to a flexible or fixed anchorage system through an appropriate lanyard or energy absorbing system

Features and Benefits:

- WLL: 20kN



## FULL BODY HARNESS

Code: GH-01A

Features and Benefits:

- Front and rear D-Rings
- Shoulder, chest and leg straps
- Quick release buckles
- Certified to AS/NZS 1891.1



## SELF-RETRACTING LIFELINE 2.5M

Code: GH-SRLW25

Features and Benefits:

- Energy absorbing design limits fall arrest forces
- For use with an approved full body safety harness
- Auto-locking carabiner for secure connection
- Locks instantly in the event of a fall
- Screwgate carabiner for attachment to approved anchor point
- Conforms to AS/NZS 1891.3 (Clause 1.6 EN360:2002)



## SINGLE TAIL LANYARD WITH SCAFFOLD HOOK

Code: GH-01BST

Features and Benefits:

- 1.3-1.8m working length
- Energy absorbing design
- Double action snap hooks
- Scaffold hook (54mm gate opening)
- For use with a full body harness



## SELF-RETRACTING LIFELINE 15M

Code: GH-SRLS150

Features and Benefits:

- 4mm galvanised steel cable
- For use with an approved full body harness
- Double action snap hook for attachment to safety harness
- Screwgate carabiner for attachment to approved anchor point
- Conforms to AS/NZS 1891.3 (Clause 1.6 EN360:2002)



## FALL ARREST LINE 15M

Code: GH-01D

Features and Benefits:

- 13mm kernmantle anchorage line
- Self locking double action snap hook and static rope adjuster
- Locks instantly
- For use with a full body harness and approved lanyard
- Complies with AS4142.3



## COOLING VEST

Features and Benefits:

- Comfortable Polyester material
- Wear on its own or over a t-shirt
- Provides cooling relief for up to 4 hours

Size	Product Code
S	GCV-BK-SML
M	GCV-BK-MED
L	GCV-BK-LRG
XL	GCV-BK-XLG



**B-SAFE TRADIE ROOFERS KIT**  
BK061215TRAD

- Kit in a B-Safe Backpack includes:
  - BH01120 - All Purpose Fall Arrest Harness
  - BS010315A - 15m Rope Safety Line
  - BP03101.5 - 1.5m Attachment Strap
  - BL01000HD - Energy Absorber
  - BSK0003-16 - 3 x Steel Twist Lock Karabiners
  - BA00024 - Suspension Trauma Straps



**B-SAFE PROFESSIONAL ROOFERS KIT**  
BK061015PRO

- Kit in a B-Safe Backpack includes:
  - BH01120 - All Purpose Fall Arrest Harness
  - BS010315A - 15m Rope Safety Line
  - BP03102 - 2m Attachment Strap
  - BL01112PRO-ADJ - 2m Adjustable Shock Absorbing Lanyard with Snap Hooks
  - BSK0003-16 - Steel Twist Lock Karabiner
  - BA00024 - Suspension Trauma Straps



**EVOLVE CONFINED SPACE HARNESS - MEDIUM**  
BH02020QB-EVOLVE

- Comfort padding on soft twill spill resistant webbing
- Heavy duty aluminium hardware
- Fully adjustable posilock front D Ring
- Fully adjustable leg and shoulder straps
- Included Trauma straps and backpack
- Other sizes available



**B-SAFE SWIFT QUICK BUCKLE CONFINED SPACE HARNESS - MEDIUM**  
BH02030-QB

- Rear attachment D ring with extension strap and fall arrest indicator
- Front and rear fall arrest attachment points
- Confined space recovery loops
- Side D Rings for work positioning
- Quick connect buckles
- Other sizes available



**B-SAFE ALL PURPOSE FALL ARREST HARNESS**  
BH01151 / BH01120

- BH01151 Harness Integrated Shock Absorbing Lanyard complete with 2m web shock absorbing lanyard permanently attached to the rear D ring
- BH01120 Full body harness with front & rear fall arrest attachment points
- Other sizes available



**B-SAFE ARRESTO RETRACTING LANYARD**  
BMIC02-130AT

- Extremely light weight (less than 600gm)
- Inbuilt textile energy absorber
- 140kg capacity, 2m length
- Aluminium triple action karabiner with fall indicator
- 21mm Technora polyester webbing
- Edge tested (to 100kg)
- Complies to AS/NZS1891.3/EN 360:2002



**B-SAFE SHOCK ABSORBING LANYARD WEBBING 2m**

- Designed to limit the amount of force generated in a fall to under 6kN
- 16kN Gate Strength, 50kg-140kg capacity
- BL01112HD-ADJ (Lanyard adjustable with Snap Hooks)
- BL01112HD (Lanyard with Snap Hooks)
- BL04222HD (Lanyard with Snap/Scaffold Hooks)



**B-SAFE ARRESTO INERTIA REEL WEBBING 7.5m**  
BPWSW7.5(SE)

- Swivel anchorage with fall indicator
- ANSI compliant swivel snap hook
- 16kN gate strength
- 20mm gate opening
- Fall indicator
- 140kg capacity
- Complies to AS/NZS1891.3/EN 360:2002



**B-SAFE TRIPOD KIT ROPE SYSTEM**  
TRP05A2B

The B-Safe range of confined space equipment provides stability, ease of operation. Tripod Rope System comes complete with Tripod, Spreader Frame, Rescue Pully System, Retractable Lanyard and Harnesses. Aluminium tripod is rated to 750kg. Additional options available with the B-Safe Winch.

- Kit includes:
  - TRP05A2 - Confined Space Tripod
  - TRP05A2BAG - Tripod Bag
  - BSK0003-16 - Steel Twist Lock Karabiners x5
  - BH02020-QB - Confined Space Harness
  - BR05110 - Spreader Frame
  - BR02055 - Access Rope System Auto Locking
  - BH01120 - All Purpose Harness
  - BL05332.5 - Retracting Lanyards 2.5m
  - BA0351 - Equipment Bag



**B-SAFE TEMPORARY HORIZONTAL SAFETY LINE KIT**  
BK040120

- Portable static line system with built-in carry bag and tensioning system
- Allows freedom of movement up to 20m
- Designed for a maximum of one (1) person
- x2 1.5m attachment straps
- x2 karabiners lock
- No special tools are required to install



**B-SAFE RETRACTING LANYARD**  
BL05332.5

- Length - 2.5m
- Built in energy absorber
- Inertia style locking device designed to limit free fall
- Complete with Steel Twist Lock at each end
- Weight - 1.2kg
- 100kg capacity
- Tested in accordance to AS/NZS1891.3



## LINQ ESSENTIAL HARNESS H101

- Pebble weave webbing design
- High tenacity UV stabilised webbing
- Retro-reflective thread in webbing for improved visibility
- Large dorsal D Ring
- Closed loop webbing system on rear Dorsal D
- Extended belay loops make connection of hardware easier
- Sub pelvic strap integration along the line of belay loops
- Articulated chest strap & shoulder adjustment points
- Service pouch on back
- Sizes: Standard (M - L)



## LINQ ELITE SINGLE LEG SHOCK ABSORBING WEBBING LANYARD WITH SNAP HOOKS WLO1SNSN



## LINQ TACTICIAN RIGGERS HARNESS H201

- Pebble weave webbing design
- High tenacity UV stabilised webbing
- Retro-reflective thread in webbing for improved visibility
- Rear Barr D allows easier access & better weight distribution
- Closed loop webbing system on rear Dorsal D
- Extended belay loops make connection of hardware easier
- Sub pelvic strap integration along the line of belay loops
- Comes with suspension trauma strap
- Articulated chest strap & shoulder adjustment points
- Confined space rescue loops
- Sizes: Standard (M - L)



## LINQ ELITE DOUBLE LEG ELASTICATED LANYARD WITH SNAP HOOK & DOUBLE ACTION SCAFF HOOKS WLE2SNSD



## LINQ ELITE MULTI-PURPOSE HARNESS H302

- Pebble weave webbing design
- Liqui-Pel Technology for liquid protection
- Retro-reflective thread in webbing for improved visibility
- Rear Barr D allows easier access & better weight distribution
- Closed loop webbing system on rear Dorsal D
- Extended belay loops make connection of hardware easier
- Sub pelvic strap integration along the line of belay loops
- Comes with suspension trauma strap
- Air COOL padded shoulder straps
- Confined space rescue loops
- Comes with Harness Bag
- Sizes: Standard (M - L)



## LINQ MICRON SELF RETRACTING 2M WEBBING LANYARD WITH SCREW GATE KARABINER & DOUBLE ACTION SNAP HOOK IRWMICKSASN

- High impact polymer outer casing
- Extremely lightweight, less than 600gms (minus hardware)
- Comes with built in Energy Absorber with protective cover
- Retractable webbing maximum length: 2m
- Reduces impact forces to less than 6kN
- Minimum breaking strength > 15kN
- Rated for up to 140kg user



## LINQ BASIC ROOFERS KIT KITRBSC

- Kit Contains:
- Essential Harness (H101, pictured above)
  - 15M Kernmantle Rope with Rope Grap & Thimble Eye With Permanently Attached Shock Absorber (RKR015SHK1)
  - Anchor Strap Endless (HSASE2515)
  - 2 x Screw Gate Karabiners (KSGA18)
  - Kit Bag (HSKB710)



## LINQ RES-Q RESCUE KIT RESQKIT

- 4:1 pulley system provides reduced effort on the rescuer. Every 100kg of mass only requires 25kg of effort
- Raise & lower casualty makes the RES-Q Kit versatile
- Static kernmantle rope comes with I.D trace. Min break load of 35kN
- Back up braking mechanism comes standard
- Comes with 2 tie offs to allow for mounting of the RES-Q Kit
- Standard RES-Q kit supplied with 50mtrs of rope
- RES-Q Kit comes pre-assembled. No hassle with assembly of pulley & rope



**CORE TRADESMAN HARNESS**  
CODE: 915001



SUITABLE FOR: construction & maintenance, ladder work, scaffolding, warehouse, roofing work.



**PRIME RIGGERS HARNESS**  
CODE: 915003



SUITABLE FOR: Confined space rescue, construction & maintenance, ladder work, scaffolding, warehouse, roofing work and elevated work platforms.

Suspension Trauma Strap included



**KERNMANTLE ROPE SINGLE ADJUSTABLE SHARP EDGE WITH T/A SNAP HOOK**



Code	Max. Free Fall	Size
916228	2M	12mm x 2M

**KERNMANTLE ROPE SINGLE ADJUSTABLE SHARP EDGE WITH T/A SNAP HOOK**



Code	Max. Free Fall	Size
916123	2M	44mm x 1.4-2M

**ROOFERS KIT BASIC**  
CODE: 915100



Item	Qty	Size
Core Tradesman Harness	1	M-XXL
Kernmantle Rope	1	12mm x 15M
Triple Action Karabiner	1	MBS: 40kN
Rope Grab	1	MBS: 15kN
Screw Turn-locking Karabiner	1	MBS: 25kN
Energy Absorber	1	44mm x 2M
Anchor Sling	1	50mm x 1.5M
Backpack	1	41cm x 28cm x 15cm

**CONFINED SPACE KIT**  
CODE: 915120



Item	Qty	Size
Prime Riggers Harness	2	S/M-XXL/XXL+
Austlift Tripod	1	7ft
Winch	1	20M wire rope
Winch Mounting Bracket	1	-
Spreader Bar	1	40mm webbing
Wire Rope Inertia Reel	1	20M
Backpack	1	41cm x 28cm x 15cm