

## CUTTING-OFF WHEELS TYPE 41 MEGA INOX - TUBS



Flexovit Tubs offer the best protection for your wheels. The rugged construction & compact size makes it easy to store anywhere but be easily visible.



Description	Part Number
102 X 1.0 X 16.0mm A46T-BF41 Cut-Off 25 Pack	66253371088
115 X 1.0 X 22.2mm A46T-BF41 Cut-Off 25 Pack	66253371089
125 X 1.0 X 22.2mm A46T-BF41 Cut-Off Csx 25 Pack	66252828646
125 X 1.0 X 22.2mm A46T-BF41 Mega Line Cut-Off Csx 100 Tub	66253371091

## CUTTING-OFF WHEELS TYPE 41 MEGA INOX - ULTRA THIN



- A46T Mega Inox using premium grade Aluminium Oxide grain  
- Ultra thin fast cut reinforced straight wheel for fast cutting off where minimal material loss is desired



Description	Part Number
100 X 1.0 X 16.0mm A46T-BF41	66252841585
115 X 1.0 X 22.23mm A46T-BF41	66252919966
TWSET A46T-100x1.0x16.0 Flx 10x Tin	66252844383
TWSET A46T-115x1.0x22.23-Flx 10x Tin	66253371436
TWSET A46T-125 X 1.0 X 22.2-Flx 10x Tin	66252844384
125 X 1.6 X 22.23mm A46T-BF41	66252841598
180 X 1.6 X 22.23mm A46T-BF41	66252841600
230 X 1.9 X 22.23mm A46T-BF41	66252841601
230 X 2.0 X 22.23mm A46T-BF41	66252920062

## CUTTING-OFF WHEELS TYPE 41 ULTRA THIN - AUTOMOTIVE



- A60T Aluminium Oxide grain  
- Razor cut reinforced straight wheel for fast cutting off where minimal material loss is desired



Description	Part Number
50 x 0.89 x 9.53mm A60T-BF41 Iron Free	66252841636
76 x 0.89 x 6.35mm A60T-BF41 Iron Free	66252841638
76 x 0.89 x 9.53mm A60T-BF41 Iron Free	66252841639

## CUTTING-OFF WHEELS TYPE 41 IRON FREE - STANDARD



- A30S Aluminium oxide grain  
- Fast cut reinforced straight wheel for cutting off  
- For stainless steel, alloy steels and hard ferrous metals  
- Durable resin bond designed for fast cut while retaining excellent wheel life  
- Fillers free of Iron



Description	Part Number
125 x 2.5 x 22.23mm FH38 Iron Free	66252841610
180 x 2.5 x 22.23mm FH38 Iron Free	66252841613
230 x 2.5 x 22.23mm FH38 Iron Free	66252841614

## CUTTING-OFF WHEELS TYPE 41 GENERAL PURPOSE - METAL



- A36S Aluminium Oxide grain  
- Fast cut reinforced straight wheel for cutting off



Description	Part Number
100 x 2.5 x 16.0mm FH38 Metal	66252841558
115 x 2.5 x 22.23mm FH38 Metal	66252841560
125 x 2.5 x 22.23mm FH38 Metal	66252841561
180 x 2.5 x 22.23mm FH38 Metal	66252841566
230 x 2.5 x 22.23mm FH38 Metal	66252841574

## CUTTING-OFF WHEELS TYPE 41 MULTI MATERIAL ULTRA THIN



- C60T Premium grade Silicon Carbide grain  
- Designed for metal, aluminium, copper, non ferrous metals, masonry, concrete, tiles, pvc, rubber & timber applications



Description	Part Number
100 X 1.0 X 16.0mm C60T-BF41 Multi Material	66253370634
115 X 1.0 X 22.23mm C60T-BF41 Multi Material	66253370635
125 X 1.0 X 22.23mm C60T-BF41 Multi Material	66253370636
230 X 3.2 X 22.23mm C24T-BF41 Multi Material	66252845941
356 X 3.0 X 25.4mm C30S-BF41 Multi Material	66252845942

## CUTTING-OFF WHEELS CORDLESS ION ULTRA THIN 66253370633



- Z46X Premium grade Zirconia grain  
- Ultra thin fast cut reinforced straight wheel for fast cutting off, formulated for cordless grinders



## ULTRA THIN CUT-OFF WHEELS PREMIUM STEEL/INOX



- Suits STEEL & INOX (Stainless Steel)
- Save time & money
- Wheel lasts longer
- Consistent quality
- Reduced burr
- Free of iron, sulphur & chlorine



Article No.	Size in/mm	Max. RPM	📦
69121043	(4") 105 x 1.0	14,500	25
61340412	(4 1/2") 115 x 1.0	13,300	25
61341112	(5") 125 x 1.0	12,200	25
61341122	(5") 125 x 1.6	12,200	25
61343122	(7") 180 x 1.6	8,500	25
61328702	(9") 230 x 1.9	6,600	25

## 100 PACK BLOCK BUCKET ULTRA THIN CUT-OFF WHEELS PREMIUM STEEL/INOX

Article No.: 75650801

Size: (5") 125 x 1.0mm



## ULTRA THIN CUT-OFF WHEELS GENERAL PURPOSE STEEL

- Cut your costs & use the right wheel for steel
- Extremely precise cutting, with greater user comfort
- Designed for best performance on steel sheet & sections



Article No.	Size in/mm	Max. RPM	📦
69121029	(4") 105 x 1.0	14,500	25
61730010	(4 1/2") 115 x 1.0	13,300	25
61719010	(5") 125 x 1.0	12,200	25
61719021	(5") 125 x 1.6	12,200	25
61719121	(7") 180 x 1.6	8,500	25
61728231	(9") 230 x 1.9	6,600	25

## THIN CUT-OFF WHEELS GENERAL PURPOSE STEEL

- Faster cutting with little burr formation
- Suitable for use with angle grinders of all power outputs
- For cutting of sheet metal, profiles & solid steel



Article No.	Size in/mm	Max. RPM	📦
61741116	(4") 100 x 2.4	15,300	25
61730026	(4 1/2") 115 x 2.4	13,300	25
61719026	(5") 125 x 2.4	12,200	25
61726222	(7") 180 x 3.0	8,500	25
61728222	(9") 230 x 3.0	6,600	25

## A 60 TZ SPECIAL ULTRA-THIN CUTTING-OFF WHEEL

- Free of iron, sulphur and chlorine
- Short cutting times
- Minimal burr formation
- Low thermal load



Product Code	Size (mm)	Specification	Max RPM
202402	100 x 1.0 x 16	A60TZ	15,300
202400	115 x 1.0 x 22.23	A60TZ	13,300
202401	125 x 1.0 x 22.23	A60TZ	12,200

## A 60 TZ SPECIAL BUCKET 'O' THINS

Each bucket contains 100 of Klingspor's biggest selling 125x1mm ultrathin cutting discs. Suitable for cutting steel and stainless steel (inox). Bonus storage tub included.



Product Code	Size (mm)	Specification	Max RPM
355434	125 x 1.0 x 22.23	A60TZ	12,200

## A 46 TZ SPECIAL CUTTING-OFF WHEEL

- Free of iron, sulphur and chlorine
- Universal use on steel and stainless steel
- First choice for professional applications and fast cutting of demanding materials



Product Code	Size (mm)	Specification	Max RPM
194071	100 x 1.6 x 16	A46TZ	15,300
187170	115 x 1.6 x 22.23	A46TZ	13,300
187171	125 x 1.6 x 22.23	A46TZ	12,200
221161	180 x 1.6 x 22.23	A46TZ	8,500
224084	230 x 1.9 x 22.23	A46TZ	6,600

## A 24 R SUPRA CUTTING-OFF WHEEL

- Optimised for use on steel
- Can be used on stainless steel
- Good cutting properties




Product Code	Size (mm)	Specification	Max RPM
70467	100 x 2.5 x 16	A24R	15,300
328772	125 x 2.5 x 22.23	A24R	12,200
328762	230 x 3.0 x 22.23	A24R	6,600



## CUT-OFF WHEELS

**Ideal for:** Sheet fabrication, structural work and bodywork

- Long lasting and suitable for all general purpose and stainless steel cutting



## LOW SPEED CHOPSAW 80 MTR/SEC GENERAL PURPOSE STEEL

- Open structure wheel with easy cutting characteristics
- High quality abrasive grain with exceptional cutting results on 240V dropsaws
- Consistent cut quality over life of wheel




Article No.	Size in/mm	Bore mm	Max. RPM	Box
66323074	(12") 300 x 2.8	25.4	5,100	20
66323574	(14") 350 x 2.8	25.4	4,400	10
66324095	(16") 400 x 3.8	25.4	3,800	10

## XTRA CUT-OFF WHEELS

**Ideal for:** Sheet fabrication, structural work and bodywork

- Well balanced, neither too hard or too soft, delivering the ultimate cutting performance and edge finish



## LOW SPEED CHOPSAW 80 MTR/SEC PREMIUM STEEL/INOX

- Does not cause contamination on stainless steel (INOX) workplace
- High quality abrasive grain with exceptional cutting results
- Consistent cut quality over life of wheel



Article No.	Size in/mm	Bore mm	Max. RPM	Box
66323052	(12") 300 x 2.8	25.4	5,100	20
66323572	(14") 350 x 2.8	25.4	4,400	10
69620735	(16") 400 x 3.8	25.4	3,800	10

## XTRA STAINLESS STEEL PLUS

The ultimate cutting disc for Stainless Steel

- Proven to be the longest lasting cutting disc in Stainless Steel



## HIGH SPEED CHOPSAW 100 MTR/SEC PREMIUM STEEL

- Can be used on hand held cutting machines
- Suitable for cutting of solid material and profiles such as steel & cast iron



Article No.	Size in/mm	Bore mm	Max. RPM	Box
61329520	(14") 350 x 4.5	20.0	5,500	10
61329525	(14") 350 x 4.5	25.4	5,500	10
61329820	(16") 400 x 4.8	20.0	4,800	10
61329825	(16") 400 x 4.8	25.4	4,800	10

## XTRA SMALL DIAMETER WHEELS & MANDRELS

- Mandrel to suit 50 and 75mm cutting discs
- 6mm shank and 6mm fixing screw



## HIGH SPEED CHOPSAW 100 MTR/SEC PREMIUM STONE

- Can be used on hand held cutting machines
- High quality abrasive grain with exceptional cutting results
- Consistent cut quality over life of wheel
- Suitable for natural stone, fire-resistant stone, cast iron, non-ferrous metals



Article No.	Size in/mm	Bore mm	Max. RPM	Box
61629520	(14") 350 x 4.5	20.0	5,500	10
61629525	(14") 350 x 4.5	25.4	5,500	10
61629400	(16") 400 x 4.5	25.4	4,800	10



## MILD STEEL & STAINLESS CHOP SAW CUT-OFF WHEEL TYPE 41 AO



- General purpose cutting of stainless steel and ferrous metals (bar, tubing, etc.) on chop saw machines
- Fast cutting and excellent life
- Designed for low speed portable chop saws
- Complies to Australian Standards AS1788 1-1987 and OSA EN12413



Description	Part Number
305 x 3.0 x 25.4mm A36SB L/SPEED	66252841615
356 x 3.0 x 25.4mm A36SB L/SPEED	66252841617
406 x 3.0 x 25.4mm A36SB L/SPEED	66252841618

## A 630 N SUPRA CUTTING-OFF WHEEL



- Aggressive model with an outstanding service life
- An exceptional choice for the cutting of solid material
- Low thermal load
- Minimal burr formation



Product Code	Size (mm)	Specification	Max RPM
353325	300 x 2.5 x 25.4	A630N	5,100
353324	356 x 2.5 x 25.4	A630N	4,400
353328	406 x 3.2 x 25.4	A630N	3,800

## LARGE DIAMETER REINFORCED CUT-OFF WHEELS



Metal Cutting

- OSA Certified
- Premium Aluminium Oxide grain



## CUTTING-OFF WHEELS TYPE 41 HIGH SPEED MACHINES - METAL



- A30Q / A36S - Aluminium Oxide medium grit medium hardness
- Easy cut reinforced straight wheel for cutting off
- A30P - Aluminium Oxide medium grit soft hardness
- Available in other sizes and grits



Description	Part Number
350 x 3.8 x 20.0mm 2UU670SS METAL	66252841625
350 x 3.8 x 25.4mm 2UU670SS METAL	66252841626
406 x 4.4 x 25.4mm 2UU670SS METAL	66252841627

## ALL IN ONE - CUT GRIND & POLISH 66252841763



- 125 x 2.2 x 22.23mm A46S-BF All In One
- All in One wheels can be used for cutting, grinding and polishing without having to change wheels.
- The depressed centre design allows the flange/lock nut to recess within the wheel so that it can be used for various grinding and cutting applications.



## RAIL CUTTING-OFF WHEELS TYPE 41



- Aluminium Oxide coarse grit soft hardness
- Easy cut reinforced straight wheel for cutting off, specifically designed for rail cutting applications
- A24Q - Aluminium Oxide coarse grit medium hardness, A30Q - Aluminium Oxide medium grit medium hardness
- Available in other sizes and grits



Description	Part Number
350 x 3.8 x 20.0mm 2UE790QR Rail	66252841631
350 x 3.8 x 25.4mm 2UE790QR Rail	66252841632
406 x 4.0 x 25.4mm A24Q-BF41/100 Rail	66252832954

## DEPRESSED CENTRE CUTTING-OFF WHEELS TYPE 42



### - METAL GENERAL PURPOSE

- Medium/Coarse Aluminium Oxide grain hard grade
- Fast cut reinforced depressed centre wheel for cutting off



Description	Part Number
125 x 3.4 x 22.23mm A24/30T METAL	66252841679
230 x 3.4 x 22.23mm A24/30T METAL	66252841691