

## 110 ROOF & GUTTER

- 100% silicone, contains no extenders
- UV Resistant
- Weather Resistant
- Highly elastic  $\pm 25\%$
- WaterMark certified
- Available in 300mL cartridges in 6 colours: Translucent, Grey, Black, White, Woodland Grey, Classic Cream
- Translucent and Grey also available in NEW 400mL Eco-Snag



## ROOF & GUTTER

Bostik Roof & Gutter is a premium one component, mid-flex, neutral curing 100% silicone roof sealant, which provides excellent adhesion to many common substrates in plumbing and roofing applications.

- Suited to roofing, general plumbing, weather sealing and general purpose sealing
- Can be used with Steel (including COLORBOND® and ZINCALUME®), aluminium, glass, concrete, brick, ceramics, and terracotta roof tiles



### Product codes

- 300ml cartridge
- Translucent - 30800828
- Grey - 30840060
- Black - 30840061
- White - 30840059

## ROOF & GUTTER SILICONE

- 127778 - 300mL - Grey
- 127779 - 300mL - Translucent
- 154588 - 600mL Grey

- Highly flexible  $\pm 25\%$
- Waterproof
- Excellent UV Resistance
- Neutral cure
- Internal & External



## 135 WINDOW & GLASS

- 100% silicone, contains no extenders
- Strong adhesion to glass
- UV & Weather resistant
- Matt finish
- Highly elastic  $\pm 25\%$
- Available in 300mL cartridges in 2 colours: Translucent and Matt Black



## ROOF & GUTTER SILICONE

IMPACT-A Roof & Gutter Silicone is a premium quality, neutral cure sealant providing excellent adhesion to many common substrates. With joint movement capability ( $\pm 25\%$ ), it is ideal for general plumbing use. Approved for use in contact with potable water, meets (AS4020-2005).



Code	Description
10022	Impact-A Roof & Gutter Silicone – Grey
10023	Impact-A Roof & Gutter Silicone – Translucent

## GLAZING - MF60 Professional Sealant

A premium extra high strength, medium modulus, one part moisture curing 100%, high performance, neutral cure silicone sealant for a wide range of glazing, weather sealing and trade applications.

SIZE	CODE	COLOUR
300ml	53PSN60B	Matte Black
	53PSN60G	Grey
	53PSN60T	Translucent
	53PSN60W	White



## ROOF & GUTTER - MF50 Sealant

Low modulus, silicone sealant, remains permanently elastic, offers great adhesion and weatherability and can be used as an all round, multipurpose silicone.

SIZE	CODE	COLOUR
300ml	53TRGA	Aluminium
	53TRGB	Black
	53TRGG	Grey
	53TRGT	Translucent
	53TRGW	White



## GLASS & GLAZING SILICONE

- 128461 - 300mL - Light Grey
- 127781 - 300mL - Matt Black
- 127782 - 300mL - Translucent

- Highly flexible  $\pm 25\%$
- Non slump
- Excellent UV Resistance
- Superior adhesion
- Neutral cure



## FULASEAL PRO 300 PREMIUM GRADE INDUSTRIAL SILICONE

FulaSeal PRO 300 is a premium grade, neutral cure, 100% silicone sealant specially formulated for use in glazing, construction and industrial fabrication. FulaSeal PRO 300 offers a high level of resistance to temperature, weathering, and UV exposure with excellent adhesion, flexibility and durability.



Format	Product Code	Colour
300g Cartridge	15020120	Translucent
300g Cartridge	15019477	Black
300g Cartridge	15019476	White
300g Cartridge	15019474	Grey
400g Cartridge	15020181	Matt Black

## FULASEAL 780 PLUMBERS SILICONE SEALANT

FulaSeal 780 Plumbers Silicone Sealant is a non-corrosive neutral cure sealant that can be used on a wide range of substrates. It is ideal for roofing applications, exterior cladding, guttering, flashing, downpipes, general plumbing and is compatible with drinking water storage systems.



Format	Product Code	Colour
300g Cartridge	15019122	Translucent
300g Cartridge	15019409	Aluminium
400g Cartridge	15019123	Grey

## FULASEAL 770 SANITARY SILICONE SEALANT

FulaSeal 770 Sanitary Silicone Sealant is a premium quality, 100% silicone sealant specifically designed for use in wet areas where a neutral cure mould and mildew resistant sealant is required. FulaSeal 770 Sanitary Silicone is a professional quality wet area sealant that provides excellent adhesion and is suitable for contact with aluminium shower screens and other substrates susceptible to corrosion.



Format	Product Code	Colour
300g Cartridge	15019125	White
300g Cartridge	15019124	Translucent
300g Cartridge	15020136	Tile Grey
300g Cartridge	15020135	Mid Grey

## 160 WET AREA

- 100% silicone, contains no extenders
- Mould resistant
- Anti-fungal
- Highly elastic  $\pm 25\%$
- Low odour
- Available in 300mL cartridges in 6 colours: Translucent, White, Off White, Light Grey, Tile Grey, Mid Grey



## BATHROOM & KITCHEN SILICONE

127783 - 300mL - White  
127784 - 300mL - Translucent  
154228 - 300mL - Grey

- Highly flexible  $\pm 25\%$
- Superior adhesion
- Mould resistant
- Neutral cure
- Easy to smooth & finish



**SOUDAL**



## ALL PURPOSE SILICONE

18 colours available in 300mL with matching Colorbond® metal colours

- Quality neutral cure
- Mould resistant
- Water portable
- Suitable for a wide range of applications



**SOUDAL**



## FULLER TRADE FORMWORK SILICONE

Fuller Trade Formwork Silicone sealant is a neutral cure non-corrosive sealant designed for sealing formwork and bedding applications to prevent loss of moisture in concrete.



Format	Product Code	Colour
300g Cartridge	15020076	Translucent

## SILICONE REMOVER

102853 - 100mL

- Fast working and does not drip
- Re-usable and comes with brush
- Specifically for silicones and SMX® Polymer



**SOUDAL**

## JOINT FINISH

119354 - 500mL  
106285 - 1L

- Makes smoothing sealants easy
- Easy to use
- Suitable for acrylics, silicones, SMX and hybrid sealants



**SOUDAL**

## FULACAULK AC ACRYLIC SEALANT

FulaCaulk AC sealant is a flexible, water based acrylic latex joint sealant primarily for use in sealing expansion and other joints in pre-cast panels, concrete block walls and masonry brick walls. FulaCaulk AC is easy to apply and tool, is mould resistant and compatible with most common construction substrates.



Format	Product Code	Colour
600ml Sausage	15020164	Clay
600ml Sausage	15020165	Espresso
600ml Sausage	15020163	Grey
600ml Sausage	15020166	Latte
600ml Sausage	15020182	Pale Brown
600ml Sausage	15020183	Redwood

## FULASEAL PRO 840NS COOL ROOM MASTIC

FulaSeal PRO 840NS is a non-skinning and non-corrosive polybutene based sealant, specifically designed for small joints in cool room installation. FulaSeal PRO 840NS is also suitable for concealed lap joints between plastics, metals and a wide range of common substrates.



Format	Product Code	Colour
460g Cartridge	15019568	Off White

## JOIN N FLEX - MS602 Polyurethane

Low modulus, hybrid polyurethane, flexible joint sealant & adhesive that is free of isocyanates and other hazardous raw materials.



SIZE	CODE	COLOUR
300ml	53HJNFCB	Black
	53HJNFCE	Grey
	53HJNFCW	White
600ml	53HJNFBS	Black
	53HJNFSG	Grey
	53HJNFWS	White

## FULAFILL MULTI-PURPOSE GAP FILLER

FulaFill Multi-Purpose Gap Filler is a premium quality, acrylic gap filler designed for general purpose gap filling around the home.



Format	Product Code	Colour
450g Cartridge	15019091	White

## FULAFLEX 550LM LOW MODULUS POLYURETHANE SEALANT

FulaFlex 550LM is a one component moisture-curing low modulus Class A polyurethane sealant with excellent joint movement capabilities. It cures to form a flexible, durable and weatherproof seal.



Package	Product Code	Colour
310ml Cartridge	15019536	Black
310ml Cartridge	15019540	Grey
310ml Cartridge	15019538	White
600ml Sausage	15019537	Black
600ml Sausage	15019541	Grey
600ml Sausage	15019539	White

## FULAFLEX 625LM LOW MODULUS HYBRID POLYMER SEALANT

FulaFlex 625 is a high performance, solvent free, moisture curing hybrid polymer sealant that offers a non-hazardous alternative to traditional PU's. It cures to form a seal that is tough, elastic and weatherproof.



Package	Format	Colour
440g Cartridge	15020018	Grey
440g Cartridge	15020020	White
600ml Sausage	15020107	Grey
600ml Sausage	15020019	White
600ml Sausage	15020184	Off White
600ml Sausage	15020109	Black
600ml Sausage	15020069	Light Grey

## NEW ECO-SNAG, 400ml sausage: reduce plastic waste, 33% More Volume • 85% Reduction in Waste • More Economical compared to cartridges.

The use of a sausage pack also provides savings in disposal costs. Since an empty sausage container is basically a small, compressed foil disc that is 10% the size of a typical empty cartridge, disposal cost savings can reach 90%. This also results in 90% less waste going to the landfill, which is a key component in environmental sustainability." Source: www.adhesivesmag.com

**Reduced Plastic Waste:** Every pallet of cartridges results in 106.56kg of plastic waste. Reduced volume of waste Cartridges are the same size empty as they are filled, so every pallet of cartridges consumed still results in 1.38m<sup>3</sup> of waste.

- Best for new roofs and repairs
- Less weight and length than a traditional 600ml sausage
- Foil packaging is aluminium; not plastic (the foil also has plastic coating in it)
- The sausage compresses into a small aluminium disc for disposal



USED ECO-SNAG



USED CARTRIDGE



## SEAL 'N' FLEX® PREMIUM P795

- High modulus
- Bubble free curing
- ±50% joint movement
- Sag free
- Easy tooling
- Permanently elastic
- High mechanical resistance
- 2 in 1 application
- UV resistant
- Paintable\*
- Made in Australia

### Product codes

300ml cartridge/ 20 per carton

Grey - 30619363

White - 30619372

Black - 30619361

600ml sausages/ 20 per carton

Grey - 30619364

White - 30617376

Black - 30619362



## SEAL 'N' FLEX® FACADE H725

- UV, moisture and weather resistance
- Bubble free curing
- Low modulus
- ±50% joint movement on glass, concrete & aluminum
- Free of isocyanates, silicones & solvents
- Easy tooling
- Permanently elastic
- Paintable\*

### Product codes

290ml cartridge/ 20 per carton

Grey - 30619351

White - 30619353

Black - 30619349

600ml sausages/ 20 per carton

Grey - 30619352

White - 30619354

Black - 30619350



## SEAL 'N' FLEX® ONE PLUS P590

Polyurethane sealants benefit from greater joint movement capability over conventional silicone sealants. This makes Seal 'N' Flex® One Plus P590 perfect for sealing larger joints between building materials, which can be concealed by painting over with acrylic-based paint.

- +100%/-50% joint movement
- Extremely elastic, > 1,000% elongation at break
- Bubble-free curing
- Sag-free, easy tooling
- Paintable\*
- Made in Australia



## REPAIR EXPRESS CEMENT

128000 - 290mL - Beige

125786 - 290mL - Grey

- Very fast curing
- Granular structure
- Paintable
- Does not shrink
- Water clean up



## FILL & FIX & BOND

Used for filling empty spaces, insulating, filling holes & cracks, filling between pipes, and sound deadening. Prevents water and unwanted pest penetration. Can be painted. It is a powerful adhesive and fire retardant, (Conforms to fire class B3).

SIZE	CODE	COLOUR
750ml	53MPF750	Cream



## N-MASTIC

Non-skinning polybutene-based compound. It will remain permanently soft and paste-like.

- Non-hardening - remains permanently flexible
- Good adhesion
- Provides an excellent barrier to water vapour transmission
- Resists microbial attack
- Low shrinkage
- Wide service temperature range -40°C to +80°C
- Available in 410g



# SILICONES, SEALANTS AND ADHESIVES

## FILL & PAINT GAP FILLER 122394 - 300mL

- Paintable in 20 mins
- 10% flexibility
- Good adhesion on porous surfaces and on aluminium
- Colourfast and waterproof after full cure
- Water cleanup



**SODAL**



## ALL WEATHERFLEX GAP FILLER 129181 - 300mL

- Paintable in 30 mins
- Superior flexibility  $\pm 12.5\%$
- Weather resistant
- High crack resistance
- Ideal for weatherboards



**SODAL**

## WET ON WET GAP FILLER 135230 - 300mL

- Paintable immediately
- Higher viscosity
- Minimises cracking
- Water clean up
- Internal & external



**SODAL**

## MULTIBOND SMX35 - SEAL & STRETCH

124618 - 600mL - Concrete Grey  
124619 - 600mL - Black  
124598 - 600mL - White

**SODAL**



- Highly flexible  $\pm 20\%$
- Elastic sealant
- UV and Mould Resistant
- Paintable
- Internal & external
- Multipurpose

## MULTIBOND SMX25 - FLEX & SEAL

152769 - 290mL - Black  
152770 - 290mL - Concrete Grey  
130250 - 600mL - Beige  
130254 - 600mL - Black  
130252 - 600mL - Concrete Grey  
130249 - 600mL - Dark Grey  
130251 - 600mL - Off White  
137193 - 600mL - Redwood  
130253 - 600mL - Sandstone  
130248 - 600mL - White

**SODAL**



- Highly elastic
- Higher viscosity
- Low modulus
- UV resistant
- Paintable
- Internal & External

## MULTIBOND SMX50 - SEAL & STICK

128463 - 290mL - Beach Sand  
121968 - 290mL - Bright White  
134912 - 290mL - Clear  
124435 - 290mL - Jet Black  
128462 - 290mL - Quick Silver  
121970 - 290mL - Steel Grey  
127507 - 600mL - Bright White  
147559 - 600mL - Steel Grey

**SODAL**



- Trafficable
- Fast curing
- Bonding & sealing
- UV Resistant

## SOUDAFLEX 33SL 130635 - 600mL

**SODAL**



- Self-levelling polyurethane flooring sealant
- Permanently flexible
- Good weather and UV resistance
- Non-staining on natural stone and concrete
- Resistant to lubricants, oils, petrol and chemicals

## SOUDAFLEX 36FL 130725 - 600mL

**SODAL**



- Polyurethane flooring sealant
- Permanently flexible
- Good weather and UV resistance
- Non-staining on natural stone and concrete
- Resistant to lubricants, oils, petrol and chemicals

## 425 TRADE PU

- Hybrid polyurethane sealant
- Excellent weatherproofing properties
- Low modulus
- Isocyanate & solvent free
- Highly elastic  $\pm 25\%$
- Available in 600mL in Concrete Grey, Black and White



**SupaPro**



### FOSROC NITOSEAL SC800

Nitoseal SC800 is a low modulus, high joint movement accommodation, one component silicone rubber joint sealant.



Product Code	Description	Size
FC920130-600ML	Nitoseal SC800 Concrete Grey 600ml	600ML

### FOSROC NITOSEAL MS250



Nitoseal MS250 is a resistant elastomeric joint sealant based on silyl modified polymers which provides excellent weathering and adhesion performance. Nitoseal MS250 is paintable with waterbased paints.



Product Code	Description	Size
FC920171-600ML	Nitoseal MS250 Concrete Grey 600ml	600ML

### FOSROC NITOSEAL SC600



Nitoseal SC600 is a one part, gun applied joint sealant designed for sealing joints exposed to aggressive chemical environments. Nitoseal SC600 is resistant to attack from most of the aggressive chemicals used in the food, mining and chemical processing industries. Complies to AS4020:2018.



Product Code	Description	Size
FC920100-600ML	Nitoseal SC600 Concrete Grey 600ml	600ML
FC920101-600ML	Nitoseal SC600 Pool Blue 600ml	600ML
FC920102-600ML	Nitoseal SC600 White 600ml	600ML

### NITOSEAL PU250



Nitoseal PU250 is a high performance elastomeric polyurethane joint sealant which forms a waterproof and durable seal making it ideal for vertical exterior applications such as sealing joints in concrete panels, fibrous cement products, external cladding panels, blockwork and brickwork.



Product Code	Description	Size
FC920112-600ML	Nitoseal PU250 Concrete Grey 600ml	600ML

### FOSROC NITOSEAL MS400



Nitoseal MS400 is a trafficable, UV resistant elastomeric trafficable joint sealant based on silyl modified polymers which provide excellent weathering and adhesion performance together with abrasion resistance.



Product Code	Description	Size
FC920181-600ML	Nitoseal MS400 Concrete Grey 600ml	600ML

### NITOSEAL PU400



Nitoseal PU400 is a medium modulus, elastomeric polyurethane joint sealant/adhesive which forms a waterproof and durable seal. It is ideal for exterior applications such as sealing joints and bonding between most construction materials, where a high bond strength and abrasion resistance is required. Suitable for water immersed applications and trafficable surfaces.



Product Code	Description	Size
FC920121-600ML	Nitoseal PU400 Concrete Grey 600ml	600ML

### FOSROC FLAMEX XT



Flamex XT is a high performance fire and acoustic rated elastomeric joint sealant based on silyl modified polymers for sealing exterior and interior movement joints where a fire rating of up to 4 hours is required.



Product Code	Description	Size
FC920045-600ML	Flamex XT Concrete Grey 600ml	600ML

## XTREME HIGH TACK

Xtreme® High Tack is a high performance professional adhesive based on MSP (Modified-Silyl Polymer) technology.

- High mechanical resistance, end strength and E-modulus
- No shrinkage and bubble free
- Resistant to moisture, weather and UV
- Permanently flexible, neutral curing and almost odourless
- Free of isocyanates, phthalates, solvents and silicones
- Will not slump in vertical applications

### Product codes

290ml cartridge - 30610679



## XTREME CLEARFIX

Bostik Xtreme® ClearFix is a high performance, flexible sealant and high strength adhesive in one for interior use. It cures to form a permanent flexible seal and tough bond, even under water, and does not require any primer to adhere to sound, dust-free, degreased surfaces.

- For use where a completely clear seal is desired
- Water potable – Tested in accordance with AS/NZS 4020
- No shrinkage and bubble free
- Free of isocyanates, phthalates, solvents and silicones
- Will not slump in vertical applications

### Product codes

290ml cartridge  
Crystal Clear - 30610665



## XTREME FLEX

Bostik Xtreme® Flex is a high performance, universal sealant and adhesive based on MSP (Modified Silyl-Polymer) technology. Xtreme Flex cures with the aid of atmospheric humidity to form a durable elastic rubber.

- Universal sealant and adhesive
- Interior and exterior use
- UV resistant
- Paintable
- Water potable (Water Potable to AS4020)
- Moisture and mould resistant
- Will not slump in vertical applications

### Product codes

290ml cartridge  
White - 30610668  
Grey - 30610797  
Black - 30610681



## Araldite

**ARALDITE 5 MINUTE** epoxy adhesive is a clear, fast setting, two part epoxy which provides a rigid durable bond to a wide range of surfaces.

- Available in 14mL, 35mL and 200mL

**ARALDITE 90 SECONDS EPOXY** adhesive is a 90 second setting, two part epoxy adhesive which enables a durable bond to a variety of surfaces without lengthy clamp times.

- Available in 14mL and 24mL

**ARALDITE ULTRA CLEAR** epoxy adhesive is a crystal clear adhesive which leaves an invisible bond line. It has excellent bond strength to a wide range of surfaces.

- Available in 8mL and 24mL

**ARALDITE SUPER STRENGTH EPOXY** adhesive is a super strong two part epoxy that has excellent adhesion to a broad range of surfaces and can hold up to 150kg\*

- Available in 35mL and 200mL



# SILICONES, SEALANTS AND ADHESIVES

## LIQUID NAILS

Timberflex Flooring Adhesive is a flexible, trowel grade adhesive suitable for most types of solid, engineered strip and sheet timber flooring to concrete and timber. The Advanced Polymer Technology formulation contains no isocyanate.

- Remains flexible
- Superior coverage – 20m<sup>2</sup>/10L pail
- Low VOC to meet Green Building Council requirements
- Excellent ridge formation
- Good wet grab
- Isocyanate and solvent free



MATERIAL	DESCRIPTION
100066	TIMBERFLEX 10L
100067	TIMBERFLEX 600ML
9300697113788	LIQUID NAILS DIRECT STICK V-NOTCH TROWEL




## VBS RAPID

Epoxy water based vapour barrier system for sealing concrete slabs.

- Rapid drying. Allows same day installation of flooring
- Waterbased
- Easy clean up with water
- One coat system
- High coverage, up to 40m<sup>2</sup> coverage
- Available in 5L

MATERIAL	DESCRIPTION
102802	VAPOUR BARRIER SYSTEM WATER BASED



**NEW**

## LIQUID NAILS DIRECT STICK

A high modulus, or semi-rigid polyurethane technology is ideal for strip and parquet flooring. Once cured, floors are held firmly in place preventing cupping and rafting, and reduced hollow spots and drumminess.

- High bond strength
- Rapid cure, low slump
- Foaming paste to fill gaps in between concrete and timber to reduce hollow spots
- Semi-rigid technology to reduce rafting and cupping
- Gel-like consistency is easy to spread with a strip flooring or parquetry trowel
- Meets Total VOC limits required by Green Building Council of Australia

MATERIAL	DESCRIPTION
930069711468601	LIQUID NAILS DIRECT STICK 700G SAUSAGE
930069711367201	LIQUID NAILS DIRECT STICK 14KG



## LIQUID NAILS VBS

A highly cross-linked, two-pack epoxy moisture vapour barrier system.

- Normally a one-coat system
- Colour coded components to aid proper mixing
- Controlled opacity: - The dark green-pigmented colour of the mixed product helps the applicator to gauge a consistent application rate by eye
- Rapid cure
- Very low water vapour transmission rate

MATERIAL	DESCRIPTION
930069711464801	LIQUID NAILS (VBS) 2 PART EPOXY KIT

