


## FLAP WHEELS - SPINDLE MOUNT ALUMINIUM OXIDE



- Available in various grits

Description	Part Number
6mm SPINDLE 20x10mm P80	66261133111
6mm SPINDLE 25x10mm P80	66261133115
6mm SPINDLE 25x15mm P80	66261133119
6mm SPINDLE 25x20mm P80	66261133123
6mm SPINDLE 25x25mm P80	66261133126
6mm SPINDLE 30x5mm P80	66261133131
6mm SPINDLE 30x10mm P80	66623321488
6mm SPINDLE 30x15mm P80	66623321494
6mm SPINDLE 30x30mm P80	69957301231
6mm SPINDLE 40x10mm P80	66623321498
6mm SPINDLE 40x15mm P80	66623321504
6mm SPINDLE 40x20mm P80	66623321507
6mm SPINDLE 40x25mm P80	66623324401
6mm SPINDLE 50x10mm P80	69957301246



Work with a better medium grit choice for surface blending and deburring with this High Performance AO steel shank mini flap wheel. Made with an integrated steel shank that provides excellent balance, the wheel produces chatter-free finishes and an excellent cut rate. The premium aluminum oxide abrasive blend provides long-lasting and more aggressive cutting, while the heavy cotton and polyester blended flaps resist wear well and provide excellent durability. Quickly change the wheel in and out on tools with a collet design.



Description	Part Number
6mm SPINDLE 50x15mm P80	66623321510
6mm SPINDLE 50x20mm P80	66623321513
6mm SPINDLE 50x25mm P80	66623324404
6mm SPINDLE 50x30mm P80	66623321516
6mm SPINDLE 60x15mm P80	66623321521
6mm SPINDLE 60x20mm P80	66623321523
6mm SPINDLE 60x30mm P80	66623321526
6mm SPINDLE 60x40mm P80	66623321532
6mm SPINDLE 60x50mm P80	66623321535
6mm SPINDLE 80x15mm P80	69957301279
6mm SPINDLE 80x20mm P80	69957301284
6mm SPINDLE 80x30mm P80	66623321538
6mm SPINDLE 80x40mm P80	66623321541
6mm SPINDLE 80x50mm P80	66623321543

## ACTIROX FIBRE DISCS AF799 STEEL & STAINLESS STEEL

- Aggressive grinding
- Perfect for steel applications
- Double stock removal compared to conventional ceramic grain abrasives



Article No.	Size in/mm	Grit	Max. RPM	📦
75488705	(4") 100	36	11,500	50
75485211	(5") 125	36	11,500	50
75485355	(7") 180	36	11,500	50

## 50 PACK ACTIROX BUCKET ACTIROX FIBRE DISCS AF799 STEEL & STAINLESS STEEL


Article No.: 75493760

Size: (5") 125mm  
Grit Size: 36



## FIBRE DISCS CERAMIC-PLUS



- Ceramic-Plus grains optimize the self-sharpening effect thanks to their microcrystalline structure. This results in a more aggressive behaviour & very little heat
- Guaranteed shorter cycle times thanks to faster and more consistent stock removal



Article No.	Size in/mm	Grit	Max. RPM	📦
75470924	(5") 125	20	12,200	25
75470925	(5") 125	24	12,200	25

## ACTIROX FIBRE DISCS AF890 STAINLESS STEEL & STEEL

- For stainless steel applications
- Double the stock removal compared to conventional ceramic grain abrasives
- Cool grinding processes & extended service lives



Article No.	Size in/mm	Grit	Max. RPM	📦
75482476	(5") 125	36	8,500	50
75485187	(7") 180	36	8,500	50

## FIBRE DISC BACKING PADS HIGH PERFORMANCE

- Long tool life
- Cool grinding
- Suits Actirox fibre discs




Article No.	Size in/mm	Thread	Max. RPM	📦
44890090	(5") 125	M14	12,200	1
44890100	(7") 180	M14	8,500	1

## BLAZEX FIBRE DISCS FOR CARBON STEEL - F970X



Improved ceramic alumina micro-fracturing grain constantly exposes sharper grain edges to significantly increase cut rate and life over competitive blended/low-ratio ceramic alumina discs

- Available in other sizes




Description	Part Number
125 x 22mm P36	78072718988
125 x 22mm P50	78072718989
125 x 22mm P60	78072718990
125 x 22mm P80	78072718991
178 x 22mm P36	78072718992
178 x 22mm P50	78072718993
178 x 22mm P60	78072718994
178 x 22mm P80	78072718995

## FS 964 CERAMIC FIBRE DISC



- Premium product with excellent performance for working on steel
- Micro-crystalline self sharpening effect
- Advanced coating technology (ACT) for extraordinary grain adhesion and extended service life




Product Code	Size (mm)	Grit Size
330484	125 x 22	24
330485	125 x 22	36
330487	125 x 22	60
330490	125 x 22	80
330491	125 x 22	120

## CS 565 ZIRCONIA FIBRE DISC



- Self sharpening effect
- High aggressiveness on steel and stainless steel
- Ideal for rough grinding work
- Excellent price performance ratio



Product Code	Size (mm)	Grit Size
100711	100 x 16	24
23680	100 x 16	36
84604	100 x 16	60
188678	100 x 16	80
95335	115 x 22	24
6686	115 x 22	36
242801	115 x 22	40
6687	115 x 22	60
6688	115 x 22	80
97643	125 x 22	24
6620	125 x 22	36
93054	125 x 22	50
6721	125 x 22	60
23005	125 x 22	80

## NORZON FIBRE DISCS - SLOTTED - F827



NORZON™ Zirconia Fibre discs are heavy-duty abrasive discs with resin over resin construction on a heavy-duty vulcanized fibre backing.

They are designed for applications from heavy stock removal to surface blending and finishing.

- Available in other sizes



Description	Part Number
Slotted 125 x 22mm Z24	63642539619
Slotted 125 x 22mm Z36	63642536483
Slotted 125 x 22mm Z60	69957360057
Slotted 125 x 22mm Z80	63642539622
Slotted 125 x 22mm Z120	63642533056
Slotted 178 x 22mm Z36	63642533063
Slotted 178 x 22mm Z60	63642533065
Slotted 178 x 22mm Z80	63642533066
Slotted 178 x 22mm Z120	63642533068

## DRY WALL SANDING DISCS



Designed to provide faster, easier and cleaner sanding for a perfect finish. These discs are suited to all portable and long-reach sanding machines. The high-loft backing cushions the disc for smoother uniform sanding, reducing swirl marks, while the full surface multi-hole design maximises dust extraction without the need to align holes.



Description	Part Number
225mm x MH P120	78072743824
225mm x MH P150	78072743825
225mm x MH P180	78072743828
225mm x MH P240	78072743829

## RUBBER BACKING PAD COMBIDISC CDR

Article No.: 47600070

- Sizes: 50mm
- Max. RPM: 19,000
- 1 product per display, 4 displays in 1 box
- Suits PFERD CDR COMBIDISCS
- Vibration free operation
- Also available in size 75mm



## ALUMINIUM OXIDE DISCS COMBIDISC CDR

- Quick change discs save time & money
- Long life for hard to grind materials including stainless steel
- Suitable for general purpose use on metals & other materials
- Discs also available in size 75mm
- Bulk pack also available



Article No.	Size mm	Grit	Recom. RPM	PPD*	📦
47200072	50	36	8,000 - 13,000	5	1
47200073	50	60	8,000 - 13,000	5	1
47200074	50	80	8,000 - 13,000	5	1

## MULTI-AIR BACK-UP PAD

- Design draws dust into the collection chamber allowing optimal airflow and powerful dust extraction
- High performance and productivity
- Clean surface and working environment are the outcome of this innovative design



Description	Part Number
150mm SOFT	63642560605
150mm MEDIUM	63642585872

## SPEED-LOK DISC HOLDER BACK-UP PAD

- Fast change for maximum efficiency and productivity
- Tool-free, twist-on/twist-off fastening system minimises downtime
- Compatible with Norton Speed-Lok Discs



Description	Part Number
TR+ (TYPE 4) Holder 100mm	63642586196
TR (TYPE 3) Disc Back Up Pad 50mm	66261055103
TR (TYPE 3) Disc Back Up Pad 75mm	66261055105

## INDUSTRIAL AC / ZEC DISCS

ZEC® Discs are manufactured with an exclusive process which is designed to give the user full reliability in terms of quality, performance and safety. ZEC® SEMIFLEX is manufactured with a 2.0mm thick fiber backing support and multiple layers of first-rate abrasive.



Description	Part Number
ZEC DISC 125x22mm SC16	66623322070
ZEC DISC 125x22mm SC24	66623322071
ZEC DISC 125x22mm SC36	66623322072

## BEAR-TEX PAD HOLDER 69957370093

This holder can be used with BEARTEX™ Hand Pads when they are trimmed to half size. The hooks will grip onto the pad with a slight twisting motion, providing the user with more comfort during tough applications.



## BEAR-TEX HAND PADS

The flexibility of BEARTEX™ products ensures constant contact with the surface and prevents cutting or gauging when working.



Description	Part Number
THIN FLEX 115x230mm VFINE MAROON	63642506166
THIN FLEX 115x230mm UFINE GREY	63642506167
150x230mm MED DARK TAN 740HD	66261074000
150x230mm MED GREY 746	66261074600
150x230mm VFINE MAROON 777	66261077700
150x230mm VFINE MAROON 747	66261074700
150x230mm VFINE GREEN 796	66261079600
150x230mm UFINE GREY 635	66261063500
150x230mm MFINE GREY 748	66261074800
150x230mm MFINE GOLD 914	66261195914
150x230mm NON/AB WHITE 456	66261045600

## FIBRE DISC BACK-UP PADS


- Ribbed surface to draw heat away from the grinding zone
- Produces a more aggressive cutting action
- Reduces disc loading and increased life of the fibre disc



Description	Part Number
Turbo Backup Pad 100 x M10-1.5	66623320033
Turbo Backup Pad 115 x M14-2.00	66623320034
Turbo Backup Pad 125 x M14-2.00	66623320048
Turbo Backup Pad 178 x M14	66623320049

## PRO SPEED-GRIP BACK-UP PADS

- Durable polyurethane construction for maximum life and good flexibility
- Various thread sizes available



Description	Part Number
150mm x M14 NH	63642567812
150mm x 5/16 NH	66623320007
150mm x 5/16 6H	66623320010
200mm x M14 NH	66623320011
150mm x M8 & 5/16 14+1H Medium	66623338450
150mm x M8 & 5/16 14+1H Soft	66623338452

## SPEED-GRIP CONVERTER KIT (SELF ADHESIVE)


- Converts machine from PSA to Speed-Grip
- Suitable for industrial and domestic applications



Description	Part Number
SPEEDGRIP CONVERTER KIT 178mm	66623320017
SPEEDGRIP CONVERTER KIT 150mm	66623320018
SPEEDGRIP CONVERTER KIT 125mm	66623320025
SPEEDGRIP CONVERTER KIT 200mm	66623320027
SPEEDGRIP CONVERTER KIT 230mm	66623320029
SPEEDGRIP CONVERTER KIT 305mm	66623320031
SPEEDGRIP CONVERTER KIT 356mm	66623320032
SPEEDGRIP CONVERTER KIT 115mm x 8H	66623322168
SPEEDGRIP CONVERTER KIT 125mm x 8H	66623322170
SPEEDGRIP CONVERTER KIT 150mm x 6H	66623322172

## BEAR-TEX FLOOR CONDITIONING & MAINTENANCE 405MM

- A thick pad for wet stripping applications that is aggressive, durable and consistent
- Durable and long lasting, designed for low RPM machines
- Open construction allow finish and stripping solutions resist clogging



Description	Part Number
MAIN. PAD BLACK SUPER STRIPPER (5 PADS)	66261054226
MAIN. PAD RED BUFFER 405MM (5 PADS)	66261054275
MAIN. PAD WHITE SUPER GLOSS (5 PADS)	66261054208



## EXPERT QUANTUM PREMIUM H831 MULTI-GRIT PAPER H&L VACUUM DISC



- Strong E-wt. paper, synthetically-coated for excellent durability and chip resistance
- Non-stearated (no anti-loading agents) for non-contaminating; often required for prime auto and aerospace paint applications
- Hook and loop back for easy disc mounting and changing; vacuum holes for maximum dust extraction

Description	Part Number
125mm x MH 12PK V/CRSE P40	66261113984
125mm x MH 12PK MEDIUM P80	66261113985
125mm x MH 12PK FINE P120	66261113986
125mm x MH 12PK FINE P180	66261113987
125mm x MH 12PK V/FINE P240	66261113988
125mm x MH 12PK V/FINE P320	66261113991
150mm x MH 12PK V/CRSE P40	66261113992
150mm x MH 12PK MEDIUM P80	66261113993
150mm x MH 12PK FINE P120	66261113994
150mm x MH 12PK FINE P180	66261113995
150mm x MH 12PK V/FINE P240	66261113996
150mm x MH 12PK V/FINE P320	66261113997

## METALITE CLOTH BELTS R293



- A blend of a premium aluminum oxide and ceramic alumina abrasive for fast initial cut rate and long cutting life
- Heavy durable X-wt. Polyester backing is ideal for heat sensitive applications
- Available in other sizes

Description	Part Number
50x914mm R293 P40	66623321236
50x914mm R293 P60	66623321218
50x914mm R293 P80	66623321206
50x914mm R293 P100	66623321275
50x914mm R293 P120	66623321184
50x914mm R293 P180	66623321255
50x914mm R293 P240	66623321220
50x914mm R293 P320	66623321259
50x1220mm R293 P40	66623321224
50x1220mm R293 P60	66623321239
50x1220mm R293 P80	66623321205
50x1220mm R293 P120	66623321183


## BEAR-TEX - RAPID PREP SURFACE CONDITIONING BELTS



- Durable fibre construction
- Very sharp abrasive grain
- Flexible backing
- Highly resistant to clogging and loading
- Available in other sizes

Description	Part Number
50x914mm COARSE	66623321816
50x914mm MEDIUM	66623321817
50x914mm VERY FINE	66623321818

## NORZON CLOTH BELTS FOR FIXED MACHINES R824 (BLUE)



- Zirconia alumina abrasive is ultra tough, aggressive, self-sharpening, and cool cutting
- Available in other sizes and grits

Description	Part Number
50x914mm R824 Z40	66623321297
50x914mm R824 Z60	66623321298
50x914mm R824 Z80	66623321299
50x1220mm R824 Z40	66623321300
50x1220mm R824 Z60	66623321302
50x1220mm R824 Z80	66623321303

## EXPERT QUANTUM PREMIUM MULTI-GRIT CLOTH PORTABLE BELT



Zirconia alumina abrasive is ultra-tough, aggressive, self-sharpening, and cool cutting. Durable, X-weight, cotton polyester cloth backing provides maximum grain adhesion, reduced edge-fray and strong body retention result in longer life and product consistency. Full resin bond system provides increased strength. Longer sanding life with maximum stock removal per belt.

- Available in various grits

Description	Part Number
75x457mm 3PK COARSE P50	66261113999
75x457mm 3PK MEDIUM P80	66261114129
75x457mm 3PK FINE P120	66261114130
75x533mm 3PK V/CRSE P36	66261114131
75x533mm 3PK COARSE P50	66261114132
75x533mm 3PK MEDIUM P80	66261114134
75x533mm 3PK FINE P120	66261114135
75x610mm 3PK V/CRSE P36	66261114136
75x610mm 3PK COARSE P50	66261114137
75x610mm 3PK MEDIUM P80	66261114138
75x610mm 3PK FINE P120	66261114140
100x610mm 3PK V/CRSE P36	66261114141
100x610mm 3PK COARSE P50	66261114142
100x610mm 3PK MEDIUM P80	66261114143
100x610mm 3PK FINE P120	66261114145

## SANDING ACCESSORIES

66623320013



- Solid rubber removes built up materials from belts.
- Prolongs belt life by up to 10 times.

## NORTON BLAZE SG MULTI-GRIT CLOTH BELT



- Next-generation SG ceramic alumina abrasive for exceptional cut rate and life, especially on hard-to-grind alloys
- Aggressive cut rate throughout the life of the belt with up to 5X performance over standard belts
- Available in other sizes and grits

Description	Part Number
50x914mm R980P C40	66623321458
50x914mm R980P C60	66623321459
50x914mm R980P C80	66623321460